OMEPRAZOLE- omeprazole tablet, delayed release Praxis, LLC

Meijer Distribution, Inc. Omeprazole Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2** or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions. Symptoms may include:
- skin reddening
- blisters
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours
- 14-Day Course of Treatment
- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets.
- Repeated 14-Day Courses (if needed)
- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

benzyl alcohol, carmine, carnauba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

Package/Label Principal Display Panel

meijer ®

Omeprazole

Delayed Release Tablets, 20 mg | Acid Reducer

COMPARE TO PRILOSEC OTC ®

24 HR

TREATS FREQUENT HEARTBURN!

WILDBERRY MINT COATED TABLET

SWALLOW - DO NOT CHEW

Actual Size

42 TABLETS

THREE 14-DAY COURSES OF TREATMENT

MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT

meijer. **Omeprazole** Delayed Release Tablets, 20 mg | Acid Reducer **Acid Reducer** TREATS FREQUENT HEARTBURNI WILDBERRY MINT COATED TABLET SWALLOW - DO NOT CHEW meijer. Tips for Managing Heartburn ■ Do not lie flat or bend over after eating NDC 41250-401-03 ■ Do not wear tight-fitting clothing around the stomach ■ Do not eat before bedtime ■ Raise the head of your bed Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables ■ Eat slowly and avoid big meals ■ If overweight, lose weight **Omeprazole** ■ Quit smoking **COMPARE TO** PRILOSEC OTC®* Delayed Release Tablets, 20 mg | Acid Reducer SAFETY FEATURE - DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING. **24 HR** TREATS FREQUENT HEARTBURN! WILDBERRY MINT COATED TABLET **TABLETS** BOX BOTTLE THREE 14-DAY COURSES OF TREATMENT MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT SWALLOW -3 Bottles inside DO NOT CHEW PID 3554025 *This product is not manufactured or distributed by AstraZeneca AB, owner of the registered trademark Prilosec OTC*. 401D7 6E C7



Drug Facts

Warnings

Allergy alert:

■ blisters

■ rash

Active ingredient (in each tablet)
Omeprazole 20 mg..... Purpose

do not use if you are allergic to omeprazole.

■ treats frequent heartburn (occurs 2 or more days a week)
 ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days forfull effect

■ omeprazole may cause severe skin reactions. Symptoms may include:
■ skin reddening

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools

■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
frequent chest pain

■ had heartburn over 3 months. This may be a sign of a more serious condition
■ frequent wheezing, particularly with heartburn

■ heartburn with lightheadedness, sweating or dizziness

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

■ unexplained weight loss

nausea or vomiting

stomach pain

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs

Stop use and ask a doctor if:

Drug Facts (continued)

vour heartburn continues or worsens

- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months ■ you get diamhea

■ you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ for adults 18 years of age and older

■ this product is to be used once a day (every 24 hours), every day for 14 days

■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

- 14-Day Course of Treatment
 swallow 1 tablet with a glass of water before eating in the moming
- take every day for 14 days do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets. Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
 do not take for more than 14 days or more often than every
 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Drug Facts (continued)

- Other information ■ read the directions and warnings
- before use
- keep the carton. It contains important information.
 ■ store at 20-25°C (68-77°F) and protect
- from moisture

Inactive ingredients

benzyl alcohol, carmine, camauba wax, FD&Ć blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, triacetin,

Questions or comments? 1-800-719-9260

MADE IN ISRAEL

DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI www.meijer.com







OMEPRAZOLE

omeprazole tablet, delayed release

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59368-330

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength 20 mg **OMEPRAZOLE** (UNII: KG60484QX9) (OMEPRAZOLE - UNII: KG60484QX9) **OMEPRAZOLE**

Inactive Ingredients	
Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARMINIC ACID (UNII: CID8Z8N95N)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
HYPROMELLOSE ACETATE SUCCINATE, UNSPECIFIED (UNII: A7ZHS2RJ34)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A)	
MONOETHANOLAMINE (UNII: 5KV86114PT)	
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SODIUM STARCH GLYCOLATE TYPE A (UNII: H8AV0SQX4D)	
SODIUM STEARATE (UNII: QU7E2XA9TG)	
SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics			
Color	purple	Score	no score
Shape	OVAL	Size	12mm
Flavor	BERRY	Imprint Code	20
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59368-330- 02	3 in 1 CARTON	03/25/2015	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:59368-330- 01	1 in 1 CARTON	02/03/2020	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA022032	03/25/2015	

Establishment			
Name	Address	ID/FEI	Business Operations
Praxis, LLC		016329513	manufacture(59368-330) , label(59368-330) , pack(59368-330)

Revised: 1/2023 Praxis, LLC