CAREONE OMEPRAZOLE- omeprazole tablet, delayed release Praxis, LLC

American Sales Company Omeprazole Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more**days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months

- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew, crush, or suck tablets.

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

benzyl alcohol, carmine, carnauba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthol, modified starch, monoethanolamine, polyethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucralose, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Compare to Prilosec OTC ®

OMEPRAZOLE

Delayed Release Tablets 20mg

Acid Reducer

Treats Frequent Heartburn!

3 BOTTLES INSIDE

SWALLOW - DO NOT CHEW

Wildberry Mint

Coated Tablet

Actual Size

24HR

42 TABLETS

See Current Drug Facts

Three 14-day courses of treatment

May take 1 to 4 days for full effect

Safety Feature - Do not use if printed seal under cap is broken or missing.



NDC 41520-802-03

Compare to Prilosec OTC®*

OMEPRAZOI

Delayed Release Tablets 20mg Acid Reducer

Treats Frequent Heartburn! **3 BOTTLES INSIDE** SWALLOW - DO NOT CHEW



See Current Drug Facts

Wildberry Mint Coated Tablet



42 TABLETS

Three 14-day courses of treatment May take 1 to 4 days for full effect





Tips for Managing Heartham

Up not lie flator band over after eating

Up not wear is the fitting debting around the stomach

Up not wear high thing debting around the stomach

Up not wear higher bedom

Raise the head of your bed

Axied the centum-result gitteds such as rich, spiry,
lattly or hired books, choosite, caffeine, alcohol and
certain finitional vegetables.

Eart downly and axed by meals

Illi overweight loss weight.

Cart smoking



CODE AREA

401D7 OF C1



Drug Facts

Active ingredient (in each tablet) Omeprazole 20 mg.

Purpose Acid reducer

- treats frequent heartburn (occurs 2 or more days a week)
 not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings Allergy alert: Do not use if you are allergic to omeprazole

- Do not use if you have: trouble or pain swallowing food, vom iting with blood, or bloody or blackstools
- heartburn with lightheadedness, sweating or dizzine
- chest pain or shoulder pain with shortness of breath; swearing; pain spreading to arms, neck or shoulders; or lightheadedness

■ frequent chest pain These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have: ■ had heartburn over 3 months. This may be a sign of a more serious

Drug Facts (continued)

■ you need to take more than 1 course of treatment every 4 months

- you get diarrhe a you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours
- 14-Day Course of Treatment

 Biswallow 1 tablet with a glass of water before exting in the morning

- swellow 1 to bet writh a gaste or water country country.

 take every day for 14 days
 do not take more than 1 tablet a day
 do not use for more than 14 days unless directed by your doctor
 swellow whole. Do not chew, crush, or suck tablets.

Repeated 14-Day Courses (if needed)

Note that the second of the second

Drug Facts (continued)

Inactive ingredients


benzyl alcohol, carmine, carnauba wax, FD&C blue #2/indigo carmine aluminum lake, flavor, hypromellose, hypromellose acetate succinate, lactose monohydrate, menthal modified starch, manaethanalamine ethylene glycol 3350, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, sucraliose, talc, titanium diccide, triacetin,

Questions or comments?

3 Bottles Inside

"This product is not manufactured or distributed

DISTRIBUTED BY:



CAREONE OMEPRAZOLE

omeprazole tablet, delayed release

| Product | Information |
|---------|-------------|
|---------|-------------|

Product Type HUMAN OTC DRUG Item Code (Source) NDC:59368-332

Route of Administration ORAL

Active Ingredient/Active Moiety

| ш | | _ | | |
|---|--------|------------|--------------------------|----------|
| l | Ingred | lient Name | Basis of Strength | Strength |
| ı | | | | |

OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII: KG60484QX9) OMEPRAZOLE 20 mg

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | | | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | | | |
| MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) | | | |
| MONOETHANOLAMINE (UNII: 5KV86114PT) | | | |
| POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) | | | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | | | |
| SODIUM STEARATE (UNII: QU7E2XA9TG) | | | |
| SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI) | | | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | | |
| TALC (UNII: 7SEV7J4R1U) | | | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | | | |
| TRIACETIN (UNII: XHX3C3X673) | | | |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) | | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | | | |
| FD&C BLUE NO. 2 (UNII: L06K8R7DQK) | | | |
| | | | |

| Product Characteristics | | | | |
|-------------------------|--------|--------------|----------|--|
| Color | purple | Score | no score | |
| Shape | OVAL | Size | 12mm | |
| Flavor | BERRY | Imprint Code | 20 | |
| Contains | | | | |

| l | Packaging | | | | |
|---|------------------------|---|-------------------------|-----------------------|--|
| | # Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| | 1 NDC:59368-332- 01 | 3 in 1 CARTON | 03/11/2021 | | |
| | 1 | 14 in 1 BOTTLE; Type 0: Not a Combination Product | | | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| NDA | NDA022032 | 03/11/2021 | |
| | | | |

Labeler - Praxis, LLC (016329513)

| Establishment | | | | |
|---------------|---------|-----------|---|--|
| Name | Address | ID/FEI | Business Operations | |
| Praxis, LLC | | 016329513 | manufacture(59368-332) , label(59368-332) , pack(59368-332) | |

Revised: 1/2023 Praxis, LLC