

**HURRICAINE TOPICAL ANESTHETIC LIQUID- benzocaine liquid**  
**Beutlich Pharmaceuticals, LLC**

-----  
**SB Liquid 1oz**

**Active ingredient**

Benzocaine 20%

**Purpose**

Oral Anesthetic

**Uses**

for the temporary relief of occasional minor irritation and pain, associated with

- canker sores
- sore mouth and throat
- minor injury of the mouth and gums
- minor dental procedures
- minor irritation of the mouth and gums caused by dentures or orthodontic appliances

**Warnings**

**Methemoglobinemia warning:** Use of this product may cause methemoglobinemia, a serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. This can occur even if you have used this product before. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

**Allergy alert:** Do not use if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics.

**Sore throat warning:** if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, swelling, nausea, or vomiting, consult a doctor promptly. If sore mouth symptoms do not improve in 7 days, or irritation, pain, or redness persists or worsens, see your dentist or doctor promptly.

**Do not use**

**Do not use**

- if imprinted seal under cap is broken or missing
- for teething
- in children under 2 years of age

**When using this product**

**When using this product** avoid contact with eyes

**Keep out of reach of children**

If more than used for pain is accidentally swallowed, get medical help or contact a Poison Control Center immediately.

**Directions****Directions**

- do not exceed recommended dosage

adults and children 2 years of age and older: apply to the affected area. Allow to remain in place at least 1 minute and then spit out. Use up to 4 times daily or as directed by a dentist or doctor.

children under 12 years of age: should be supervised in the use of the product

children under 2 years of age: do not use

**Other information****Other information**

store at 20°-25° C (68°- 77° F)

**Inactive ingredients**

flavor, polyethylene glycol, sodium saccharin

**Questions or comments?**

1-800-238-8542

M-F: 8:00 a.m. - 4:30 p.m. ET

**Principal Display Panel**

NDC 0283-1116-31



HURRICaine®

Topical Anesthetic LIQUID

20% Benzocaine Oral Anesthetic

STRAWBERRY

Manufactured for:

Beutlich® Pharmaceuticals, LLC

Bunnell, FL 32110

Made in the USA

1 fl. oz.

## HURRICaine TOPICAL ANESTHETIC LIQUID

benzocaine liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0283-1116
Route of Administration	DENTAL, ORAL, PERIODONTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	200 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	

## Product Characteristics

Color	yellow	Score	
Shape		Size	
Flavor	STRAWBERRY	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0283-1116-31	1 in 1 BOX	11/15/2016	01/31/2020
1	NDC:0283-1116-00	29.6 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022	11/15/2016	

**Labeler** - Beutlich Pharmaceuticals, LLC (005209325)

**Registrant** - Beutlich Pharmaceuticals, LLC (005209325)

## Establishment

Name	Address	ID/FEI	Business Operations
Dental Technologies Inc.		148312838	manufacture(0283-1116)

## Establishment

Name	Address	ID/FEI	Business Operations
speciality pharma manufacturing		013957125	manufacture(0283-1116)