

**MINOXIDIL- minoxidil aerosol, foam**  
**Rite Aid Corporation**

-----  
**Minoxidil Topical Solution for Men**

***Drug Facts***

***Active ingredient***

Minoxidil 5% w/w (without propellant)

***Purpose***

Hair regrowth treatment for men

***Use***

to regrow hair on the top of the scalp (vertex only, see pictures on side of carton)

***Warnings***

**For external use only. For use by men only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. Minoxidil Topical Aerosol 5% (Foam) is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have**

heart disease

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

### **Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

### **May be harmful if used when pregnant or breast-feeding.**

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### ***Directions***

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed leaflet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### ***Other information***

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container.
- Do not expose to heat or store at temperature above 120°F (49°C).

### ***Inactive ingredients***

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol, 40-Bstearyl alcohol

### **Questions?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal display panel**

Compare to active ingredient in Men's Rogaine®\*

EASY-TO-USE

MINOXIDIL

TOPICAL AEROSOL,

5% (FOAM)

FOR MEN

HAIR REGROWTH TREATMENT

Reactivates hair follicles to stimulate regrowth

Easy-to-use form

Clinically proven to help regrow hair

Unscented

NOT FOR USE BY WOMEN

1 CAN

60 g (2.11OZ)

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Men's Rogaine®.

DISTRIBUTED BY: RITE AID,

200 NEWBERRY COMMONS

ETTERS, PA 17319

[www.riteaid.com](http://www.riteaid.com)

## **Package label**



|                                           |  |
|-------------------------------------------|--|
| <b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)  |  |
| <b>PROPANE</b> (UNII: T75W9911L6)         |  |
| <b>WATER</b> (UNII: 059QF0KO0R)           |  |
| <b>ALCOHOL</b> (UNII: 3K9958V90M)         |  |
| <b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y) |  |

## Product Characteristics

|                 |                            |                     |  |
|-----------------|----------------------------|---------------------|--|
| <b>Color</b>    | white (white to off white) | <b>Score</b>        |  |
| <b>Shape</b>    |                            | <b>Size</b>         |  |
| <b>Flavor</b>   |                            | <b>Imprint Code</b> |  |
| <b>Contains</b> |                            |                     |  |

## Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--------------------------------------------------|----------------------|--------------------|
| 1 | NDC:11822-0115-1 | 1 in 1 PACKAGE                                   | 05/05/2023           | 05/05/2027         |
| 1 |                  | 60 g in 1 CAN; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:11822-0115-3 | 3 in 1 PACKAGE                                   | 05/05/2023           | 05/05/2027         |
| 2 |                  | 60 g in 1 CAN; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| ANDA               | ANDA208092                               | 05/05/2023           | 05/05/2027         |

**Labeler** - Rite Aid Corporation (014578892)