

**CALCIUM CARBONATE, MAGNESIUM HYDROXIDE- calcium carbonate, magnesium hydroxide tablet, chewable**  
**Contract Pharmacal Corp.**

-----  
**5931- Export**

**P&G Label**

**Ne pas utiliser ce produit s'il manque la fermeture d'étanchéité sous le capuchon.**  
 Un soulagement rapide et efficace des brûlures d'estomac associées à l'excès d'acide gastrique. ROLAIDS commence à neutraliser l'acide gastrique en moins de 10 secondes. ROLAIDS est une excellente source de calcium et de magnésium. La consommation de calcium, lorsqu'elle s'accompagne d'un apport suffisant en vitamine D, d'une alimentation saine et de la pratique régulière d'une activité physique, peut réduire le risque d'ostéoporose. Antiacide faible en sodium.

**Ingrédients médicinaux (par comprimé à croquer) :** 1000 mg de carbonate de calcium USP (équivalent à 400 mg de calcium), 200 mg d'hydroxyde de magnésium USP (équivalent à 85 mg de magnésium).

**Ingrédients non médicamenteux:** Acacia, fécule de maïs, sirop de maïs, dextrose, rouge allura AC sur substrat, jaune soleil F.C.F. sur substrat, tartrazine sur substrat, fructose\* lactose, sélérate de magnésium, maltodextrine, triglycérides à chaîne moyenne, saveur naturelle et artificielle, alginate de propylène glycol, dioxyde de silicium, acide stéarique, sucralose, sucrose, tocophérols, inositol.

**Mises en garde :** Ne pas prendre ce produit à moins de 2 heures de la prise d'un autre médicament, car l'efficacité de ce dernier pourrait en être altérée. Ne pas prendre ce médicament durant plus de deux semaines ni en cas de réapparition des symptômes, sauf sur avis d'un médecin. Les personnes atteintes d'une maladie du rein ne doivent pas prendre ce produit, sauf sur avis d'un médecin. Consulter un médecin avant de prendre ce médicament. Garder hors de la portée des enfants. Conserver à moins de 25 °C.

**Réaction indésirable connue :** Certaines personnes peuvent souffrir de diarrhée.

**MODE D'EMPLOI : ANTIACIDE :** Adultes : croquer de 2 à 3 comprimés à l'apparition des symptômes ou selon les directives du médecin. **Dose maximale :** 3 comprimés par jour. Femmes enceintes : croquer 1 ou 2 comprimés à l'apparition des symptômes ou selon les directives du médecin. **Dose maximale :** 3 comprimés par jour.

**SUPPLÉMENT DE CALCIUM ET DE MAGNÉSIMUM :** Adultes et femmes enceintes : croquer 1 ou 2 comprimés après les repas ou selon les directives du médecin. **Dose maximale :** 3 comprimés par jour.

**Do not use if inner seal on bottle is broken or missing.**  
 For fast and effective relief of heartburn associated with excess stomach acid, ROLAIDS starts to neutralize stomach acid in less than 10 seconds. ROLAIDS is an excellent source of calcium and magnesium. Calcium intake, when combined with sufficient vitamin D, a healthy diet, and regular exercise, may reduce the risk of developing osteoporosis. Low sodium antacid.

**Medicinal Ingredients (in each chewable tablet):** Calcium carbonate USP 1000 mg (equivalent to 400 mg of calcium), Magnesium hydroxide USP 200 mg (equivalent to 85 mg of magnesium).

**Non-Medicinal Ingredients:** acacia, corn starch, corn syrup, dextrose, FD&C red no. 40 lake, FD&C yellow no. 5 lake, FD&C yellow no. 6 lake, fructose\*, lactose, magnesium stearate, maltodextrin, medium chain triglycerides, natural and artificial flavor, propylene glycol alginate, silicon dioxide, stearic acid, sucralose, sucrose, tocopherols, triacetin

\*May contain this ingredient

**Warning:** Do not take within 2 hours of another medicine as the effectiveness of the other medicine may be altered. Do not use for more than two (2) weeks, or if symptoms recur, unless directed by a doctor. Individuals with kidney disease should not take this product except on the advice of a doctor. Ask your doctor before use. Keep out of reach of children. Store below 25°C.

**Known Adverse Reaction:** Some people may experience diarrhea.

**DIRECTIONS: ANTIACID:** Adults: chew 2-3 tablets as symptoms occur or as directed by a doctor. **Maximum:** 8 tablets/day. **Pregnant Women:** chew 1-2 tablets as symptoms occur or as directed by a doctor. **Maximum:** 3 tablets/day.

**CALCIUM & MAGNESIUM SUPPLEMENT:** Adults and pregnant women: chew 1-2 tablets after meal or as directed by a doctor. **Maximum:** 3 tablets/day.

**72** chewable tablets  
comprimés à croquer

**assorted fruit  
fruits assortis**  
NPN 80044138

**P&G**  
DISTR. BY/PAR PROCTER & GAMBLE INC.  
TORONTO, ON M5W 1G5  
Questions? 1-833-372-2729  
www.pg.com  
21036231 R52424

20112 00461 0

**CALCIUM CARBONATE, MAGNESIUM HYDROXIDE**

calcium carbonate, magnesium hydroxide tablet, chewable

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10267-0039
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6Z B)	CALCIUM CARBONATE	1000 mg
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	200 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>DEXTROSE</b> (UNII: IY9XDZ35W2)	

<b>CORN SYRUP</b> (UNII: 9G5L16BK6N)
<b>FRUCTOSE</b> (UNII: 6YSS42VSEV)
<b>LACTOSE, UNSPECIFIED FORM</b> (UNII: J2B2A4N98G)
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)
<b>ACACIA</b> (UNII: 5C5403N26O)
<b>PROPYLENE GLYCOL ALGINATE</b> (UNII: 26CD3J2R0C)
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)
<b>TRIACETIN</b> (UNII: XHX3C3X673)
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)
<b>FD&amp;C YELLOW NO. 5 ALUMINUM LAKE</b> (UNII: JQ6BLH9FR7)
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)
<b>SUCROSE</b> (UNII: C151H8M554)

### Product Characteristics

<b>Color</b>	red (Yellow, Orange)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	19mm
<b>Flavor</b>	FRUIT (Cherry, Lemon, Orange)	<b>Imprint Code</b>	R;U
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10267-0039-0	72 in 1 BOTTLE; Type 0: Not a Combination Product	04/17/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		04/17/2024	

### Labeler - Contract Pharmacal Corp. (057795122)