

**HEALTHWISE LIDOCAINE PATCH- lidocaine 4% patch**  
**Veridian Healthcare**

-----  
**HealthWise Lidocaine Patch, 6 Count**

**Active Ingredient**

Lidocaine 4.0%

**Purpose**

Topical Anesthetic

**Use**

Temporarily relieves minor pain.

**Warnings**

For External Use Only

**Do not Use**

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened.

**When using this product**

- Use only as directed
- Read and follow all directions and warnings on this carton
- Do not allow contact with the eyes
- Do not use at the same time as other topical anesthetics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop use and consult a doctor if**

- Condition worsen
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days

- You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied.

**If pregnant or breastfeeding**

ask a health professional before use

**Keep out of reach of children and pets**

If swallowed, get medical help or contact a Poison Control Center right away 800-222-1222

**Directions**

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch. Apply sticky side of patch to affected area. Use one patch for up to 24 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

**Other Information**

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture

**Inactive Ingredients**

crospovidone, dihydroxyaluminum aminoacetate, edetate disodium, glycerin, kaolin, methylparaben, polyacrylic acid, polysorbate 80, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water

**HealthWise Lidocaine Patch**

**Drug Facts**

**Active ingredient** Lidocaine 4.0% **Purpose** Topical anesthetic

**Use** For temporary relief of pain.

**Warnings**  
For external use only.  
Do not use: More than one patch on your body at a time; On cut, irritated or swollen skin; On puncture wounds; Over raw blisters or discolored skin; For more than one week without consulting a doctor; If you are allergic to any active or inactive ingredients; If pouch is damaged or opened.  
When using this product: Use only as directed; Read and follow all directions and warnings on this carton; Do not allow contact with the eyes; Do not use at the same time as other topical anesthetics; Do not bandage tightly or apply local heat (such as heating pads) to the area of use; Do not microwave; Dispose of used patch in manner that always keeps product away from children and pets; Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.  
Stop use and consult a doctor if: Condition worsens; Redness is present; Irritation develops; Symptoms persist for more than 7 days or clear up and occur again within a few days; You experience signs of skin injury, such as pain, swelling or blistering where the product was applied.  
If pregnant or breastfeeding, ask a health professional before use.  
Keep out of reach of children and pets. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
Adults and children 12 years of age and over: Clean and dry affected area, free of lotions, ointments and creams. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Do not use more than one patch in a 12-hour period. Maximum of 3 patches per day. Discard patch after single use. Children under 12 years of age: consult a physician.

**Other Information**  
Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

**Inactive ingredients**  
crospovidone, divalproex sodium, ammonioacetate, edetate disodium, glycerin, isolin, methylparaben, polyacrylic acid, polyacrylate 80, propylene glycol, propylparaben, sodium polyacrylate, tartaric acid, titanium dioxide, water.

\*This product is not manufactured or distributed by Heizer Pharmaceuticals Co., Inc., owner of the registered trademark Salolapac®.

**HealthWise.**

NDC 71101-063-05

**Maximum OTC Strength PAIN RELIEF 4% Lidocaine Patch**

• Provides Temporary Pain Relief  
• Flexible Adhesive Patch  
• Single-Use Application  
• Unscented Formula

**6 PATCHES**  
3.13 IN. X 5.51 IN. (10 cm x 14 cm)

MODEL 59-9116  
**TOLL-FREE**  
Customer Care Help Line  
**1-866-326-1313**  
Mon-Fri 8:30 am-4:30 pm CST

HealthWise  
Manufactured for: Veridian Healthcare, LLC  
1175 Wilshire Drive, Commerce, IL 60021 USA  
www.healthwisehealthcare.com  
Made in China

Child-Resistant Packaging  
LOT 51065YYMM  
EXP ABC/DD/YYYY

9259 105 00/25 VC-510065  
©2025 Veridian Healthcare, LLC

# HEALTHWISE LIDOCAINE PATCH

lidocaine 4% patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:71101-063
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>CROSPVIDONE</b> (UNII: 2S7830E561)	

<b>WATER</b> (UNII: 059QF0KO0R)
<b>POLYACRYLIC ACID (8000 MW)</b> (UNII: 73861X4K5F)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>KAOLIN</b> (UNII: 24H4NWX5CO)
<b>TARTARIC ACID</b> (UNII: W4888I119H)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>	RECTANGLE	<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71101-063-06	6 in 1 CARTON	03/01/2025	
1		1 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/01/2025	

**Labeler** - Veridian Healthcare (830437997)

### Establishment

Name	Address	ID/FEI	Business Operations
Shanghai Chuangshi Medical Technology (Group) Co., Ltd.		546872672	manufacture(71101-063)

Revised: 3/2025

Veridian Healthcare