

NICOTINE PATCHES- nicotine patches patch
Zhejiang FTA Shengzuozhi Biotechnology Co., LTD

Nicotine 42mg delivered over 24 hours.....Stop Smoking aid

Nicotine 21mg delivered over 24 hours.....Stop Smoking aid

keep out of reach of children section.

- apply one new patch every 24 hours on skin that is dry, clean and hairless
- remove backing from patch and immediately press onto skin. Hold for 10 seconds.
- wash hands after applying or removing patch. Save pouch to use for patch disposal.
- the used patch should be removed and a new one applied to a different skin site at the same time each day.
- Dispose of the patches carefully after you have removed ensuring they are out of the reach of children and pets.

keep out of reach of children section

Nicotine 42mg delivered over 24 hours.....Stop Smoking aid

Nicotine 21mg delivered over 24 hours.....Stop Smoking aid

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Nicotine 42mg

reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

Drug Facts

Active Ingredients: Nicotine, Pressure Sensitive Adhesive, Camphor

Use:

Nicotine patch is a nicotine replacement therapy (NRT). It is used to relieve and /or prevent withdrawal symptoms and reduce the cravings you get when you try to stop smoking or when cutting down the number of cigarettes you smoke.

You can also use nicotine patch on those occasions when you can't or don't want to smoke e.g. longhaul flights, social situations, or when at work.

Warning

Ask a doctor before you use Nicotine products if you have:

- Heart disease, recent heart attack or irregular heartbeat. Nicotine can increase your heart rate.
- High blood pressure not controlled with medication. Nicotine can increase blood pressure
- Stomach ulcer or diabetes
- A history of seizures
- Pregnant women, lactating women
- An allergy to adhesive tape or have skin problems because you are more likely to get rashes.

Stop use and ask a doctor if

- Irregular heartbeat or palpitations occur
- You get symptoms of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat
- You have symptoms of an allergic reactions (such as difficulty breathing or rash)

How to apply the patch

- apply one new patch every 24 hours on skin that is dry, clean and hairless
- remove backing from patch and immediately press onto skin. Hold for 10 seconds.
- wash hands after applying or removing patch. Save pouch to use for patch disposal.
- the used patch should be removed and a new one applied to a different skin site at the same time each day.
- Dispose of the patches carefully after you have removed ensuring they are out of the reach of children and pets.

Start with Step 1 42mg nicotine patches if you smoke more than 10 cigarettes a day, use the following schedule below:

Step 1			Step 2		Step 3
week 1	week 2	week 3	week 4	week 5	week 6
42mg			21mg		10.5mg
2 patches	1~2 patches	1 patches	1~2 patches	1 patches	1 patches

Start with Step 2 21mg nicotine patches if you smoke less 10 cigarettes a day, then step 3 for 1~2 weeks.

Storing and Disposal

- Keep nicotine patch out of the sight and reach of children and animals.
- Store at 15-25°C (59-77°F)
- Dispose of nicotine patch as directed by folding it in half and placing inside the empty sachet before throwing away.
- Always dispose of used nicotine patches sensibly, away from the reach of children and animals.

NICOTINE PATCHES

nicotine patches patch

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:85333-002

Route of Administration		TRANSDERMAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength		Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)		NICOTINE		42 mg in 42 mg
Product Characteristics				
Color	yellow	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85333-002-02	14 in 1 BOX	03/18/2025	
1	NDC:85333-002-01	42 mg in 1 PATCH; Type 3: Prefilled Biologic Delivery Device/System (syringe, patch, etc.)		

Drug Facts

Active Ingredients: Nicotine, Pressure Sensitive Adhesive, Camphor

Use:

Nicotine patch is a nicotine replacement therapy (NRT). It is used to relieve and /or prevent withdrawal symptoms and reduce the cravings you get when you try to stop smoking or when cutting down the number of cigarettes you smoke.

You can also use nicotine patch on those occasions when you can't or don't want to smoke e.g. longhaul flights, social situations, or when at work.

How to apply the patch

- apply one new patch every 24 hours on skin that is dry, clean and hairless
- remove backing from patch and immediately press onto skin. Hold for 10 seconds.
- wash hands after applying or removing patch. Save pouch to use for patch disposal.
- the used patch should be removed and a new one applied to a different skin site at the same time each day.
- Dispose of the patches carefully after you have removed ensuring they are out of the reach of children and pets.

Warning

Ask a doctor before you use Nicotine products if you have:

- Heart disease, recent heart attack or irregular heartbeat. Nicotine can increase your heart rate.
- High blood pressure not controlled with medication. Nicotine can increase blood pressure
- Stomach ulcer or diabetes
- A history of seizures
- Pregnant women, lactating women
- An allergy to adhesive tape or have skin problems because you are more likely to get rashes.

Stop use and ask a doctor if

- Irregular heartbeat or palpitations occur
- You get symptoms of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat
- You have symptoms of an allergic reactions (such as difficulty breathing or rash)

Start with Step 1 42mg nicotine patches if you smoke more than 10 cigarettes a day, use the following schedule below:

Step 1			Step 2		Step 3
week 1	week 2	week 3	week 4	week 5	week 6
42mg			21mg		10.5mg
2 patches	1~2patches	1 patches	1~2patches	1 patches	1 patches

Start with Step 2 21mg nicotine patches if you smoke less 10 cigarettes a day, then step 3 for 1~2 weeks.

Storing and Disposal

- Keep nicotine patch out of the sight and reach of children and animals.
- Store at 15-25°C (59-77°F)
- Dispose of nicotine patch as directed by folding it in half and placing inside the empty sachet before throwing away.
- Always dispose of used nicotine patches sensibly, away from the reach of children and animals.

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	03/18/2025	

Registrant - Zhejiang FTA Shengzuozhi Biotechnology Co., LTD (617858911)

Establishment

Name	Address	ID/FEI	Business Operations
Zhejiang FTA Shengzuozhi Biotechnology Co., LTD		617858911	manufacture(85333-002)

Revised: 3/2025

Zhejiang FTA Shengzuozhi Biotechnology Co., LTD