

CALCIUM CARBONATE, MAGNESIUM HYDROXIDE- calcium carbonate, magnesium hydroxide tablet, chewable
Contract Pharmacal Corp.

5761- Export

P&G Label

Medicinal Ingredients (in each Chewable Tablet): Calcium carbonate USP 675 mg (equivalent to 270 mg of calcium), Magnesium hydroxide USP 135 mg (equivalent to 57 mg of magnesium). / **Ingrédients médicinaux (dans chaque comprimé à croquer):** 675 mg de carbonate de calcium USP (équivalent à 270 mg de calcium), 135 mg d'hydroxyde de magnésium USP (équivalent à 57 mg de magnésium). • **Non-Medicinal Ingredients: / Ingrédients non médicinaux:** Carboxyméthylcellulose sodium, corn starch, dextrose, flavours, magnesium stearate, maltodextrin, silicon dioxide, sucralose, sucrose, water, xanthan gum, xylitol. / Carboxyméthylcellulose sodique, amidon de maïs, dextrose, saveurs, stéarate de magnésium, maltodextrine, dioxyde de silicium, sucralose, sucrose, eau, gomme de xanthane, xylitol. • **Uses** For fast and effective relief of heartburn associated with excess stomach acid. / **Usages** Pour un soulagement rapide et efficace des brûlures d'estomac associées à un excès d'acide gastrique. • **Warnings** Do not take for more than two weeks, or if symptoms recur, unless directed by a doctor. Do not take within two hours of another medicine because the effectiveness of the other medicine may be altered. Individuals with kidney disease should not take this product without the advice of a doctor. / **Avertissements** Ne pas prendre pendant plus de deux semaines ni en cas de réapparition des symptômes, sauf sur avis contraire d'un médecin. Ne pas prendre à moins de deux heures de la prise d'un autre médicament, car l'efficacité de l'autre médicament pourrait être altérée. Les personnes atteintes d'une maladie rénale ne doivent pas prendre ce produit, sauf sur avis d'un médecin. • **Store** at room temperature 20°-25°C (68°-77°F) / **Conserver** à la température ambiante 20° à 25° C (68°-77° F) • **Known Adverse Reaction:** Some people may experience diarrhea. / **Réaction indésirable connue:** Certaines personnes peuvent avoir la diarrhée. • **DIRECTIONS: ANTACID:** Adults: chew 2-3 tablets as symptoms occur or as directed by a doctor. **Maximum:** 11 tablets/day. **Pregnant Women:** chew 1-2 tablets as symptoms occur or as directed by a doctor. **Maximum:** 5 tablets/day. **CALCIUM & MAGNESIUM SUPPLEMENT:** Adults and pregnant women: chew 1-2 tablets after meal or as directed by a doctor. **Maximum:** 5 tablets/day. / **DIRECTIVES:** **ANTIACIDE:** Adultes : croquer 2 ou 3 comprimés à l'apparition des symptômes ou selon les directives d'un médecin. **Maximum :** 11 comprimés/jour. Femmes enceintes : croquer 1 ou 2 comprimés à l'apparition des symptômes ou selon les directives d'un médecin. **Maximum :** 5 comprimés/jour. **SUPPLÉMENT DE CALCIUM ET DE MAGNÉSIEUM :** Adultes et femmes enceintes : 1 ou 2 comprimés après le repas ou selon les directives d'un médecin. **Maximum :** 5 comprimés/jour. • **Questions?** 1-833-372-2729

OTC CODE EXPIRY

2011200496

30

**30 CHEWABLE TABLETS
COMPRIMÉS À CROQUER**

**Calcium & Magnesium Supplement • Antacid
Antiacide • Supplément de calcium et de magnésium**

Rolaid®

ORIGINAL

**STARTS TO WORK IN 10 SEC.
COMMENCE À AGIR EN 10 SEC.**

**2 ACTION
CALCIUM / MAGNÉSIUM / MAGNÉSIEUM / MAGNÉSIEUM**

**MINT FLAVORED
SAVEUR DE MENTHE**

NPN 80044143

**DISTR. BY/PAR PROCTER & GAMBLE INC.,
TORONTO, ONTARIO M5W 1G5 21243925**

**DO NOT USE
IF FOIL WRAPPING IS DAMAGED
NE PAS UTILISER SI L'EMBALLAGE
EN ALUMINIUM EST ENDOMMAGÉ**

R52880

CALCIUM CARBONATE, MAGNESIUM HYDROXIDE

calcium carbonate, magnesium hydroxide tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:10267-0040 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|--------------------------|-----------------|
| CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB) | CALCIUM CARBONATE | 675 mg |
| MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838) | MAGNESIUM HYDROXIDE | 135 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| XYLITOL (UNII: VCQ006KQ1E) | |
| ACACIA (UNII: 5C5403N26O) | |
| CARBOXYMETHYLCELLULOSE (UNII: 05JZI7B19X) | |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| DEXTROSE (UNII: IY9XDZ35W2) | |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| SUCROSE (UNII: C151H8M554) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | white | Score | no score |
| Shape | ROUND | Size | 16mm |
| Flavor | MINT | Imprint Code | R;X |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:10267-0040-3 | 3 in 1 CELLO PACK | 10/08/2024 | |
| 1 | | 10 in 1 PACKAGE; Type 0: Not a Combination Product | | |
| 2 | NDC:10267-0040-6 | 96 in 1 BOTTLE; Type 0: Not a Combination Product | 02/28/2025 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| Export only | | 10/08/2024 | |

Labeler - Contract Pharmacal Corp. (057795122)

Revised: 6/2025

Contract Pharmacal Corp.