# SEFUDUN QUIT SMOKING NICOTINE PATCHES- nicotine patch Shenzhen Shandian Jingling Technology Co., Ltd.

-----

# **SEFUDUN QUIT SMOKING NICOTINE PATCHES**

nicotine

nicotine patch

KEEP OUT OF REACH OF CHILDREN SECTION

For external use only

- 1. Clean your arms thoroughly
- 2. Take out the patch and stick it on your arm
- 3. Valid for up to 24 hours

methacrylic acid copolymer POLYESTER-5 (TG-38) ACRYLIC ACID

Use reduces withdrawal symptoms, including nicotine craving assocated with qultting sroking

# **Drug Facts**

Active ingredient (in each patch)

Purpose

Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking.

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking withou using any nicotine replacement medicine. This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

## Ask a doctor before use if you have

- Heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.
   High blood pressure not controlled with medication. Nicotine can increase your blood pressure.
   An allergy to adhesive tape or have wkin problems, because you are more likely to get rashes.
   Stornach ulcer or diabetes.

# Ask a doctor or pharmacist before use if

- Using a non-nicotine stop smoking rug.
   Taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

# When using this product

If you have vivid dreams or other sleep disturbances remove this patch at bedlime.

#### Stop use and ask a doctor if

skip redness caused by the patch does not go away after four days or if your skin swells, or you get a rash.

age of a your skin swells, or you get a last.

If you get symptoms of nicotine overdose, such as nausea,

Johnfung dizziness, weakness and rapid heartbeat.

John Last Symptoms of an allergic reaction (such as difficulty

deathing of rash)

## sep out of reach of children and pets

the anness have enough nicotine to poison children and pets.

The poison control center is a poison control center in the poison control center is a poison control center in the poison control center is a poison control center in the poison of the interest by folding sticky ends together and putting in pouch.

#### **Drug Facts**

#### Directions

- you are under 18 years of age, ask a doctor before use
- Before using this product, read the enclosed self-help guide for complete directions and other information
- Begin using the patch on your quit day
- If you smoke more than 10 cigarettes per day, use the following

Weeks 1-4 Weeks 5-6 Weeks 7-8

Step 2

Step 1

Use one 14 mg patch / day

Step 3

Use one 7 mg patch / day

- Wash hands after applying or removing patch. Save pouch to
- The used patch should be removed and a new one applied to a different skin site at the same time each day.
- and apply a new one in the morning.
- Do not wear more than one patch at a time.
- Do not cut patch in half or into smaller pieces
- To avoid possible burns, remove patch before undergoing an MRI (magnetic resonance imaging) procedures
- It is important to complete treatment. If you feel you need to us the patch for a longer period to keep from smoking, talk to var health care provider.

Other information • store at 20-25 C (68-77%)

Inactive ingredients acrylate adhesive, aluminized polyester, cellulose paper, methacrylic acid copolymer

Comments or Questions? call + 1 305 767 1517 Weekdays (8am-4pm ET)

# **SEFUDUN QUIT SMOKING NICOTINE PATCHES**

nicotine patch

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83804-001

Route of Administration TRANSDERMAL

# **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength

NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)

NICOTINE

21 mg

# **Inactive Ingredients**

Ingredient Name	Strength
ingredient Name	Strength

POLYESTER-5 (TG-38) (UNII: 2L9351NW8W)

ACRYLIC ACID (UNII: J94PBK7X8S)

METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)

### **Packaging**

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:83804-001-	30 in 1 BOX; Type 0: Not a Combination Product	03/27/2025	

# **Marketing Information**

· · · · · · · · · · · · · · · · · · ·				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	505G(a)(3)	03/27/2025		
			Date	

# **Labeler -** Shenzhen Shandian Jingling Technology Co., Ltd. (418636058)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
Shenzhen Shandian Jingling Technology Co., Ltd.		418636058	manufacture(83804-001)	

Revised: 3/2025 Shenzhen Shandian Jingling Technology Co., Ltd.