

**LIP BALM SPF15 TROPICAL PUNCH FLAVORED- lip balm spf15 tropical punch  
flavored lipstick  
LS Promotions Inc**

-----  
**Lip Balm SPF15 Tropical Punch Flavored**

**Drug Facts**

Drug Facts

**Active Ingredients**

Octocrylene 3%

Homosalate 5%

Avobenzone 2%

Octisalate 3%

**Purpose**

Sunscreen

**Uses**

Helps prevent sunburn

**Warnings**

For external use only

Do not Use on Damaged or Broken Skin

**Stop Use and Ask a Doctor**

if rash occurs

**When using this product**

keep out of eyes. Rinse with water to remove.

**Keep out of reach of children**

If swallowed, get medical help or  
contact a Poison Control Center right away

## **Directions**

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor

## **Sun Protection Measures**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10am to 2 pm ■ Wear long sleeved shirts, pants, hats, and sunglasses

## **Inactive Ingredients**

Beeswax, mineral oil, ethylhexyl palmitate, ozokerite, cocos nucifera (coconut) oil, olea europaea (olive) fruit oil, polyisobutene, butyrospermum parkii (shea) butter, fragrance, synthetic wax, phenoxyethanol, yellow 5 (tartrazine), BHT, D&C red no. 6.

## **Questions or Comments?**

Call weekdays from 9AM to 5PM EST  
at 631-231-2300

## **Package Label PDP**

Lip Balm SPF15 Tropical Punch Flavored (NDC 72449-312-01)

47.1mm

<b>Drug Facts (continued)</b>
<b>Uses</b> • Helps prevent sunburn • Higher SPF gives more sunburn protection
<b>Warnings</b> For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.
<b>Directions</b> • Apply liberally 15 minutes before sun exposure. • Use a water resistant sunscreen if swimming or sweating. • Reapply at least every 2 hours. • Children under 6 months: Ask a doctor.
<b>Sun Protection Measures</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m.–2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses
<b>Inactive ingredients</b> Beeswax, Mineral Oil, Ethylhexyl Palmitate, Olea Europaea (Olive) Fruit Oil, Ozokerite, Cocos Nucifera (Coconut) Oil, Fragrance, Polysorbate, Butyrospermum Parkii (Shea) Butter, Synthetic Wax, Phenacylthanol, Ci 19140, BHT, Ci 15850
<b>Other information</b> • protect this product from excessive heat and direct sun
Distributed by: LS Promotions Inc Ronkonkoma NY 11779 USA 631-231-2300
Made in China

50.1mm

51.1mm

47.1mm

<b>LOGO</b>												
<b>SPF 15 Lip Balm</b>												
<table border="1"> <tr> <td colspan="2"><b>Drug Facts</b></td> </tr> <tr> <td><b>Active ingredients</b></td> <td><b>Purpose</b></td> </tr> <tr> <td>Avobenzone 2%</td> <td>Sunscreen</td> </tr> <tr> <td>Homosalate 5%</td> <td>Sunscreen</td> </tr> <tr> <td>Octocrylene 3%</td> <td>Sunscreen</td> </tr> <tr> <td>Octisalate 3%</td> <td>Sunscreen</td> </tr> </table>	<b>Drug Facts</b>		<b>Active ingredients</b>	<b>Purpose</b>	Avobenzone 2%	Sunscreen	Homosalate 5%	Sunscreen	Octocrylene 3%	Sunscreen	Octisalate 3%	Sunscreen
<b>Drug Facts</b>												
<b>Active ingredients</b>	<b>Purpose</b>											
Avobenzone 2%	Sunscreen											
Homosalate 5%	Sunscreen											
Octocrylene 3%	Sunscreen											
Octisalate 3%	Sunscreen											

52.1mm

53.1mm

## LIP BALM SPF15 TROPICAL PUNCH FLAVORED

lip balm spf15 tropical punch flavored lipstick

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72449-312(NDC:82953-028)
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	3 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5 g in 100 g
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	3 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C RED NO. 6</b> (UNII: 481744AI4O)	
<b>FD&amp;C YELLOW NO. 5</b> (UNII: I753WB2F1M)	
<b>POLYISOBUTYLENE (1000 MW)</b> (UNII: 5XB3A63Y52)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>SYNTHETIC WAX (1800 MW)</b> (UNII: 248P1AUJ90)	
<b>FRAGRANCE 13576</b> (UNII: 5EM498GW35)	
<b>OLEA EUROPAEA (OLIVE) FRUIT OIL</b> (UNII: 6UYK2W1W1E)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>CERESIN</b> (UNII: Q1LS2UJO3A)	
<b>BUTYROSPERMUM PARKII (SHEA) BUTTER</b> (UNII: K49155WL9Y)	
<b>BEEWAX</b> (UNII: 2ZA36H0S2V)	
<b>COCOS NUCIFERA (COCONUT) OIL</b> (UNII: Q9L0O73W7L)	
<b>BHT</b> (UNII: 1P9D0Z171K)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	FRUIT PUNCH (Tropical Punch)	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72449-312-01	4.2 g in 1 CYLINDER; Type 0: Not a Combination Product	03/27/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/27/2025	

**Labeler** - LS Promotions Inc (024818391)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 3/2025

LS Promotions Inc