

**LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch**  
**Guangzhou Zhupuyou E-commerce Co., Ltd**

-----  
**Lidocaine Pain Relief Gel-Patch**

Lidocaine 4%

Topical Anesthetic

Temporarily relieves muscle soreness and minor jointpains in the wrist, knees, back, neck, hips, shoulders,elbows.

For external use only

on wounds or damaged skin  
with a heating pad or device  
with other ointments, creams, sprays, or liniments  
if you are allergic to any ingredients of this product

use only as directed  
avoid contact with the eyes, mucous membranes, orashes  
do not bandage tightly

skin reactions such as redness,swelling, blisteringor other discomfort occur  
symptoms persist for more than 7 days

If swallowed accidentally ,get medical help orcontact with Poison Control Center  
immediately.

Adults and Children above 12 years old:

Clean and dry the affected area.

Tear off the protective film and apply the exposedpart of the patch to the affected area.

Carefully remove remaining film while pressingthe patch firmly on the skin.

Remove patch from the skin after at most 8-hourapplication

Children under age of 12:Consult a doctor

Dihydroxyaluminum Aminoacetate Anhydrous

Glycerin

Kaolin

Methylparaben

Polyacrylic Acid

Polysorbate 80

Propylene Glycol

Propylparaben

PVP

Sodium Polyacrylate

Tartaric Acid

Titanium Dioxide

Water

Maximum Strength

# Sumifun®

## Lidocaine

### Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

✔ NO Irritation

✔ Stay-put Flexible Patch

✔ Numbs Pain Away



## XL PATCH

1 PATCH  
4.72" X 7.87"  
(12cm X 20cm)

#### Drug Facts

**Active ingredient** ..... **Purpose**  
Lidocaine 4% ..... Topical Anesthetic

#### Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

#### Warnings

For external use only

#### Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Guangzhou Zhupuyou E-commerce Co., Ltd  
Room 202-4, No. 5, Lane 1, Sunan New Village, Tangxia,  
Tianhe District, Guangzhou, 510630, China (CHN)



**If pregnant or breast-feeding,**  
ask a health professional before use.

#### KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

#### Directions

**Adults and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application

**Children under age of 12:** Consult a doctor

#### Inactive ingredients

Dihydroxyaluminum Aminoacetate Anhydrous, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polyborate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

#### Questions or Comments:

support@sumifunofficial.com  
**Business Cooperation:**  
business@sumifunofficial.com

Child Resistant Packaging

12 PATCHES

# Lidocaine

www.sumifunofficial.com  
YouTube @sumifun  
Facebook: @sumifunOfficial  
INS: @sumifunofficial  
TikTok: @sumifunofficial  
Twitter: @sumifunOfficial

Maximum Strength

# Sumifun®

## Lidocaine

### Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

✔ NO Irritation

✔ Stay-put Flexible Patch

✔ Numbs Pain Away



## XL PATCH

12 PATCHES  
4.72" X 7.87"  
(12cm X 20cm)

Guangzhou Zhupuyou E-commerce Co., Ltd  
Room 202-4, No. 5, Lane 1, Sunan New Village, Tangxia,  
Tianhe District, Guangzhou, 510630, China (CHN)

Made in China

#### Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

unifun

#### Drug Facts

**Active ingredient** ..... **Purpose**  
Lidocaine 4% ..... Topical Anesthetic

#### Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

#### Warnings

For external use only

#### Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



**If pregnant or breast-feeding,**  
ask a health professional before use.

#### KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

#### Directions

**Adults and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application

**Children under age of 12:** Consult a doctor

#### Inactive ingredients

Dihydroxyaluminum Aminoacetate Anhydrous, Glycerin, Kaolin, Methylparaben, Polyacrylic Acid, Polyborate 80, Propylene Glycol, Propylparaben, PVP, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

#### Questions or Comments:

support@sumifunofficial.com  
**Business Cooperation:**  
business@sumifunofficial.com

Child Resistant Packaging

unifun



## LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84165-002
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product	03/28/2025	
2	NDC:84165-002-03	3 in 1 BOX	03/28/2025	
2	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
3	NDC:84165-002-04	4 in 1 BOX	03/28/2025	
3	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
4	NDC:84165-002-05	5 in 1 BOX	03/28/2025	
4	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
5	NDC:84165-002-06	6 in 1 BOX	03/28/2025	
5	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
6	NDC:84165-002-07	7 in 1 BOX	03/28/2025	
6	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
7	NDC:84165-002-08	8 in 1 BOX	03/28/2025	
7	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
8	NDC:84165-002-09	9 in 1 BOX	03/28/2025	
8	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
9	NDC:84165-002-10	10 in 1 BOX	03/28/2025	
9	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
10	NDC:84165-002-11	11 in 1 BOX	03/28/2025	
10	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
11	NDC:84165-002-12	12 in 1 BOX	03/28/2025	
11	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
12	NDC:84165-002-13	13 in 1 BOX	03/28/2025	
12	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
13	NDC:84165-002-14	14 in 1 BOX	03/28/2025	
13	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
14	NDC:84165-002-15	15 in 1 BOX	03/28/2025	
14	NDC:84165-002-	21 g in 1 BAG; Type 0: Not a Combination		

14	01	Product		
15	NDC:84165-002-16	16 in 1 BOX	03/28/2025	
15	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
16	NDC:84165-002-17	17 in 1 BOX	03/28/2025	
16	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
17	NDC:84165-002-18	18 in 1 BOX	03/28/2025	
17	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
18	NDC:84165-002-19	19 in 1 BOX	03/28/2025	
18	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
19	NDC:84165-002-20	20 in 1 BOX	03/28/2025	
19	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
20	NDC:84165-002-21	21 in 1 BOX	03/28/2025	
20	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
21	NDC:84165-002-22	22 in 1 BOX	03/28/2025	
21	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
22	NDC:84165-002-23	23 in 1 BOX	03/28/2025	
22	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
23	NDC:84165-002-24	24 in 1 BOX	03/28/2025	
23	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
24	NDC:84165-002-25	25 in 1 BOX	03/28/2025	
24	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
25	NDC:84165-002-26	26 in 1 BOX	03/28/2025	
25	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
26	NDC:84165-002-27	27 in 1 BOX	03/28/2025	
26	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		
27	NDC:84165-002-28	28 in 1 BOX	03/28/2025	
27	NDC:84165-002-01	21 g in 1 BAG; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M017

03/28/2025

**Labeler** - Guangzhou Zhupuyou E-commerce Co., Ltd (418214143)

**Establishment**

Name	Address	ID/FEI	Business Operations
Guangzhou Zhupuyou E-commerce Co., Ltd		418214143	manufacture(84165-002)

Revised: 3/2025

Guangzhou Zhupuyou E-commerce Co., Ltd