

LIDOCAINE PAIN RELIEF GEL ROLL-ON- lidocaine gel
Guangzhou Zhupuyou E-commerce Co., Ltd

Lidocaine Pain Relief Gel Roll-On

Lidocaine 4%
Menthol 1%

Topical Anesthetic, Topical Analgesic

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

For external use only

on wounds or on irritated or damaged skin
with a heating pad or device
with other ointments, creams, sprays, or liniments
if you are allergic to any ingredients of this product

use only as directed
avoid contact with the eyes, mucous membranes, or rashes
do not bandage tightly
do not expose the area to local heat or to direct sunlight

skin reactions such as redness, swelling, blistering or other discomfort occur
condition worsens or symptoms persist for more than 7 days
symptoms clear up and occur again within a few days
redness is present or excessive skin irritation occurs

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Adults and Children above 12 years old:

apply a thin layer to affected area every 6 to 8 hours, not more than 3 to 4 times daily
massage until thoroughly absorbed into skin
wash hands thoroughly with soap and water after each use
children under 12 years of age: ask a doctor

.ALPHA.-TOCOPHEROL, D-
Aloe Vera Extract
Carbomer
Isopropyl myristate
Lavender Oil
Phenoxyethanol
Polysorbate 80
Propylene Glycol
Tartaric acid
Water

www.sumifunofficial.com

YouTube: @sumifun

Facebook: @sumifunOfficial

Twitter: @sumifunOfficial

INS: @sumifunofficial

TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel Roll-On

Desensitizes Aggravated Nerves And Cooling Pain:

- Fast Acting
- Numbs Pain Away
- Easy to apply to affected area

**4% LIDOCAINE
1% MENTHOL**

2.5 FL OZ / 73ml



6 9 7 4 8 1 7 6 7 8 1 6 2

Guangzhou Zhupuyou E-commerce Co., Ltd.
Room 202-A, No. 5, Lane 1, Suisun New Village, Tangxia,
Tianhe District, Guangzhou, 510630, China (CHN)

Made in PRC

1 CHILD-RESISTANT PACKAGING.

The bottle cap of this product is designed to prevent children from opening it. Considerable force is needed when opening it for the first time.

2

Grip the bottle body firmly, wrap four fingers around the bottle body, and rotate the bottle cap counterclockwise with force to open it.

3

Gently roll and apply on the painful area. The application area should be sufficient to cover the painful region.

4

After use, tighten the bottle cap in a timely manner and place it out of the reach of children to prevent accidental ingestion.



Drug Facts

Active ingredients **Purpose**
 Lidocaine 4% Topical Anesthetic
 Menthol 1% Topical Analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
 For external use only

Do not use

- on wounds or on irritated or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly
- do not expose the area to local heat or to direct sunlight

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:

- apply a thin layer to affected area every 6 to 8 hours, not more than 3 to 4 times daily
- massage until thoroughly absorbed into skin
- wash hands thoroughly with soap and water after each use
- children under 12 years of age: ask a doctor

Inactive ingredients
 ALPHA-TOCOPHEROL, D-, Aloe Vera Extract, Carbomer, Isopropyl myristate, Lavender Oil, Phenoxyethanol, Polyorbate 80, Propylene Glycol, Tartaric acid, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child-resistant packaging.
Close cap tightly after use.

LIDOCAINE PAIN RELIEF GEL ROLL-ON

lidocaine gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84165-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
.ALPHA.-TOCOPHEROL, D- (UNII: N9PR3490H9)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
CARBOMER (UNII: 0A5MM307FC)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84165-003-01	1 in 1 BOX	03/28/2025	
1		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:84165-003-02	2 in 1 BOX	03/28/2025	
2		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:84165-003-03	3 in 1 BOX	03/28/2025	
3		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:84165-003-04	4 in 1 BOX	03/28/2025	
4		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:84165-003-05	5 in 1 BOX	03/28/2025	
5		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
6	NDC:84165-003-06	6 in 1 BOX	03/28/2025	
6		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
7	NDC:84165-003-07	7 in 1 BOX	03/28/2025	
7		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
8	NDC:84165-003-08	8 in 1 BOX	03/28/2025	

8		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
9	NDC:84165-003-09	9 in 1 BOX	03/28/2025	
9		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		
10	NDC:84165-003-10	10 in 1 BOX	03/28/2025	
10		73 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/28/2025	

Labeler - Guangzhou Zhupuyou E-commerce Co., Ltd (418214143)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Zhupuyou E-commerce Co., Ltd		418214143	manufacture(84165-003)

Revised: 3/2025

Guangzhou Zhupuyou E-commerce Co., Ltd