

**PAIN RELIEF EXTRA STRENGTH- acetaminophen 500 mg tablet**  
**Good Sense**

-----  
**328 - Pain Relief Extra Strength**

**Active ingredient(s)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Use(s)**

temporary relief of minor aches and pains associated with ■ common cold  
■ headache ■ toothache ■ muscular aches ■ backache ■ arthritis ■  
menstrual cramps ■ and reduction of fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4000 mg of acetaminophen in 24 hours, which is the maximum daily amount with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

**Do not use**

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if**

liver disease

**Ask a doctor or pharmacist before use if**

are taking the blood thinning drug warfarin

## **Stop use and ask a doctor if**

- symptoms do not improve pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days new symptoms occur redness or swelling is present
- a rare sensitivity reaction occurs
- You may report side effects to 1-888-952-0050

## **Pregnancy/Breastfeeding**

ask a health professional before use.

## **Keep out of reach of children**

In case of accidental overdose, contact a doctor or Poison Control Center immediately. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not exceed recommended dosage.

## **Overdose Warning**

**Overdose Warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

■ do not use more than directed (see overdose warning)

■ **adults and children 12 years and over:** take 2 caplets every 6 hours while symptoms last ■ do not take more than 8 caplets in 24 hours, unless directed by a doctor ■ do not take for more than 10 days unless directed by a doctor.

■ **children under 12 years:** ask a doctor

## **Other information**

■ do not use if imprinted safety seal under cap is broken or missing

## **Storage**

■ store between 20°-25°C (68°-77°F)

## **Inactive ingredients**

corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

## **Principal Display Panel**



**Pain Relief**

<b>PAIN RELIEF EXTRA STRENGTH</b>			
acetaminophen 500 mg tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50804-328
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

### Product Characteristics

Color	white	Score	no score
Shape	CAPSULE	Size	17mm
Flavor		Imprint Code	AZ 328
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-328-01	1 in 1 CARTON	04/28/2021	
1		100 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/17/2014	

**Labeler** - Good Sense (076059836)

Revised: 4/2021

Good Sense