

**NEUTROGENA SHEER ZINC FACE MINERAL SUNSCREEN BROAD SPECTRUM SPF 50- zinc oxide lotion**  
Kenvue Brands LLC

-----  
**Neutrogena® Sheer Zinc Face mineral sunscreen BROAD SPECTRUM SPF 50**  
**Drug Facts**

**Active ingredient**

Zinc Oxide (21.6%)

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes. Rinse with water to remove
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses

- children under 6 months of age: Ask a doctor

### **Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

### **Inactive ingredients**

Water, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Octyldodecyl Citrate Crosspolymer, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Glycerin, Polyhydroxystearic Acid, Ethyl Methicone, Silica, Cetyl Dimethicone, Triethoxycaprylylsilane, Phenoxyethanol, Glyceryl Behenate, Sodium Chloride, Acrylates/Dimethicone Copolymer, Chlorphenesin, Phenethyl Alcohol, Avena Sativa (Oat) Kernel Flour, Caprylyl Glycol, Cetyl Dimethicone/Bis-Vinyldimethicone Crosspolymer, Tocopheryl Acetate, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice

### **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect). [www.neutrogena.com](http://www.neutrogena.com)

Distributed by:

**Kenvue Brands LLC**

Summit, NJ 07901

**PRINCIPAL DISPLAY PANEL - 59 mL Tube Carton**

**Neutrogena®**

**DERMATOLOGIST RECOMMENDED BRAND**

**Sheer Zinc**

**Face**

**mineral**

**sunscreen**

**BROAD SPECTRUM SPF 50**

**50**

100% mineral active

hypoallergenic

oil free

water resistant (80 minutes)

2.0 FL OZ (59mL)

Neutrogena®

Neutrogena  
Sheer Zinc® Face  
Mineral Sunscreen

**Drug Facts**

Active ingredient	Purpose
Zinc Oxide (21.6%)	Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including ■ limit time in the sun, especially from 10 a.m.–2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients** Water, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Octyldodecyl Citrate Crosspolymer, Phenyl Trimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Glycerin, Polyhydroxystearic Acid, Ethyl Methicone, Silica, Cetyl Dimethicone, Triethoxycaprylylsilane, Phenoxyethanol, Glyceryl Behenate, Sodium Chloride, Acrylates/Dimethicone Copolymer, Chlorphenesin, Phenethyl Alcohol, Avena Sativa (Oat) Kernel Flour, Caprylyl Glycol, Cetyl Dimethicone/Bis-Vinyldimethicone Crosspolymer, Tocopheryl Acetate, Chrysanthemum Parthenium (Feverfew) Flower/Leaf/Stem Juice

**Questions?** Call toll-free 800-299-4786 or 215-273-8755 (collect). www.neutrogena.com

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Sheer Zinc  
Face  
mineral  
sunscreen

BROAD SPECTRUM SPF 50

50

100% mineral active  
hypoallergenic  
oil free  
water resistant (80 minutes)

2.0 FL OZ (59mL)

Neutrogena Sheer Zinc® Face is a mineral sunscreen powered by PURESCREEN® 100% zinc oxide technology so it provides superior broad-spectrum protection against skin-aging UVA and burning UVB rays. This oil-free, non-comedogenic face sunscreen lotion won't sting eyes so it is ideal for daily protection.

Distributed by:  
Kenvue Brands LLC  
Summit, NJ 07901  
© Kenvue Brands LLC 2025  
Pat. www.kenvuepats.com

30058780



0 86800 11081 1

NEUTROGENA SHEER ZINC FACE MINERAL SUNSCREEN BROAD

# SPECTRUM SPF 50

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0623
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)	
<b>ETHYL METHICONE (8 MPA.S)</b> (UNII: 3YWG8XYT8H)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CETYL DIMETHICONE 25</b> (UNII: U4AS1BW4ZB)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>GLYCERYL DIBEHENATE</b> (UNII: R8WTH25YS2)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>PHENYLETHYL ALCOHOL</b> (UNII: ML9LGA7468)	
<b>OATMEAL</b> (UNII: 8PI54V663Y)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CETYL DIMETHICONE/BIS-VINYLDIMETHICONE CROSSPOLYMER</b> (UNII: AE7QA6TW0Q)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>FEVERFEW</b> (UNII: Z64FK7P217)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>OCTYLDODECYL CITRATE CROSSPOLYMER</b> (UNII: X323T6QO4M)	
<b>PHENYL TRIMETHICONE</b> (UNII: DR0K5NOJ4R)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0623-2	1 in 1 CARTON	01/31/2020	04/15/2027
1		59 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/31/2020	04/15/2027

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 6/2025

Kenvue Brands LLC