

**GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled
McKesson (Health Mart)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Simethicone 125 mg

Purpose

Antigas

Use

for the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

Directions

- adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hour unless directed by a doctor

Other information

- store between 15-30°C (59-86°F)
- do not refrigerate
- protect from heat and moisture

Inactive Ingredients

D&C Yellow #10, edible ink, FD&C Blue #1, FD&C Red #40, gelatin, glycerin, peppermint oil, purified water, sorbitan*, sorbitol*, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Gas-X® Extra Strength†

EXTRA STRENGTH

Gas Relief

Simethicone 125 mg

Antigas

Fast relief of

Pressure, Bloating & Discomfort

Small • Easy to swallow

Softgels

†This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Another Quality Product

Distributed by McKesson

6555 State Highway 161 Irving, TX 75039

www.healthmart.com

Product Packaging

| | |
|---|---------------------------|
| Drug Facts | |
| Active ingredient (in each softgel) Simethicone 125 mg | Purpose Antigas |
| Uses For the relief of pressure, bloating, and fullness commonly referred to as gas. | |
| Warnings If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. | |
| Directions ■ adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime ■ do not exceed 4 softgels in 24 hours unless directed by a doctor | |
| Other information ■ store between 15-30°C (59-86°F) ■ do not refrigerate ■ protect from light, heat, and moisture | |
| Inactive ingredients D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, peppermint oil, purified water*, sorbitan*, sorbitol*, titanium dioxide *contains one or more of these ingredients | |
| Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST | |

*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

McKesson

Another Quality Product
Distributed by McKesson
6555 State Highway 161 Irving, TX 75039
Money Back Guarantee
healthmart.com



PLD-B47J
FC004662

NDC 62011-0304-1

Compare to the active ingredient
in Gas-X® Extra Strength†

EXTRA STRENGTH

Gas Relief

Simethicone 125 mg
Antigas

Fast relief of
Pressure, Bloating & Discomfort

Small • Easy to swallow

ACTUAL SIZE

30 Softgels

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS
TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:

Exp. Date:

HEALTH MART Extra Strength Gas Relief

GAS RELIEF EXTRA STRENGTH

simethicone capsule, liquid filled

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62011-0304 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O) | DIMETHICONE | 125 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|------------------------------------|----------|
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |

| | |
|---|--|
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| PEPPERMINT OIL (UNII: AV092KU4JH) | |
| WATER (UNII: 059QF0KO0R) | |
| SORBITOL (UNII: 506T60A25R) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| D&C YELLOW NO. 10 (UNII: 35SW5USQ3G) | |
| SORBITAN (UNII: 6O92ICV9RU) | |

Product Characteristics

| | | | |
|-----------------|-------|---------------------|-------------|
| Color | GREEN | Score | no score |
| Shape | OVAL | Size | 9mm |
| Flavor | | Imprint Code | PO;SCU;L125 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62011-0304-1 | 30 in 1 CARTON | 03/31/2016 | |
| 1 | | 1 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part347 | 03/31/2016 | |

Labeler - McKesson (Health Mart) (177667227)