EXCHANGE SELECT SUNSCREEN SPF 50- avobenzone lotion ARMY AND AIR FORCE EXCHANGE SERVICE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts:

Active ingredients

Avobenzone 3.0 %

Homosalate 13.0%

Octisalate 5.0%

Octocrylene 7.0%

Oxybenzone 4.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- If used as directed with other sun protection measures(see *Directions*), decreases the risk of skin cancer and early skin

Warnings

For external use only. Do not use on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.

- wear long-sleeve shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

Other information

• protect this product from excessive heat and direct sun

Inactive ingredients

Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octenylsuccinate, Benzyl Alcohol, Sorbitan Isostearate, VP/Eicosene Copolymer, Dimethicone, Polyglyceryl-3 Distearate, Carbomer, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben.

Principal Dis play Panelexchangeselect- XSUNSCREENlotion50BROAD SPECTRUMSPF 50UVA/UVBWater Resistant(80 Minutes)8 FL.OZ. (236 mL)



Drug Facts Active ingredients Purpose Avobenzone 3.0%, Homosalate 13.0%, Octisalate 5.0%, Octocrylene 7.0%, Oxybenzone 4.0% Sunscreen Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directings), decreases the risk of skin cancer and early skin aging caused by the sun Warnings For external use only • De not use on damaged or broken skin • When using this product keep out of eyes. Files with weter to remove. • Stop use and ask a doctor if rash occurs • Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. • May stain some fabrics. May stain some fabrics. Directions apply liberally 15 minutes before sun exposure reapply: after 80 minutes of swimming or sweating + immediately after towel drying at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SFF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear increases shifts, pants, hats and sunglasses • children under 6 months of aget Ask a doctor . children under 6 months of age: Ask a doctor Inactive ingredients Water, Sorbitol, Stearic Acid, Triethanolamine, Aluminum Starch Octanylsuccinata, Benzyl Alcohol, Sorbitan Isostaarata, VP/Eicosene Copolymer, Dimethicona, Polyglycaryl-3 Distearata, Carborner, Tocopherol, Disodium EDTA, Methylparaben, Propylparaben, Fragrance. Other information • protect this product from excessive heat and direct sun -0 0 Questions or comments? Call 1-386-673-2024 ò 4 "SATISFACTION GUARANTEED OR YOUR MONEY BACK." 0000630 0 o N Manufactured For: Your Military Exchanges 4 By: Alpha to Omega Ormond Beach, FL 32174 Made in USA -0

8 OZ SPF 50 Die Line Does not print

DASHED LINE INDICATES PRINT AREA (1/16TH IN.

Questions or comments?

Call 1-396-673-2024

EXCHANGE SELECT SUNSCREEN SPF 50

OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)

avobenzone lotion

Product Information						
Product T ype	HUMAN OTC DRUG	Item Code (Sourc	Item Code (Source)		NDC:55301-008	
Route of Administration	TOPICAL					
Active Ingredient/Active N	Aoiety					
Ingredient Name			Basis of Str	rength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)			AVOBENZONE		3 g in 100 g	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)			HOMOSALATE	E	13 g in $100 g$	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)			OCTISALATE		5 g in 100 g	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)			OCTOCRYLEN	ЛЕ	7 g in 100 g	

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TROLAMINE (UNII: 903K93S3TK)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ006294)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISO DIUM (UNII: 7FLD91C86K)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
Packaging	

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:55301-008-56	226 g in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/18/2013	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

OXYBENZONE

4 g in 100 g