

LIDOCAINE PAIN RELIEF GEL-PATCH- lidocaine patch
Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.

Lidocaine Pain Relief Gel-Patch (19)

Active ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use ... if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

... ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Water

Usage

1. Remove patch from outer package
2. Partially peel back protection film
3. Place on affected area
4. Remove remaining film while pressing patch to skin

Questions or Comments

supports@sumifunofficial.com

12

PATCHES

Lidocaine

www.sumifunofficial.com
[YouTube: @sumifun](https://www.youtube.com/channel/UCsumifunofficial)
[Facebook: @sumifunOfficial](https://www.facebook.com/sumifunofficial)
[Instagram: @sumifunofficial](https://www.instagram.com/sumifunofficial)
[TikTok: @sumifunofficial](https://www.tiktok.com/@sumifunofficial)
[Twitter: @sumifunOfficial](https://www.twitter.com/sumifunofficial)

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

✓

NO Irritation

✓

Stay-put Flexible Patch

✓

Numbs Pain Away

LONG LASTING

8H

4% LIDOCAINE

12 PATCHES

5.5"X 3.94"

(14cm X 10cm)

Guangzhou Liuguangmao Import & Export Trade Co., Ltd.

412 Building A, No. 8, Dong Heng San Road,

Zhuosun, Tanhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage

1

Remove patch from outer package

2

Partially peel back protective film

3

Place on affected area

4

Remove remaining film while pressing patch to skin

unjiwng

Knee

Back

Neck

Elbow

Shoulder

Drug Facts

Active ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

on wounds or damaged skin

with a heating pad or device

with other ointments, creams, sprays, or liniments

if you are allergic to any ingredients of this product

When using this product

use only as directed

avoid contact with the eyes, mucous membranes, or flashes

do not bandage tightly

Stop use and ask a doctor if

skin reactions such as redness, swelling, blistering or other discomfort occur

symptoms persist for more than 7 days

6 9 7 7 3 1 4 3 4 6 9 3 0

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the affected area.

Carefully remove remaining film while pressing the patch firmly on the skin.

Remove patch from the skin after at most 8-hour application

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polysorbate 80, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:

business@sumifunofficial.com

Child Resistant Packaging

517-13

13
PATCHES

Lidocaine

www.sumifunofficial.com

INS: @sumifunofficial

TikTok: @sumifunofficial

YouTube: @sumifun

Facebook: @sumifunOfficial

Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

✓ NO Irritation

✓ Stay-put Flexible Patch

✓ Numbs Pain Away

LONG LASTING

-8H-

4% LIDOCAINE

13 PATCHES

5.5" X 3.94"
(14cm X 10cm)

Guangzhou Luquanmiao Import & Export Trade Co., Ltd.
41X Building A, No. 8, Dong Heng San Road,
Zhuzun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage

1 Remove patch from outer package

2 Partially peel back protective film

3 Place on affected area

4 Remove remaining film while pressing patch to skin

unjinwng

Knee

Back

Neck

Elbow

Shoulder

Drug Facts

Active ingredient Purpose
Lidocaine 4% Topical Anesthetic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use
on wounds or damaged skin
with a heating pad or device
with other ointments, creams, sprays, or liniments
if you are allergic to any ingredients of this product

When using this product
use only as directed
avoid contact with the eyes, mucous membranes, or rashes
do not bandage tightly

Stop use and ask a doctor if
skin reactions such as redness, swelling, blistering or other discomfort occur
symptoms persist for more than 7 days

6 9 7 7 3 1 4 3 4 6 9 4 7

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
Clean and dry the affected area.
Tear off the protective film and apply the exposed part of the patch to the affected area.
Carefully remove remaining film while pressing the patch firmly on the skin.
Remove patch from the skin after at most 8-hour application
Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum Aminoacetate, Disodium Ethylenediaminetetraacetic Acid, Glycerin, Kaolin, Methylparaben, Polyborate 95, Propylene Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylparaben, Sodium Polycrylate, Titanium Dioxide, Tartaric Acid, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com
Child Resistant Packaging









Lidocaine

24
PATCHES

www.sumifunofficial.com
INS: @sumifunofficial
TikTok: @sumifunofficial
YouTube: @sumifun
Facebook: @sumifunOfficial
Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain :

☑ NO Irritation

☑ Stay-put Flexible Patch

☑ Numbs Pain Away



4% LIDOCAINE

24 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Luguomao Import & Export Trade Co., Ltd.
41E Building A, No. 6 Dong Heng San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining film
while pressing patch to skin

unifun



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint
pains in the wrist, knees, back, neck, hips, shoulders,
elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or
rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering
or other discomfort occur
- symptoms persist for more than 7 days



6 9 7 7 3 1 4 3 4 7 0 4 3

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or
contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed
part of the patch to the affected area.
- Carefully remove remaining film while pressing
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour
application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium
Ethylendiaminetetraacetate Acid, Glycerin, Kaolin,
Methylparaben, Polyacrylic Acid, Polyvinylpyrrolidone K90,
Propylparaben, Sodium Polycrylate, Titanium
Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

Lidocaine

25
PATCHES

www.sumifunofficial.com
YouTube: @sumifun
Instagram: @sumifunofficial
Facebook: @sumifunOfficial
Twitter: @sumifunOfficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4%LIDOCAINE

25 PATCHES
5.5"X 3.94"
(14cm X 10cm)

Guangzhou Luqianmao Import & Export Trade Co., Ltd.
41F Building A, No. 8, Dong Heng Sen Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining film
while pressing patch to skin

unifun



Drug Facts

Active ingredient **Purpose**
Lidocaine 4% Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint
pains in the wrist, knees, back, neck, hips, shoulders,
elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or treatments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or
rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering
or other discomfort occur
- symptoms persist for more than 7 days



6 9 7 7 3 1 4 3 4 7 0 5 0

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or
contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed
part of the patch to the affected area.
- Carefully remove remaining film while pressing
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour
application

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Disodium
Ethyleneaminelactate, Glycerin, Kaolin,
Methylparaben, Polyacrylate 40, Propylene Glycol,
Polyacrylic Acid, Polyvinylpyrrolidone K90,
Propylparaben, Sodium Polycrylate, Titanium
Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

Lidocaine

26
PATCHES

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 Twitter: @sumifunOfficial
 TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4%LIDOCAINE

26 PATCHES
5.5"X 3.94"
(14cm X 10cm)

Guangzhou Lidamimao Import & Export Trade Co., Ltd.
 #17 Building A, No. 8, Dongfeng San Road,
 Zhucun, Tunde District, Guangzhou, Guangdong, China

Made in PRC

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining film
while pressing patch to skin

unijungs



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient Purpose
 Lidocaine HCl Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint
 pain in the wrist, knees, back, neck, hips, shoulders,
 elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or
 rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering
 or other discomfort occur
- symptoms persist for more than 7 days



6 977314 347007

If pregnant or breast-feeding,
 ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or
 contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed
 part of the patch to the affected area.
- Carefully remove remaining film while pressing
 the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour
 application.

Children under age of 12: Consult a doctor

Inactive Ingredients

Dihydroxyethylamine Ammoniosulfate, Disodium
 Ethylenediaminetetraacetic Acid, Glycerin, Kaolin,
 Methylparaben, Propylparaben, Propylene Glycol,
 Polysorbate 80, Polyvinylpyrrolidone K90,
 Propylparaben, Sodium Polycrylate, Titanium
 Dioxide, Tartaric Acid, Water

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging



157-33

Lidocaine

33
PATCHES

www.sumifunofficial.com
Instagram: @sumifunofficial
Facebook: @sumifunOfficial
Twitter: @sumifunOfficial
YouTube: @sumifun
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain :

☑ NO Irritation

☑ Stay-put Flexible Patch

☑ Numbs Pain Away



4% LIDOCAINE

33 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Lianxinmed Import & Export Trade Co., Ltd.
402 Building A No. 63 Dong Heng San Road,
Zhanou, Tianhe District, Guangzhou, Guangdong, China.

1553-01-01

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining film
while pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredient Purpose
Lidocaine HCl Topical Anesthetic

Uses
Temporarily relieves muscle soreness and minor joint
pains in the wrist, knee, back, neck, hip, shoulder,
elbow.

Warnings
For external use only
Do not use
• on wounds or damaged skin
• with a heating pad or device
• with other anesthetics, creams, sprays, or treatments
• if you are allergic to any ingredients of this product

When using this product
• use only as directed
• avoid contact with the eyes, mucous membranes, or
nares
• do not bandage tightly

Stop use and ask a doctor if
• skin reactions such as redness, swelling, blistering
or other discomfort occur
• symptoms persist for more than 7 days



8 773143 47128

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or
contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
• Clean and dry the affected area.
• Tear off the protective film and apply the exposed
part of the patch to the affected area.
• Carefully remove remaining film while pressing
the patch firmly on the skin.
• Remove patch from the skin after at most 8-hour
application
Children under age of 12: Consult a doctor

Inactive Ingredients
Oxypropylmethacrylate, Acrylonitrile, Diisobutyl
Ethylhexanediolacrylate, Glycerin, Kaolin,
Methylparaben, Polysorbate 80, Propylene Glycol,
Polyacrylic Acid, Polyvinylpyrrolidone K90,
Propylparaben, Sodium Polycrylate, Titanium
Dioxide, Talc, Water

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

157-35



Lidocaine

38
PATCHES

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
Twitter: @sumifunOfficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain:

NO Irritation

Stay-put Flexible Patch

Numbs Pain Away



4% LIDOCAINE

38 PATCHES
5.5" X 3.54" (14cm X 9cm)

Guangzhou Lidoanmen Import & Export Trade Co., Ltd.
411 Taishan & No. 8 Changping Jiao Road
Zhuang, Tianhe District, Guangzhou, Guangdong, China

© 2022 Sumifun

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining film
while pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active Ingredient Purpose
Lidocaine HCl Topical Anesthetic

Uses
Temporarily relieves muscle aches and minor joint
pain in the wrist, knee, back, neck, hip, shoulders,
elbows.

Warnings
For external use only
Do not use
• on wounds or damaged skin
• with a heating pad or device
• with other ointments, creams, sprays, or liniments
• if you are allergic to any ingredients of this product

When using this product
• use only as directed
• avoid contact with the eyes, mucous membranes, or
other
• do not bandage tightly

Stop use and ask a doctor if
• skin reactions such as redness, swelling, blistering
or other discomfort occur.
• symptoms persist for more than 7 days

If pregnant or breast-feeding,
ask a health professional before use.
KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or
contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
• Clean and dry the affected area.
• Tear off the protective film and apply the exposed
part of the patch to the affected area.
• Carefully remove remaining film while pressing
the patch firmly on the skin.
• Remove patch from the skin after at most 6 hour
application.
Children under age of 12: Consult a doctor

Inactive Ingredients
Dihydroxyethylamine, Anisole, Disodium
Ethylmethylacetate, Acetic Acid, Glycerin, Kaolin,
Methylparaben, Polyethylene Glycol, Propylene Glycol,
Polyethylene Glycol, Polyethylene Glycol 100,
Phosphoric Acid, Sodium Propylene Glycol, Titanium
Dioxide, Talcum Acid, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com
Child Resistant Packaging





Lidocaine

43
PATCHES

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
Twitter: @sumifunOfficial
TikTok: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain:

- NO Irritation
- Stay-put Flexible Patch
- Numbs Pain Away



4% LIDOCAINE

43 PATCHES
5.75" x 3.54" (146 x 90 mm)

Guangzhou Lipochemed Import & Export Trade Co., Ltd.
411, Building A, No. 3, Dongfeng Road, East Road,
Zhuang Town District, Guangzhou, Guangdong, China

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining film
while pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active Ingredient Purpose
Lidocaine HCl Topical Anesthetic

Uses

Temporarily relieves muscle soreness and minor joint
pains in the neck, knees, back, neck, legs, shoulders,
elbows.

Warnings

For external use only.

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or
tissues
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, itching,
or other discomfort occur
- symptoms persist for more than 7 days.



6 97731 3 47227

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or
contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed
part of the patch to the affected area.
- Carefully remove remaining film while pressing
the patch firmly on the skin.
- Remove patch from the skin after at most 8 hour
application.

Children under age of 12 Consult a doctor

Inactive Ingredients

Dihydroxyethylamine Hydrochloride, Clostridium
Diffractum, Dihydroxyethylamine Hydrochloride, Acetic Acid, Sodium Acetate,
Methylparaben, Propylparaben (E), Propylene Glycol,
Polyacrylic Acid, Polyvinylpyrrolidone K90,
Propylparaben, Sodium Polycarboxylate, Titanium
Dioxide, Terephthalic Acid, Water

Questions or Comments:

sumifun@sumifunofficial.com

Business Cooperation:

sumifun@sumifunofficial.com

Child Resistant Packaging





157-44



LIDOCAINE PAIN RELIEF GEL-PATCH

lidocaine patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-157
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
EDETATE DISODIUM (UNII: 7FLD91C86K)	

POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
GLYCERIN (UNII: PDC6A3C0OX)	
POVIDONE K90 (UNII: RDH86HJV5Z)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
KAOLIN (UNII: 24H4NWX5CO)	
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)	

Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-157-12	12 in 1 BOX	03/24/2025	
1		12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:83602-157-22	22 in 1 BOX	03/24/2025	
2		12 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:83602-157-13	13 in 1 BOX	03/24/2025	
3		12 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:83602-157-21	21 in 1 BOX	03/24/2025	
4		12 g in 1 PATCH; Type 0: Not a Combination Product		
5	NDC:83602-157-35	35 in 1 BOX	03/24/2025	
5		12 g in 1 PATCH; Type 0: Not a Combination Product		
6	NDC:83602-157-14	14 in 1 BOX	03/24/2025	
6		12 g in 1 PATCH; Type 0: Not a Combination Product		
7	NDC:83602-157-23	23 in 1 BOX	03/24/2025	
7		12 g in 1 PATCH; Type 0: Not a Combination Product		
8	NDC:83602-157-26	26 in 1 BOX	03/24/2025	

8		12 g in 1 PATCH; Type 0: Not a Combination Product		
9	NDC:83602-157-24	24 in 1 BOX	03/24/2025	
9		12 g in 1 PATCH; Type 0: Not a Combination Product		
10	NDC:83602-157-37	37 in 1 BOX	03/24/2025	
10		12 g in 1 PATCH; Type 0: Not a Combination Product		
11	NDC:83602-157-27	27 in 1 BOX	03/24/2025	
11		12 g in 1 PATCH; Type 0: Not a Combination Product		
12	NDC:83602-157-25	25 in 1 BOX	03/24/2025	
12		12 g in 1 PATCH; Type 0: Not a Combination Product		
13	NDC:83602-157-33	33 in 1 BOX	03/24/2025	
13		12 g in 1 PATCH; Type 0: Not a Combination Product		
14	NDC:83602-157-34	34 in 1 BOX	03/24/2025	
14		12 g in 1 PATCH; Type 0: Not a Combination Product		
15	NDC:83602-157-38	38 in 1 BOX	03/24/2025	
15		12 g in 1 PATCH; Type 0: Not a Combination Product		
16	NDC:83602-157-43	43 in 1 BOX	03/24/2025	
16		12 g in 1 PATCH; Type 0: Not a Combination Product		
17	NDC:83602-157-44	44 in 1 BOX	03/24/2025	
17		12 g in 1 PATCH; Type 0: Not a Combination Product		
18	NDC:83602-157-45	45 in 1 BOX	03/24/2025	
18		12 g in 1 PATCH; Type 0: Not a Combination Product		
19	NDC:83602-157-46	46 in 1 BOX	03/24/2025	
19		12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	03/24/2025	

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 3/2025

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.