

CVS LONG ACTING COUGH- dextromethorphan hbr liquid
CVS PHARMACY, INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

CVS Long-Acting Cough Drug Facts

Active ingredient (in each 10 mL)

Dextromethorphan HBr, USP 30 mg

Purpose

Cough suppressant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- Helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at (1-800-222-1222).

Directions

- do not take more than 4 doses in a 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	10 mL every 6 to 8 hours
children under 12 years	do not use

Other information

- **each 10 ml contains:** sodium 3 mg
- store at room temperature

Inactive ingredients

anhydrous citric acid, disodium edetate, FD&C red 40, flavor, potassium citrate, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Principal Display Panel

NDC# 69842-634-04

Compare to the active ingredient in Adult Robitussin[®] Long-Acting Cough

Long-Acting

Cough

Dextromethorphan HBr (Cough Suppressant)

Relieves:

- Cough

8 Hour Relief

No Added Alcohol

Sugar-Free

For Ages 12 & Over

4 FL OZ (118mL)

*This product is not manufactured or distributed by Pfizer, owner of the registered trademark Adult Robitussin® Long-Acting Cough.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON THE BOTTLE IS BROKEN OR MISSING.

DISTRIBUTED BY

No Coating Area

Glue - No Coating

TAMPER EVIDENT: DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

Drug Facts

Active ingredient (in each 10 mL) Purpose
Dextromethorphan HBr, USP 30 mg.....Cough suppressant

Uses temporarily relieves cough due to minor (cold and bronchial) irritation as may occur with a cold

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or a medical condition, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema.

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- do not take more than 4 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL - milliliter
- this adult product is not intended for use in children under 12 years of age.

age	dose
children under 12 years	do not use
adults and children 12 years and over	10 mL every 6 to 8 hours

Other information

- each 10 mL contains sodium 3 mg
- store at room temperature

No Coating Area

CVS Health.

Long-Acting Tussin

Adult Cough
No Added Alcohol
Sugar Free

CVS Health.

Compare to the active ingredient in Adult Robitussin® Long-Acting Cough
NDC 08842-030-04

CVS Health.

Drug Facts (continued)

Inactive ingredients anhydrous citric acid, disodium edetate, FD&C red no. 40, flavors, potassium citrate, polyethylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments? 1-866-467-2748

*This product is not manufactured or distributed by Pfizer, owner of the registered trademark Adult Robitussin® Long-Acting Cough.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2022 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-12431

100% money back guaranteed.
CVS.com/returnpolicy



PARENTS:
Learn about teen medicine abuse
www.StopMedicineAbuse.org

IMPORTANT:
Keep this carton for future reference for full labeling.



For Ages 12 & Over
Dosage cup provided

8 HOUR

4 FL OZ (118 mL)

CVS Health.

Long-Acting Tussin

Adult Cough

Choose the correct Tussin formula for your symptoms

Tussin:
Chest congestion with dry cough
• Loosens chest congestion to help coughs clear chest.

Tussin - DM:
Frequent coughs & chest congestion.
• Controls & suppresses coughing.
• Loosens & relieves chest congestion/mucus.

Tussin - CF:
Nasal stuffiness, frequent coughs & chest congestion
• Clears nasal passages to restore freer breathing through the nose.
• Controls & suppresses coughing.
• Relieves chest congestion/mucus.

Long-Acting Tussin:
Frequent coughs
• Controls coughs 6-8 hours.

FPO 100%
UPC# 050428360644

CVS LONG ACTING COUGH

dextromethorphan hbr liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-634
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
POTASSIUM CITRATE (UNII: EE90ONI6FF)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-634-04	1 in 1 BOX	05/02/2022	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	05/02/2022	

Labeler - CVS PHARMACY, INC (062312574)