

**GUAIFENESIN- guaifenesin liquid**  
**KESIN PHARMA CORPORATION**

-----

**Guaifenesin Oral Solution, USP**

***Drug Facts***

***Active ingredient (in each 5 mL teaspoonful)***

Guaifenesin, USP 100 mg

***Purpose***

Expectorant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

***Warnings***

**Do not use**

- if you ever had an allergic reaction to any of the ingredients in this product

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic, bronchitis, emphysema

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- take every 4 hours, as needed, or directed by a doctor
- do not take more than 6 doses in 24 hours
- do not exceed recommended dose

<b>Age</b>	<b>Dose</b>
adults and children 12 years and over	2 to 4 tespoonfuls every 4 hours
children 6 years to under 12 years	1 to 2 teaspoonfuls every 4 hours
children 2 years to under 6 years	1/2 to 1 teaspoonful every 4 hours
under 2 years	ask a doctor

### ***Other information***

- store at 20°C to 25°C (68°F to 77°F). Protect from light.
- do not refrigerate
- **Do not use this product of printed inner seal is broken or missing**

### ***Inactive ingredients***

citric acid, grape flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

### ***Questions or comments?***

1-833-537-4679

\*This product is not manufactured or distributed by the owner of registered trademark of Robitussin<sup>®</sup>.

Distributed by:

**Kesin Pharma**

Oldsmar, FL 34677

Revision 03/2025



NDC 81033-102-16

**Guaifenesin Oral Solution, USP**

**100 mg/5 mL**

Expectorant

**Grape Flavor**

**16 fl oz (473 mL)**

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Guaifenesin, USP 100 mg

Purpose

Expectorant

Uses

■ helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Do not use

■ if you ever had an allergic reaction to any of the ingredients in this product

Ask a doctor before use if you have

■ cough that occurs with too much phlegm (mucus)

■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ take every 4 hours, as needed, or directed by a doctor

■ do not take more than 6 doses in 24 hours

■ do not exceed recommended dose

\*Compare to the active ingredient in Robitussin\*

NDC 81033-102-16

Guaifenesin  
Oral Solution, USP

100 mg/5 mL

Expectorant

Loosens and Relieves  
Chest Congestion

Grape Flavor

16 fl. oz (473 mL)

Drug Facts (continued)

Age	Dose
adults and children 12 years and over	2 to 4 teaspoonsful every 4 hours
children 6 years to under 12 years	1 to 2 teaspoonsful every 4 hours
children 2 years to under 6 years	1/2 to 1 teaspoonful every 4 hours
under 2 years	ask a doctor

Other information

■ store at 20°C to 25°C (68°F to 77°F). Protect from light.

■ do not refrigerate

■ Do not use this product if printed inner seal is broken or missing

Inactive ingredients

citric acid, grape flavor, methylparaben, monoammonium glycyrrhizinate, potassium citrate, propylene glycol, propylparaben, purified water, sorbitol, sucralose

Questions or comments ?

1-833-537-4679

\*This product is not manufactured or distributed by the owner of registered trademark of Robitussin®.

Distributed by:

Kesin Pharma

Oldsmar, FL 34677

Revision 03/2025



3 81033 10216 0

GUAIFENESIN

guaifenesin liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81033-102
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	100 mg in 5 mL
Inactive Ingredients			
Ingredient Name			Strength
POTASSIUM CITRATE ANHYDROUS (UNII: 86R1NVR0HW)			
METHYLPARABEN (UNII: A2I8C7HI9T)			
AMMONIUM GLCYRRHIZATE (UNII: 3VRD35U26C)			
SORBITOL (UNII: 506T60A25R)			
CITRIC ACID (UNII: 2968PHW8QP)			
SUCRALOSE (UNII: 96K6UQ3Z D4)			
PROPYLPARABEN (UNII: Z8IX2SC1OH)			
WATER (UNII: 059QF0KO0R)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	

<b>Contains</b>				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81033-102-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2025	
<b>Marketing Information</b>				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M012	04/01/2025	

**Labeler -** KESIN PHARMA CORPORATION (117447816)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
Kesin Pharma		117447816	pack(81033-102) , label(81033-102)

Revised: 4/2025

KESIN PHARMA CORPORATION