

RITE AID PROFESSIONAL STRENGTH- benzocaine liquid
Rite Aid

5820340 Rite Aid Prof Str Mouth Pain Liq

Active ingredient

Benzocaine 20.0% Oral anesthetic /
analgesic

Use

for the temporary relief of pain due to canker sores, minor irritation of the mouth and gums caused by dentures or orthodontic appliances, or minor injury of the mouth or gums

For oral use only

Allergy alert: do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine or other "caine" anesthetics

When using this product Do not use for more than 7 days unless told to do so by a dentist or doctor If sore mouth symptoms do not improve in 7 days; if irritation, pain or redness persists or worsens; or, if swelling, rash or fever develops, see your doctor or dentist promptly. Do not exceed recommended dosage.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control

Center right away.

Directions

to assure formation of long lasting film coating, dry affected area and apply medication undiluted with applicator. allow a few seconds for coating to form. use up to 4 times

daily, or as directed by a dentist or doctor. children 12 years of age should be supervised in

the use of this product. children under 2 years of age:ask a dentist or doctor

• use up to 4 times daily, or as directed by a dentist or doctor • children under 12 years of age should be supervised in the use of this product • children under 2 years of age: consult a dentist or doctor

Other Information


do not purchase if package has been opened
store at 20 - 25 C (68-77F)

close cap tightly after use to avoid evaporation

avoid contact with eyes
avoid contact with clothing and household furniture surfaces to avoid possible staining
this is a personal care item, and should be used by one individual only

Inactive ingredients

Benzyl Alcohol, Cetylpyridinium Chloride, Compound Benzoin Tincture, Dimethyl Isosorbide, Ethylcellulose, Flavor, Octylacrylamideacrylates/ butylaminoethyl/methacrylate Copolymer, Oleth-10, PEG-6, Propylene Glycol, Ricinus Communis (Castor) Seed Oil, SD Alcohol 38B, Sucralose, Tannic Acid.



RITE AID PROFESSIONAL STRENGTH			
benzocaine liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-5340
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)		BENZOCAINE	20 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
ALCOHOL (UNII: 3K9958V90M)				
ETHYLCELLULOSES (UNII: 7Z8S9VYZ4B)				
TANNIC ACID (UNII: 28F9E0DJY6)				
CETYPYRIDINIUM CHLORIDE (UNII: D9OM4SK49P)				
SUCRALOSE (UNII: 96K6UQ3ZD4)				
BENZYL ALCOHOL (UNII: LKG8494WBH)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
OLETH-10 (UNII: JD797EF70J)				
DIMETHYL ISOSORBIDE (UNII: SA6A6V432S)				
RICINUS COMMUNIS SEED (UNII: 7EK4SFN1TX)				
WATER (UNII: 059QF0KO0R)				
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)				
BENZOIN RESIN (UNII: GK21SBA74R)				
MENTHOL (UNII: L7T10EIP3A)				
Product Characteristics				
Color	yellow (orange to reddish orange)	Score		
Shape		Size		
Flavor	MINT (Mint Flavor #25797)	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-5340-9	1 in 1 BLISTER PACK	01/01/2014	
1	NDC:11822-5340-1	14.17 g in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M022		01/01/2014	

Labeler - Rite Aid (014578892)

Registrant - Lornamead (126440440)

Establishment

Name	Address	ID/FEI	Business Operations
HK KOLMAR CANADA, INC		243501959	manufacture(11822-5340) , pack(11822-5340)

Revised: 1/2025

Rite Aid