

BURND- homosalate, octinoxate, zinc oxide lotion
BURND LLC

burnd SPF 41 Sunscreen

Active Ingredients

Homosalate 8.0 %

Octinoxate 7.5%

Zinc Oxide 8.1%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings:

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product**, keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

Apply liberally 15 minutes before sun exposure.

- REAPPLY: • After 80 minutes of swimming or sweating.
- Immediately after towel drying. • At least every 2 hours.

SUN PROTECTION MEASURES: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. to 2 p.m.
- Wear long-sleeved shirts, pants, hats and sunglasses.
- Children under 6 months of age: Ask a doctor.

Other Information:

- Protect the product in this container from excessive heat and direct sun.
- May stain some fabrics.

Inactive Ingredients:

Aluminum Starch Octenylsuccinate, Ascorbyl Palmitate, Bis-PEG-12 Dimethicone, Beeswax, Caprylhydroxamic Acid, Caprylyl Glycol, Cyclopentasiloxane, Decyl Glucoside, Diethylhexyl Sebacate, Ethylhexylglycerin, Hydrogenated Castor Oil, Methylpropanediol, PEG/PPG-20/15 Dimethicone, PEG-30 Dipolyhydroxystearate, Polysilicone-11, Propanediol, Silica, Sodium Chloride, Tocopheryl Acetate, Triethoxycaprylsilane, Water (Aqua)

3.4 fl oz / 100 ml

*From the Dr. that pretty
much invented sunscreen*

burnd

SUN PROTECTION MEASURES: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. to 2 p.m. • Wear long-sleeved shirts, pants, hats and sunglasses.

Broad
Spectrum
SPF 41
WATER
RESISTANT
80 min



LEGAL STUFF

DRUG FACTS

Active Ingredient	Purpose
Homosalate 8.0%	Sunscreen
Octinoxate 7.5%	Sunscreen
Zinc Oxide 8.1%	Sunscreen

Use Helps prevent sunburn. If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product**, keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor** if rash occurs.
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **REAPPLY:** • After 80 minutes of swimming or sweating.
• Immediately after towel drying. • At least every 2 hours.

Other Information

- Protect the product in this container from excessive heat and direct sun.
- May stain some fabrics.

Inactive Ingredients Aluminum Starch Octenylsuccinate, Ascorbyl Palmitate, Bis-PEG-12 Dimethicone, Beeswax, Caprylhydroxamic Acid, Caprylyl Glycol, Cyclopentasiloxane, Decyl Glucoside, Diethylhexyl Sebacate, Ethylhexylglycerin, Hydrogenated Castor Oil, Methylpropanediol, PEG/PPG-20/15 Dimethicone, PEG-30 Dipolyhydroxystearate, Polysilicone-11, Propanediol, Silica, Sodium Chloride, Tocopheryl Acetate, Triethoxycaprylsilane, Water (Aqua)

burnd

Distributed by burnd, Inc.,
East Hampton, NY 11937 • 800-621-5816
burnd is a registered trademark of burnd, Inc.



BURND				
homosalate, octinoxate, zinc oxide lotion				
Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:85455-100
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)			HOMOSALATE	8 g in 100 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)			OCTINOXATE	7.5 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)			ZINC OXIDE	8.1 g in 100 mL
Inactive Ingredients				
Ingredient Name				Strength
METHYLPROPANEDIOL (UNII: N8F53B3R4R)				
CYCLOPENTASILOXANE (UNII: 0THT5PCI0R)				
PROPANEDIOL (UNII: 5965N8W85T)				
CAPRYLYL GLYCOL (UNII: 00YIU5438U)				
DECYL GLUCOSIDE (UNII: Z17H97EA6Y)				
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)				
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)				
WATER (UNII: 059QF0KO0R)				
DIETHYLHEXYL SEBACATE (UNII: U9LS47Q72Q)				
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)				
BIS-PEG-12 DIMETHICONE (70 MPA.S) (UNII: 2JDK5W22H4)				
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)				
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)				
PEG/PPG-20/15 DIMETHICONE (UNII: 06R6X77P9C)				
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)				
ASCORBYL PALMITATE (UNII: QN83US2B0N)				
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85455-100-01	100 mL in 1 TUBE; Type 0: Not a Combination Product	04/09/2025	
Marketing Information				

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	04/09/2025	

Labeler - BURND LLC (119485887)

Registrant - Fragrance Manufacturing,Inc. (793406000)

Establishment

Name	Address	ID/FEI	Business Operations
Fragrance Manufacturing,Inc.		793406000	manufacture(85455-100)

Revised: 8/2025

BURND LLC