

**FRONTMAN FADE- salicylic acid cream, augmented**  
**Wingman Cover LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**FRONTMAN FADE**

**Drug Facts**

**Active Ingredient**

Salicylic Acid 0.5%

**Purpose**

Acne medication

**Use**

For the treatment of acne.

**Warnings**

**For external use only.**

**When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- If eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- cleanse skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur in rare cases, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information**

Store at room temperature.

**Inactive ingredients**

water (aqua / eau), isododecane, titanium dioxide (CI 77891), isohexadecane, polyglyceryl-3 diisostearate, butylene glycol, disteardimonium hectorite, peg-30 dipolyhydroxystearate, silica, iron oxides (CI 77492), vp/hexadecene copolymer, kaolin, propylene carbonate, magnesium sulfate, iron oxides (CI 77491), phenoxyethanol, ethylhexyl palmitate, triethoxycaprylylsilane, cyclodextrin, caprylyl glycol, menthoxypropanediol, iron oxides (CI 77499), glycerin, lactobacillus/lemon peel ferment

extract, mentha viridis (spearmint) leaf extract, silica dimethyl silylate, sodium hyaluronate, hexylene glycol

**Questions?**

Call (213) 214-1242 or visit [www.befrontman.com](http://www.befrontman.com)

Dist. by Frontman Inc., Brooklyn, NY 11201. Made in Canada.

**PRINCIPAL DISPLAY PANEL - 10 ML Tube Carton - NDC 79638-587-01**

FRONTMAN

FADE

Acne Fader with salicylic acid

0.33 Oz (10 ML)



# HIT US UP ;)

(213) 214-1242

befrontman.com

YOU'RE WELCOME

**Drug Facts**

**Active Ingredient** Salicylic Acid 0.5%  
**Purpose** Acne medication

**Use** For the treatment of acne.

**Warnings**  
For external use only.

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • If eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur in rare cases, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information** Store at room temperature.

**Inactive ingredients** water (aqua / eau), isododecane, titanium dioxide (CI 77891), isohexadecane, polyglyceryl-3 distearate, butylene glycol, diisearldimonium hexadecyl phosphate, iron oxide (CI 77492), vp/hexadecene copolymer, kaolin, dipolyhydroxystearate, silica, iron oxide (CI 77491), phenoxethanol, ethylhexyl palmitate, triethoxycaprylylsilane, cyclohexyltrimethylsilane, menthylpropanediol, iron oxide (CI 77499), glycerin, lactobacillus/lemon peel ferment extract, menthylpropanediol, leaf extract, silica dimethyl silylate, sodium hyaluronate, hexylene glycol.

**Questions?**  
Call (213) 214-1242 or visit [www.befrontman.com](http://www.befrontman.com)

Dist. by Frontman Inc, Brooklyn, NY 11201. Made in Canada.


# ***FRONTMAN***

**FADE**

Acne Fader with salicylic acid

0.33 Oz (10 ML)




**OWN IT.**




# DOV




post text us  
"found it"  
for a  
surprise







**100%**  
**OFF**





**PRINCIPAL DISPLAY PANEL - 10 ML Tube Carton - NDC 79638-588-01**

FRONTMAN

FADE

Acne Fader with salicylic acid

0.33 Oz (10 ML)





# HIT US UP ;)

(213) 214-1242

befrontman.com

YOU'RE WELCOME

**Drug Facts**

**Active Ingredient** Salicylic Acid 0.5%

**Purpose** Acne medication

**Use** For the treatment of acne.

**Warnings**

**For external use only.**

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • If eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur in rare cases, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information** Store at room temperature.

**Inactive ingredients** water (aqua / eau), isododecane, titanium dioxide (CI 77891), isohexadecane, polyglyceryl-3 distearate, butylene glycol, diisearldimonium hexafluorophosphate, iron oxide (CI 77492), vp/hexadecene copolymer, kaolin, dipolyhydroxydistearate, silica, iron oxide (CI 77491), phenoxethanol, ethylhexyl palmitate, triethoxycaprylylsilane, cyclohexanone, caprylyl glycol, menthylpropylparaben, iron oxides (CI 77499), glycerin, lactobacillus/lemon peel ferment extract, mentha viridis (spearmint) leaf extract, silica dimethyl silylate, sodium hyaluronate, hexylene glycol.

**Questions?** Call (213) 214-1242 or visit [www.befrontman.com](http://www.befrontman.com)

Dist. by Frontman Inc, Brooklyn, NY 11201. Made in Canada.


# ***FRONTMAN***

**FADE**

Acne Fader with salicylic acid

0.33 Oz (10 ML)




**OWN IT.**




# DOV




post text us  
"found it"  
for a  
surprise







**100%**  
**OFF**





**PRINCIPAL DISPLAY PANEL - 10 ML Tube Carton - NDC 79638-589-01**

FRONTMAN

FADE

Acne Fader with salicylic acid

0.33 Oz (10 ML)



# HIT US UP ;)

(213) 214-1242

befrontman.com

YOU'RE WELCOME

<b>Drug Facts</b>
<b>Active Ingredient</b> Salicylic Acid 0.5%
<b>Purpose</b> Acne medication
<b>Use</b> For the treatment of acne.
<b>Warnings</b> For external use only.
<b>When using this product</b> • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • If eye contact occurs, flush thoroughly with water.
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.
<b>Directions</b> • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur in rare cases, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.
<b>Other Information</b> Store at room temperature.
<b>Inactive ingredients</b> water (aqua / eau), isododecane, titanium dioxide (CI 77891), isohexadecane, polyglyceryl-3 diisostearate, butylene glycol, diisearldimonium hexadecyl phosphate, iron oxide (CI 77492), vp/hexadecene copolymer, kaolin, dipolyhydroxystearate, silica, iron oxide (CI 77491), phenoxethanol, ethylhexyl palmitate, triethoxycaprylylsilane, cyclohexan, caprylyl glycol, menthylpropylparabenol, iron oxide (CI 77493), glycerin, lactobacillus/lemon peel ferment extract, mentha viridis (spearmint) leaf extract, silica dimethyl silylate, sodium hyaluronate, hexylene glycol.
<b>Questions?</b> Call (213) 214-1242 or visit <a href="http://www.befrontman.com">www.befrontman.com</a>
Dist. by Frontman Inc, Brooklyn, NY 11201. Made in Canada.


# ***FRONTMAN***

**FADE**

Acne Fader with salicylic acid

0.33 Oz (10 ML)

**OWN IT.**







# DOV




post text us  
"found it"  
for a  
surprise







**100%**  
**REC**





**PRINCIPAL DISPLAY PANEL - 10 ML Tube Carton - NDC 79638-590-01**

FRONTMAN

FADE

Acne Fader with salicylic acid

0.33 Oz (10 ML)



# HIT US UP ;)

(213) 214-1242

befrontman.com

YOU'RE WELCOME

**Drug Facts**

**Active Ingredient** Salicylic Acid 0.5%  
**Purpose** Acne medication

**Use** For the treatment of acne.

**Warnings**  
For external use only.

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • If eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur in rare cases, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

**Other information** Store at room temperature.

**Inactive ingredients** water (aqua / eau), isododecane, titanium dioxide (CI 77891), isohexadecane, polyglyceryl-3 distearate, butylene glycol, diisearldimonium hexadecyl phosphate, iron oxide (CI 77492), vp/hexadecene copolymer, kaolin, dipolyhydroxystearate, silica, iron oxide (CI 77491), phenoxethanol, ethylhexyl palmitate, triethoxycaprylylsilane, cyclohexanone, caprylyl glycol, menthylpropylparaben, iron oxides (CI 77499), glycerin, lactobacillus/lemon peel ferment extract, mentha viridis (spearmint) leaf extract, silica dimethyl silylate, sodium hyaluronate, hexylene glycol.

**Questions?**  
Call (213) 214-1242 or visit [www.befrontman.com](http://www.befrontman.com)

Dist. by Frontman Inc, Brooklyn, NY 11201. Made in Canada.


# ***FRONTMAN***

**FADE**

Acne Fader with salicylic acid

0.33 Oz (10 ML)




**OWN IT.**




# DOV



post text us  
"found it"  
for a  
surprise










**100%**  
**REC**





# FRONTMAN FADE

salicylic acid cream, augmented

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79638-587
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
isododecane (UNII: A8289P68Y2)	
titanium dioxide (UNII: 15FIX9V2JP)	
isohexadecane (UNII: 918X1OUF1E)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
butylene glycol (UNII: 3XUS85K0RA)	
disteardimonium hectorite (UNII: X687XDK09L)	
peg-30 dipolyhydroxystearate (4000 mw) (UNII: 9713Q0S7FO)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
ferric oxide yellow (UNII: EX438O2MRT)	
vinylpyrrolidone/hexadecene copolymer (UNII: KFR5QEN0N9)	
kaolin (UNII: 24H4NWX5CO)	
propylene carbonate (UNII: 8D08K3S51E)	
magnesium sulfate, unspecified form (UNII: DE08037SAB)	
ferric oxide red (UNII: 1K09F3G675)	
phenoxyethanol (UNII: HIE492ZZ3T)	
ethylhexyl palmitate (UNII: 2865993309)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
caprylyl glycol (UNII: 00YIU5438U)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)	
ferrosoferric oxide (UNII: XM0M87F357)	
glycerin (UNII: PDC6A3C0OX)	
spearmint (UNII: J7I2T6IV1N)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
hexylene glycol (UNII: KEH0A3F75J)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79638-587-01	1 in 1 CARTON	12/01/2020	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	12/01/2020	

**FRONTMAN FADE**

salicylic acid cream, augmented

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79638-588
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
water (UNII: 059QF0K00R)	
isododecane (UNII: A8289P68Y2)	
titanium dioxide (UNII: 15FIX9V2JP)	
isohexadecane (UNII: 918X10UF1E)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
butylene glycol (UNII: 3XUS85K0RA)	
disteardimonium hectorite (UNII: X687XDK09L)	
peg-30 dipolyhydroxystearate (4000 mw) (UNII: 9713Q0S7FO)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
ferric oxide yellow (UNII: EX438O2MRT)	
vinylpyrrolidone/hexadecene copolymer (UNII: KFR5QEN0N9)	
kaolin (UNII: 24H4NWX5CO)	
propylene carbonate (UNII: 8D08K3S51E)	
magnesium sulfate, unspecified form (UNII: DE08037SAB)	
ferric oxide red (UNII: 1K09F3G675)	
phenoxyethanol (UNII: HIE492ZZ3T)	
ethylhexyl palmitate (UNII: 2865993309)	
triethoxycaprylylsilane (UNII: LDC331P08E)	
caprylyl glycol (UNII: 00YIU5438U)	
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)	
ferrosoferric oxide (UNII: XM0M87F357)	

glycerin (UNII: PDC6A3C0OX)	
spearmint (UNII: J7I2T6IV1N)	
silica dimethyl silylate (UNII: EU2PSP0G0W)	
hyaluronate sodium (UNII: YSE9PPT4TH)	
hexylene glycol (UNII: KEH0A3F75J)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79638-588-01	1 in 1 CARTON	12/01/2020	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	12/01/2020	

## FRONTMAN FADE

salicylic acid cream, augmented

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79638-589
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
isododecane (UNII: A8289P68Y2)	
titanium dioxide (UNII: 15FIX9V2JP)	
isohexadecane (UNII: 918X1OUF1E)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
butylene glycol (UNII: 3XUS85K0RA)	
disteardimonium hectorite (UNII: X687XDK09L)	
peg-30 dipolyhydroxystearate (4000 mw) (UNII: 9713Q0S7FO)	
silicon dioxide (UNII: ETJ7Z6XBU4)	
ferric oxide yellow (UNII: EX438O2MRT)	
vinylpyrrolidone/hexadecene copolymer (UNII: KFR5QEN0N9)	
kaolin (UNII: 24H4NWX5CO)	
propylene carbonate (UNII: 8D08K3S51E)	
magnesium sulfate, unspecified form (UNII: DE08037SAB)	

ferric oxide red (UNII: 1K09F3G675)
phenoxyethanol (UNII: HIE492ZZ3T)
ethylhexyl palmitate (UNII: 2865993309)
triethoxycaprylsilane (UNII: LDC331P08E)
caprylyl glycol (UNII: 00YIU5438U)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
ferrosoferric oxide (UNII: XM0M87F357)
glycerin (UNII: PDC6A3C0OX)
spearmint (UNII: J7I2T6IV1N)
silica dimethyl silylate (UNII: EU2PSP0G0W)
hyaluronate sodium (UNII: YSE9PPT4TH)
hexylene glycol (UNII: KEH0A3F75J)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79638-589-01	1 in 1 CARTON	12/01/2020	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	12/01/2020	

## FRONTMAN FADE

salicylic acid cream, augmented

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79638-590
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
water (UNII: 059QF0KO0R)	
isododecane (UNII: A8289P68Y2)	
titanium dioxide (UNII: 15FIX9V2JP)	
isohexadecane (UNII: 918X1OUF1E)	
polyglyceryl-3 diisostearate (UNII: 46P231IQV8)	
butylene glycol (UNII: 3XUS85K0RA)	
disteardimonium hectorite (UNII: X687XDK09L)	

peg-30 dipolyhydroxystearate (4000 mw) (UNII: 9713Q0S7FO)
silicon dioxide (UNII: ETJ7Z6XBU4)
ferric oxide yellow (UNII: EX438O2MRT)
vinylpyrrolidone/hexadecene copolymer (UNII: KFR5QEN0N9)
kaolin (UNII: 24H4NWX5CO)
propylene carbonate (UNII: 8D08K3S51E)
magnesium sulfate, unspecified form (UNII: DE08037SAB)
ferric oxide red (UNII: 1K09F3G675)
phenoxyethanol (UNII: HIE492ZZ3T)
ethylhexyl palmitate (UNII: 2865993309)
triethoxycaprylylsilane (UNII: LDC331P08E)
caprylyl glycol (UNII: 00YIU5438U)
3-((1-menthyl)oxy)propane-1,2-diol (UNII: KD6TZ2QICH)
ferrosoferric oxide (UNII: XM0M87F357)
glycerin (UNII: PDC6A3C0OX)
spearmint (UNII: J7I2T6IV1N)
silica dimethyl silylate (UNII: EU2PSP0G0W)
hyaluronate sodium (UNII: YSE9PPT4TH)
hexylene glycol (UNII: KEH0A3F75J)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79638-590-01	1 in 1 CARTON	12/01/2020	
1		10 mL in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part333D	12/01/2020	

**Labeler** - Wingman Cover LLC (117559654)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosmetica Laboratories Inc		255080491	MANUFACTURE(79638-587, 79638-588, 79638-589, 79638-590)

Revised: 11/2020

Wingman Cover LLC