

**SPORT SUNSCREEN SPF 30- avobenzone 3% homosalate 10% octisalate 5% octocrylene 2% oxybenzone 4% spray**

**Top Care**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Avobenzone 3.0%.....	Sunscreen
Homosalate 10.0%.....	Sunscreen
Octisalate 5.0%.....	Sunscreen
Octocrylene 2.0%.....	Sunscreen
Oxybenzone 4.0%.....	Sunscreen

**Uses** • helps prevent sunburn • higher SPF gives more sunburn protection  
• retains SPF after 80 minutes of activity in the water or sweating • provides high protection against sunburn

**Warnings**

**For external use only**

**Flammable:** Do not use near heat, flame, or while smoking.

**Do not use** on damaged or broken skin

**When using this product** • Keep out of eyes. Rinse eyes with water to remove.

• Keep away from face to avoid breathing it • Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F.

**Stop use and ask a doctor if** rash occurs

**Directions**

• Spray liberally and spread evenly by hand 15 minutes before sun exposure • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Hold container 4 to 6 inches from the skin to apply • Do not spray directly into face. Spray on hands then apply to face. • Do not apply in windy conditions • use in a well-ventilated area • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeve shirts, pants, hats, and sunglasses • children under 6 months: Ask a doctor

**Inactive ingredients**

Acrylates/Octylacrylamide Copolymer,  
Alcohol Denat., Caprylic/Capric Triglyceride, Diethylhexyl  
Syringylidenemalonate, Fragrance, Glycerin, Retinyl Palmitate,  
Stearoxytrimethylsilane, Tocopherol.

Questions? 1-888-423-0139

**33% MORE FREE!**  
Get 8 FL OZ for the price of 6 FL OZ



**TopCare®**  
**SPORT**

sunscreen spray

water resistant  
(80 minutes)

UVA/UVB protection

Broad Spectrum  
SPF 30

\*COMPARE TO THE ACTIVE  
INGREDIENTS IN COPPERTONE®

NET WT 8 OZ (227 g)

**Drug Facts**

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 2%	Sunscreen
Oxybenzone 4%	Sunscreen

**Uses** • helps prevent sunburn • higher SPF gives more sunburn protection  
• retains SPF after 80 minutes of activity in the water or sweating • provides high protection against sunburn

**Warnings**

**Flammable:** Do not use near heat, flame, or while smoking.

**For external use only**

Do not use on damaged or broken skin.

When using this product keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Avoid spraying in eyes. • Contents under pressure. Do not puncture or incinerate.  
• Do not store at temperature above 120°F.

**Directions** • Spray liberally and spread evenly by hand 15 minutes before sun exposure. • Reapply • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours. • Hold container 4 to 6 inches from the skin to apply • Do not spray directly into face. Spray on hands then apply to face.  
• Do not apply in windy conditions • use in a well-ventilated area • Children under 6 months of age: ask a doctor. • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses.

**Other information** • protect the product in this container from excessive heat and direct sun. • may stain fabrics.

**Inactive ingredients** Acrylates/Octylacrylamide Copolymer, Alcohol Denat., Caprylic/Capric Triglyceride, Diethylhexyl Syringylidenemalonate, Fragrance, Glycerin, Retinyl Palmitate, Stearoxyltrimethylsilane, Tocopherol.

**Questions?** 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
ELK GROVE VILLAGE, IL. 60007  
© TOPCO PQU1115  
QUESTIONS? 1-888-423-0139  
topcare@topco.com  
www.topcarebrand.com



This Top Care® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

\*THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY BAYER CONSUMER CARE, LLC., DISTRIBUTOR OF COPPERTONE®.



**SPORT SUNSCREEN SPF 30**

avobenzone 3% homosalate 10% octisalate 5% octocrylene 2% oxybenzone 4% spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-889
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>Avobenzone</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	Avobenzone	3 g in 100 g
<b>Homosalate</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	Homosalate	10 g in 100 g
<b>Octisalate</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	Octisalate	5 g in 100 g
<b>Octocrylene</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	Octocrylene	2 g in 100 g
<b>Oxybenzone</b> (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	Oxybenzone	4 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>Diethylhexyl Syringylidenemalonate</b> (UNII: 3V5U97P248)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>Stearoxytrimethylsilane</b> (UNII: 9862TW94B2)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-889-05	153 g in 1 CAN; Type 0: Not a Combination Product	02/15/2016	
2	NDC:36800-889-06	227 g in 1 PACKAGE; Type 0: Not a Combination Product	09/07/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	02/15/2016	

**Labeler** - Top Care (006935977)

**Registrant** - Product Quest Mfg (927768135)

### Establishment

Name	Address	ID/FEI	Business Operations
Product Quest Mfg		927768135	manufacture(36800-889) , label(36800-889)

Revised: 6/2018

Top Care