

**ALDANA SKIN LIFE - SUNSCREEN BROAD SPECTRUM SPF 55 WATER RESISTANT (80 MINS.)- octinoxate and zinc oxide lotion**  
**Cosmetic Solutions LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Aldana Skin Life - Sunscreen Broad Spectrum SPF 55 Water Resistant (80 Mins.)**

**DRUG FACTS:**

**ACTIVE INGREDIENTS**

Octinoxate 7.5%, Zinc Oxide 4.8%

**PURPOSE**

Sunscreen

**USES**

Helps prevent sunburn.

**WARNINGS**

**For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS**

Apply liberally and evenly 15 minutes before sun exposure. <sup>1</sup>Reapply: At least 80 minutes after swimming or sweating, immediately after towel drying, at least every 2 hours. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses.

---

<sup>1</sup> For children under 6 months of age: Ask a doctor.

**INACTIVE INGREDIENTS**

Water, Hydrogenated Polybutene, Octyl Stearate, Polyglyceryl-4-Isostearate, Aloe Barbadensis Leaf Extract, Isopropyl Palmitate, Cyclomethicone, Sunflower Oil, Hydrogenated Microcrystalline Wax, Cetyl Dimethicone Copolyol, Cetyl Dimethicone, Hydrogenated Castor Oil, Sodium Chloride, Polyglyceryl-3-Oleate, Silica, Hexyl Laurate, Triethoxycaprylylsilane, Capryly Glycol, Methylisothiazolinone.

## **OTHER INFORMATION**

Protect the product in this container from excessive heat and direct sun.

## **PRINCIPAL DISPLAY PANEL - 60 G Bottle Label**

ALDANA  
SKIN LIFE

UV  
PROTECTIVE

SUNSCREEN

BROAD SPECTRUM SPF 55

WATER RESISTANT (80 MINS.)

60 G (NET WT. 2 OZ)



**ALDANA**  
SKIN LIFE



PROTECTIVE

**SUNSCREEN**  
BROAD SPECTRUM SPF 55  
WATER RESISTANT (80 MINS.)  
60 G (NET WT. 2 OZ)

**DRUG FACTS:**

ACTIVE INGREDIENTS:	PURPOSE
Octinoxate 7.5%, Zinc Oxide 4.8% }	Sunscreen

**USES:** Helps prevent sunburn.

**WARNINGS:**  
For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS:** Apply liberally and evenly 15 minutes before sun exposure. \*Reapply: At least 80 minutes after swimming or sweating, immediately after towel drying, at least every 2 hours. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses.

\*For children under 6 months of age: Ask a doctor.

**INACTIVE INGREDIENTS:** Water, Hydrogenated Polybutene, Octyl Stearate, Polyglyceryl-4-Isostearate, Aloe Barbadosis Leaf Extract, Isopropyl Palmitate, Cyclomethicone, Sunflower Oil, Hydrogenated Microcrystalline Wax, Cetyl Dimethicone Copolyol, Cetyl Dimethicone, Hydrogenated Castor Oil, Sodium Chloride, Polyglyceryl-3-Oleate, Silica, Hexyl Laurate, Triethoxycaprylylsilane, Capryly Glycol, Methylisothiazolinone.

**OTHER INFORMATION:** Protect the product in this container from excessive heat and direct sun.



MANUFACTURED FOR ALDANA SKIN LIFE  
DORAL, FLORIDA 33178 | 1B48788A

**ALDANA SKIN LIFE - SUNSCREEN BROAD SPECTRUM SPF 55 WATER RESISTANT (80 MINS.)**

octinoxate and zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:66163-5500
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	48 mg in 1 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>OCTYL STEARATE</b> (UNII: 772Y4UFC8B)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>ISOPROPYL PALMITATE</b> (UNII: 8CRQ2TH63M)	
<b>CYCLOMETHICONE</b> (UNII: NMQ347994Z)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>HYDROGENATED CASTOR OIL</b> (UNII: ZF94AP8MEY)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POLYGLYCERYL-3 OLEATE</b> (UNII: XRQ165498B)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>METHYLISOTHIAZOLINONE</b> (UNII: 229D0E1QFA)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:66163-5500-1	60 g in 1 BOTTLE; Type 0: Not a Combination Product	05/01/2022	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part352	05/01/2022	

**Labeler** - Cosmetic Solutions LLC (807907928)