

**AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate lotion**  
**Old East Main Co.**

-----  
**Studio Selection D54.000/D55AA**  
**Moisturizing Sunscreen Lotion SPF 50**

**Active Ingredients**

Avobenzone 3%

Homosalate 12%

Octisalate 5%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protections measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

- on damaged or broken skin

**When using this product**

- keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if**

- rash occurs

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure

- apply to all skin exposed to the sun
- reapply:
- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: Ask a doctor

### **Other Information**

- Protect the product in this container from excessive heat and direct sun

### **Inactive ingredients**

water, diethylhexyl 2,6-naphthalate, butyloctyl salicylate, styrene/acrylates copolymer, aluminum starch octenylsuccinate, neopentyl glycol diheptanoate, glyceryl stearate, silica, polyester-7, beeswax, acrylates/C10-30 alkyl acrylate crosspolymer, glycerin, potassium hydroxide, chlorphenesin, tocopherol, benzyl alcohol, arachidyl alcohol, fragrance, PEG-100 stearate, behenyl alcohol, arachidyl glucoside, disodium EDTA, amyl cinnamal, sodium ascorbyl phosphate

### **Disclaimers**

#### **May stain or damage some fabrics or surfaces**

\*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone® Complete Sunscreen Lotion SPF 50.

### **Adverse Reactions**

DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

100% Satisfaction Guaranteed!

(888) 309-9030

OCTINOXATE FREE

OXYBENZONE FREE

### **Principal Panel Display**

STUDIO SELECTION<sup>®</sup>

SUN

MOISTURIZING SUNSCREEN LOTION

BROAD SPECTRUM SPF 50

Compare to Coppertone<sup>®</sup> Complete Sunscreen Lotion Broad Spectrum SPF 50\*

- Water-resistant (80 minutes)
- Lightweight feel

SPF 50

Dermatologist-Tested

UVA/UVB Sunscreen

3 FL OZ (89 mL)

**Drug Facts**

Active ingredients	Purpose
Azobenzene 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use ■ on damaged or broken skin

When using this product ■ keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if ■ rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- apply to all skin exposed to the sun
- reapply ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information**

- protect the product in this container from excessive heat and direct sun

**Inactive ingredients** water, diethylhexyl 2,6-naphthalates, butylacetyl salicylate, styrene/acrylates copolymer, aluminum starch octylsuccinate, nonoxonyl glycol diheptanoate, glyceryl stearate, silica, polyethylene-7, beeswax, acrylates/C10-30 alkyl acrylate crosspolymer, glycerin, potassium hydroxide, cinnophenesis, tocopherol, benzyl alcohol, arachidyl alcohol, fragrance, PEG-100 stearate, behenyl alcohol, arachidyl glycoside, disodium EDTA, amyli cinnemal, sodium ascorbyl phosphate

May stain or damage some fabrics or surfaces

\*This product is not manufactured or distributed by Leverett AG, distributor of Coppertone<sup>®</sup> Complete Sunscreen Lotion SPF 50.

DISTRIBUTED BY OLD EAST MAN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100%**  
Satisfaction  
Guaranteed!  
(888) 309-6030

OCTINOXATE FREE  
OXYBENZONE FREE



**MOISTURIZING  
SUNSCREEN  
LOTION**

BROAD SPECTRUM SPF 50

Compare to Coppertone<sup>®</sup> Complete Sunscreen Lotion SPF 50\*

- Water-Resistant (80 minutes)
- Lightweight feel

**SPF 50**

Dermatologist-Tested  
UVA/UVB Sunscreen

3 FL OZ (89 mL)

**AVOBENZONE, HOMOSALATE, OCTISALATE**

avobenzene, homosalate, octisalate lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:75712-954
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>DIETHYLHEXYL 2,6-NAPHTHALATE</b> (UNII: I0DQJ7YGXM)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (500000 MW)</b> (UNII: 5Z4DPO246A)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CARBOMER COPOLYMER TYPE A (ALLYL PENTAERYTHRITOL CROSSLINKED)</b> (UNII: 71DD5V995L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POTASSIUM HYDROXIDE</b> (UNII: WZH3C48M4T)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>ARACHIDYL ALCOHOL</b> (UNII: 1QR1QRA9BU)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>ARACHIDYL GLUCOSIDE</b> (UNII: 6JVV35J00J)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>.ALPHA.-AMYL CINNAMALDEHYDE</b> (UNII: WC51CA3418)	
<b>SODIUM ASCORBYL PHOSPHATE</b> (UNII: 836SJG51DR)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:75712-954-21	89 mL in 1 TUBE; Type 0: Not a Combination Product	08/24/2023	

## Marketing Information

<b>Marketing</b>	<b>Application Number or Monograph</b>	<b>Marketing Start</b>	<b>Marketing End</b>
------------------	--	------------------------	----------------------

Category	Citation	Date	Date
OTC Monograph Drug	M020	08/24/2023	

**Labeler** - Old East Main Co. (006946172)

**Registrant** - Nice-Pak Products, LLC (119091520)

### Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(75712-954)

Revised: 3/2026

Old East Main Co.