#### DG HEALTH COLD FLU RELIEF- acetaminophen, dextromethorphan hydrobromide solution Dolgencorp Inc

\_\_\_\_\_

### Dolgencorp, LLC Cold & Flu Relief Drug Facts

#### Active ingredients (in each 15 mL)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

#### Purpose

Pain reliever/fever reducer

Cough suppressant

#### Uses

- temporarily relieves common cold/flu symptoms:
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

## Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4,000 mg of acetaminophen in 24 hours
- child takes more than 5 doses in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

# Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

# Ask a doctor before use if you have

- liver disease
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema

## Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

## Stop use and ask a doctor if

- pain or cough gets worse or lasts more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

- take only as directed see Overdose warning
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	30 mL every 4 hrs
children 6 to under 12 yrs	15 mL every 4 hrs
children 4 to under 6 yrs	ask a doctor

# Other information

- each 15 mL contains: sodium 12 mg
- store at 20-25°C (68-77°F)

### Inactive ingredients

anhydrous citric acid, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate, sorbitol solution, sucralose, xanthan gum

Questions?

1-888-309-9030

# Package/Label Principal Display Panel

Compare to the active ingredients of Vicks<sup>®</sup> DayQuil<sup>®</sup> Cold & Flu

DG™ | health

Day Time

Cold & Flu Relief

Acetaminophen

Dextromethorphan HBr

Pain Reliever, Fever Reducer

Cough Suppressant


Multi-Symptom Relief

Non-Drowsy

- Alcohol free
- Antihistamine free
- Headache, Fever, Sore Throat, Minor Aches & Pains
- Cough

Elderberry Flavor

12 FL OZ (355 mL)



DG HEALTH COLD FL acetaminophen, dextrometho		olution				
acetaminophen, dexitometho	inprian nyurubrumue s					
Product Information						
Product Type	HUMAN OTC DRUG	ltem Code (	Item Code (Source) ND		IDC:55910-142	
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingredient Name			<b>Basis of Strength</b>		Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII: 36209ITL9D)		I:362O9ITL9D)	ACETAMINOPHEN		325 mg in 15 mL	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		)	DEXTROMETHORPHAN HYDROBROMIDE		10 mg in 15 mL	
Inactive Ingredients						
Ingredient Name				9	Strength	
ANHYDROUS CITRIC ACID (UNII: 2	XF417D3PSL)					
FD&C BLUE NO. 1 (UNII: H3R47K3	STBD)					
FD&C RED NO. 40 (UNII: WZ B912	7XOA)					
GLYCERIN (UNII: PDC6A3C0OX)						
PROPYLENE GLYCOL (UNII: 6DC90	Q167V3)					
WATER (UNII: 059QF0KO0R)						
SACCHARIN SODIUM (UNII: SB8Z	UX40TY)					

	ODIUM BENZOATE						
SC	ODIUM CITRATE, U	INSPECIFIED FORM (UNII: 1Q73Q2JULR)					
SC	ORBITOL SOLUTIO	<b>N</b> (UNII: 8KW3E207O2)					
รเ	UCRALOSE (UNII: 9	5K6UQ3ZD4)					
XA	ANTHAN GUM (UNII	: TTV12P4NEE)					
Packaging							
Packaging							
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date			
1		55 mL in 1 BOTTLE; Type 0: Not a Combination roduct	06/30/2025				
<b>B</b> /							
M	larketing li	nformation					
M	larketing li Marketing Category	<b>Iformation</b> Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			

Labeler - Dolgencorp Inc (068331990)

Revised: 7/2025

Dolgencorp Inc