

C LIP SERUM MINERAL BROAD SPECTRUM SPF 30- sunscreen gel
Simply Active Cosmetics

Zinc Oxide 16.5% ... Sunscreen

Sunscreen

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Apply lip serum generously and evenly

Reapply at least every 2 hours throughout the day as needed

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- children under 6 months of age: Ask a doctor

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- limit your time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Water, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Polyglyceryl-3 Polyricinoleate, C12-15 Alkyl Benzoate, Glycerin, Sorbitan Sesquioleate, Hydrogenated Poly(C6-14 Olefin), Mica, Glyceryl Dibehenate, Flavor, Microcrystalline Cellulose, Tribehenin, Polyglyceryl-3 Diisostearate, Microcrystalline Wax, Cellulose Gum, Synthetic Fluorophlogopite, Glyceryl Behenate, Lecithin, Caprylyl Glycol, Sodium Chloride, Citric Acid, Ethylhexylglycerin, Polyglyceryl-4 Oleate, Sodium Citrate, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Polyhydroxystearic Acid, Triethoxycaprylylsilane, Limonene, Titanium Dioxide (CI 77891), Red 7 Lake (CI 15850)

Helps prevent sunburn

If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Apply lip serum generously and evenly

Apply liberally 15 minutes before sun exposure

Reapply:

- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours

Use a water resistant sunscreen if swimming or sweating

Children under 6 months of age: Ask a doctor

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.





0.35 FL. OZ. 10g NDC: 83302-165-11

Drug Facts

Active ingredient	Purpose
Zinc Oxide 16.5%.....	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product • keep out of eyes. Rinse with water to remove.


- **Stop use and ask a doctor** if skin rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply lip serum generously and evenly. Reapply at least every 2 hours throughout the day as needed.

- apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit your time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses

Other information • Protect the product in this container from excessive heat and direct sun.

Inactive ingredients Polybutene, Caprylic/Capric Triglyceride, Helianthus Annuus (Sunflower) Seed Wax, C9-12 Alkane, Diisostearyl Malate, Euphorbia Cerifera (Candelilla) Wax, Tridecyl Trimellitate, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Glyceryl Isostearate, Hydrogenated Polyisobutene, Dimethicone, Butyrospermum Parkii (Shea) Butter, Bis-Diglyceryl Polyacyladipate-2, Zea Mays Oil, Polyhydroxystearic Acid, Lecithin, Ascorbic Acid, N-Acetyl-D-Glucosamine, Linoleic Acid, Punica Granatum (Pomegranate) Sterols, Dipalmitoyl Hydroxyproline, Distearidimonium Hectorite, Squalane, Polysilicone-11, Sodium Hyaluronate, Tocopheryl Acetate, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Moringa Oil/Hydrogenated Moringa Oil Esters, Amaranthus Caudatus Seed Oil, Hordeum Distichon (Barley) Extract, ►



0.35 FL. OZ. 10g NDC: 83302-165-11

Outer Carton Drug Facts

0.35 FL. OZ. 10 g NDC: 83302-165-11

Outer Carton Front Panel

BeautyStat

FORMULA CODE *B106-234.34*

**C LIP
SERUM**

SPF

30

BROAD SPECTRUM
SUNSCREEN SPF 30

STABLE VITAMIN C
(L-ASCORBIC ACID)

POWERED BY CHEMISTRY

ALL SKIN 0.35 FL. OZ. 10 g

0.35 FL. OZ. 10g NDC: 83302-165-11

Outer Carton Side Panel 1



0.35 FL. OZ. 10g NDC: 83302-165-11

Outer Carton Side Panel 2



Powered by mineral SPF 30,
our 100% stable Vitamin C
patented technology helps
to plump and brighten for
a radiant protected pout.

Made in the USA
Dist. By BeautyStat
Cosmetics, NY, NY 10011
RP. MDL, BL9 5NB. UK
RP. MSL, Suite 5385,
27 Upper Pembroke St,
Dublin. IE

www.beautystat.com



0.35 FL. OZ. 10g NDC: 83302-165-11

Outer Carton Drug Facts Cont Side Panel 1



Drug Facts (continued)

Inactive ingredients Triticum Vulgare (Wheat) Germ Oil, Triethyl Citrate, Citrus Aurantium Peel Oil, Flavor, C12-15 Alkyl Benzoate, Polyricinoleic Acid, Vanillin, Sorbitan Laurate, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Tocopherol. May Contain: Blue 1, Iron Oxides (CI 77491, CI 77492, CI 77499), Red 6, Red 7, Red 27, Red 28, Titanium Dioxide (CI 77491), Yellow 5.

Questions or Comments?

BeautyStat.com or
customerservice@beautystat.com

0.35 FL. OZ. 10g NDC: 83302-165-10

Pink Primary

BeautyStat



C LIP
SERUM

SPF

30

Baby Pink

Broad Spectrum
Sunscreen SPF 30



0.35 FL. OZ. 10g NDC: 83302-165-10

Pink- Outer Carton Drug Facts Cont



RE-TEXTURIZE

Drug Facts (continued)

Inactive ingredients Triticum Vulgare (Wheat) Germ Oil, Triethyl Citrate, Citrus Aurantium Peel Oil, Flavor, C12-15 Alkyl Benzoate, Polyricinoleic Acid, Vanillin, Sorbitan Laurate, C18-36 Acid Glycol Ester, C18-36 Acid Triglyceride, Tocopherol. May Contain: Blue 1, Iron Oxides (CI 77491, CI 77492, CI 77499), Red 6, Red 7, Red 27, Red 28, Titanium Dioxide (CI 77491), Yellow 5

Titanium Dioxide (CI 77491), Yellow 5.

Questions or Comments?

BeautyStat.com or

customerservice@beautystat.com

0.35 FL. OZ. 10g NDC: 83302-165-10

Pink Outer Drug Facts Panel

Drug Facts

Active ingredient

Zinc Oxide 16.5%.....

Purpose

Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product • keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions Apply lip serum generously and evenly. Reapply at least every 2 hours throughout the day as needed.

- apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit your time in the sun, especially from 10 a.m. to 2 p.m. • wear long-sleeved shirts, pants, hats and sunglasses

Other information • Protect the product in this container from excessive heat and direct sun.

Inactive ingredients Polybutene, Caprylic/Capric Triglyceride, Helianthus Annuus (Sunflower) Seed Wax, C9-12 Alkane, Diisostearyl Malate, Euphorbia Cerifera (Candelilla) Wax, Tridecyl Trimellitate, Bis-Behenyl/Isostearyl/Phytosteryl Dimer Dilinoleyl Dimer Dilinoleate, Glyceryl Isostearate, Hydrogenated Polyisobutene, Dimethicone, Butyrospermum Parkii (Shea) Butter, Bis-Diglyceryl Polyacyladipate-2, Zea Mays Oil, Polyhydroxystearic Acid, Lecithin, Ascorbic Acid, N-Acetyl-D-Glucosamine, Linoleic Acid, Punica Granatum (Pomegranate) Sterols, Dipalmitoyl Hydroxyproline, Distearidimonium Hectorite, Squalane, Polysilicone-11, Sodium Hyaluronate, Tocopheryl Acetate, Palmitoyl Tripeptide-1, Palmitoyl Tetrapeptide-7, Moringa Oil/Hydrogenated Moringa Oil Esters, Amaranthus Caudatus Seed Oil, Hordeum Distichon (Barley) Extract, ►

0.35 FL. OZ. 10g NDC: 83302-165-10

Pink Outer Front Panel



0.35 FL. OZ. 10g NDC: 83302-165-10

Outer Pink Side Panel 1



0.35 FL. OZ. 10g NDC: 83302-165-10

Pink Outer Side Panel 2



Powered by mineral SPF 30,
our 100% stable Vitamin C
patented technology helps
to plump and brighten for
a radiant protected pout.

Made in the USA
Dist. By BeautyStat
Cosmetics, NY, NY 10011
RP. MDL, BL9 5NB. UK
RP. MSL, Suite 5385,
27 Upper Pembroke St,
Dublin. IE

www.beautystat.com



C LIP SERUM MINERAL BROAD SPECTRUM SPF 30

sunscreen gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83302-165
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	16.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
C9-12 ALKANE (UNII: 7J5R5W72QM)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
POLYBUTENE (1400 MW) (UNII: 1NA5AO9GH7)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
BIS-BEHENYL/ISOSTEARYL/PHYTOSTERYL DIMER DILINOLEYL DIMER DILINOLEATE (UNII: G27BTQ95MJ)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
CI 77491 (UNII: 1K09F3G675)	
AMARANTHUS CAUDATUS SEED (UNII: FJ722PPQ9M)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	

TRIDECYL TRIMELLITATE (UNII: FY36J270ES)
DIPALMITOYL HYDROXYPROLINE (UNII: E6AHA53N1H)
LINOLEIC ACID (UNII: 9KJL21T0QJ)
PIGMENT BLUE 1 (UNII: 4SBE571RQF)
PIGMENT RED 7 (UNII: 5Z5A89AQ44)
YELLOW 5 (UNII: I753WB2F1M)
TRITICUM VULGARE (WHEAT) GERM OIL (UNII: 14C97E680P)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
CI 77492 (UNII: EX438O2MRT)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)
HYDROGENATED POLYISOBUTENE (450 MW) (UNII: 7YR4ZFS62E)
SORBITAN LAURATE (UNII: 6W9PS8B71J)
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)
ZEA MAYS (CORN) OIL (UNII: 8470G57WFM)
MORINGA OLEIFERA SEED (UNII: TIX5482832)
CITRUS AURANTIUM PEEL OIL (UNII: 9TLV70SV6I)
POLYGLYCEROL POLYRICINOLEIC ACID (UNII: 3C96Y1D5T4)
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)
BIS-DIGLYCERYL POLYACYLADIPATE-2 (UNII: 6L246LAM9T)
C18-36 ACID TRIGLYCERIDE (UNII: ZRA72DR3R7)
SODIUM HYALURONATE (UNII: YSE9PPT4TH)
PUNICA GRANATUM STEROLS (UNII: UKV92KC49T)
CI 77499 (UNII: XM0M87F357)
RED 27 (UNII: 2LRS185U6K)
RED 28 (UNII: 767IP0Y5NH)
RED 6 (UNII: 481744AI4O)
CI 77891 (UNII: 15FIX9V2JP)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)
GLYCERYL ISOSTEARATE (UNII: HYE7O27HAO)
SQUALANE (UNII: GW89575KF9)
DIMETHICONE (UNII: 92RU3N3Y1O)
N-ACETYL-.ALPHA.-D-GLUCOSAMINE (UNII: T13TI5GH3D)
VANILLIN (UNII: CHI530446X)
TOCOPHEROL (UNII: R0ZB2556P8)
HORDEUM VULGARE TOP (UNII: 86507VZR9K)

Product Characteristics

Color	pink, orange (Neutral Peach)	Score	
Shape		Size	
Flavor	ORANGE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:83302-165-10	1 in 1 BOX	05/01/2025	
1		10 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:83302-165-11	1 in 1 BOX	05/01/2025	
2		10 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2025	

Labeler - Simply Active Cosmetics (116908845)

Registrant - Simply Active Cosmetics (116908845)

Revised: 11/2025

Simply Active Cosmetics