PHARMA-CARE SKIN PREPARATION CLOTHS- benzalkonium chloride cloth Enviro Specialty Chemicals Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

PHARMA + CARE PATIENT PREOPERATIVE & POSTOPERATIVE SKIN PREPARATION CLOTHS

DRUG FACTS

ACTIVE INGREDIENT: Benzalkonium Chloride 0.13

PURPOSE: Antiseptic Skin Sanitizer

USES: For preparation of skin pre and post surgery

Helps reduce bacteria on the skin.

WARNINGS:

- Single use only
- Do not freeze
- For external use only
- Do not use in ears, eyes or mouth
- Use with care in premature infants or infants under 2 months of age
- Avoid contact with the eyes. In case of contact, flush eyes with water
- Stop use and ask a doctor if skin redness or irritation develops
- If swallowed, get medical help immediately

CAUTION: KEEP OUT OF REACH OF CHILDREN

OTHER INFORMATION:

Store product flat and between 68-77° F (20 - 25° C)

Avoid excessive heat above 104° F (40° C)

INACTIVE INGREDIENTS:

Aloe Barbadensis leaf extract, Aqua, Citric Acid, Caprylyl Glucoside, Laureth-4, Polyhexanide, Phenoxyethanol, Triethoxysilylpropyl Steardimonium Chloride.

QUESTIONS?

Call +1(888) 331-8332 Mon-Fri 9.00 AM - 5.00 PM (EST)

DIRECTIONS: DO NOT MICROWAVE Product and packaging are not sterile. Follow your hospital policy for skin preparation with non-sterile products.

Using sterile scissors, cut off end seal of satchel.

Transfer contents onto prep table. To reduce the risk of cloth contamination, avoid contact between cloths and the outside of package.

Use first cloth to prepare the skin area indicated for a moist or dry site, making certain to keep the second cloth where it will not be

contaminated. Use the second cloth to prepare larger areas.

For dry surgical sites such as abdomen or arm, use one cloth to cleanse each 5 in. x 5 in. area (approx. 161 sq. cm) of skin to be prepared.

Vigorously scrub skin back and forth for 3 minutes, completely wetting the treatment area. Discard cloth. Allow area to air dry for one (1)

minute. Do not rinse.

For moist surgical sites such as inguinal fold, use one cloth to cleanse 2 in. x 5 in. (approx. 65 sq. cm) of skin to be prepared. Vigorously scrub skin back and forth for 3 minutes, completely wetting the treatment area. Discard cloth. Allow area to air dry for one (1) minute. Do not rinse.

Discard each cloth after single use.

After satchel has been opened, discard any unused cloths.

RINSE FREE

LONG LASTING, ALCOHOL-FREE

PROTECTION FROM MICROORGANISMS

IFormulated and enhanced with

Zetrisil

IA PROPRIETARY SILICONE QUATERNARY SOLUTION

+ Fast-acting, 15-second formula

- + Last up to 4 hours
- + No natural rubber or latex

+ Non-sterile

DO NOT MICROWAVE

Please dispose of used wipes responsibly.

Do not dispose used wipes down the toilet.

Not made with natural rubber latex.

ESC BRANDS

DISTRIBUTED BY: ESC BRANDS, LLC. OLD HARGRAVE ROAD, SUITE B LEXINGTON, NC 27295 888-331-8332 www.escbrands.com

IFORMULATED IN THE USA MADE IN CHINA

Packaging



PHARMA + CARE

DRUG FACTS

CAUTION: KEEP OUT OF REACH OF CHILDREN ACTIVE INGREDIENT: Benzalkonium Chloride 0.13 PURPOSE: Antiseptic Skin Sanitizer USES: For preparation of skin pre and post surgery

Helps reduce bacteria on the skin.

- WARNINGS:
- Single use only
 Do not freeze
- For external use only
- Do not use in ears, eyes or mouth
- Use with care in premature infants or infants under 2 months of age
- Avoid contact with the eyes. In case of contact, flush eyes with water
- Stop use and ask a doctor if skin redness or irritation develops

If swallowed, get medical help immediately

OTHER INFORMATION:

Store product flat and between 68-77° F (20 - 25° C) Avoid excessive heat above 104° F (40° C) INACTIVE INGREDIENTS:

Aloe Barbadenis leaf extract, Aqua, Citric Acid, Caprylyl Glucoside, Laureth-4, Polyhexanide, Phenoxyethanol, Triethxysilylpropyl Steardimonium Chloride.

QUESTIONS?

Call +1(888) 331-8332 Mon-Fri 9.00 AM - 5.00 PM (EST) Please dispose of used wipes responsibly. Do not dispose used wipes down the toilet. Not made with natural rubber latex.

RINSE FREE

PATIENT PREOPERATIVE & POSTOPERATIVE SKIN PREPARATION CLOTHS

LONG LASTING, ALCOHOL-FREE PROTECTION FROM MICROORGANISMS



- + Fast-acting, 15-second formula
- + Last up to 4 hours
- + No natural rubber or latex
- + Non-sterile

DO NOT MICROWAVE 2 - 7.5 in. x 7.5 in. (19.1 cm x 19.1 cm) Cloths

DIRECTIONS:

DO NOT MICROWAVE Product and packaging are not sterile. Follow your hospital policy for skin preparation with non-sterile products.

Using sterile scissors, cut off end seal of satchel. Transfer contents onto prep table. To reduce the risk of cloth contamination, avoid contact between cloths and the outside of package.

Use first cloth to prepare the skin area indicated for a moist or dry site, making certain to keep the second cloth where it will not be contaminated. Use the second cloth to prepare larger areas.

For dry surgical sites such as abdomen or arm, use one cloth to cleance each 5 n. x 5 in, area (approx. 161 sq. on) of skin to be prepared. Ngorously scrub skih back and forth for 3 minutes, completely wetting the treatment area. Discard cloth. Allow area to air dry for one (1) minute. Do not rinse.

For moist surgical sites such as inguinal fold, use one cloth to cleanse 2 in x 5 in, (approx. 55 sq. cm) of skin to be prepared. Wgrously scat, skin back and forth for 3 minutes, completely wetting the treatment area. Discard cloth. Allow areas to air dry for one (1) minute. Do not rinse: Discard each cloth after single use.

After satchel has been opened, discard any unused cloths.



DISTRIBUTED BY: ESC BRANDS, LLC. 664 OLD HARGRAVE ROAD, SUITE B LEXINGTON, NC 27295 888-331-8332 www.escbrands.com

> FORMULATED IN THE USA MADE IN CHINA





Product Informa	ation						
Product Type	HUMAN OTC DRUG Item Co		Item Code (S	le (Source)		NDC:71884-015	
Route of Administr	ation	TOPICAL					
Active Ingredie	nt/Active Moi	ety					
Ingredient Name				Basis of Strength Str		Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)			JM -	BENZALKONIUM 0.13 g CHLORIDE in 100 mL			
Inactive Ingredi	ents						
Ingredient Name						Strength	
ALOE VERA LEAF (U		ζ)					
WATER (UNII: 059QF							
CITRIC ACID MONO CAPRYLYL GLUCO							
LAURETH-4 (UNII: 6)		woroldy					
POLIHEXANIDE (UN							
	II: 322U039GMF)	3T)					
PHENO XYETHANO I	II: 322U039GMF) 2 (UNII: HIE492ZZ	3T) DIMO NIUM CHLO RIDE (UNII: X	KGN40 YQC7B)				
PHENO XYETHANO I	II: 322U039GMF) 2 (UNII: HIE492ZZ		GN40 YQC7B)				
PHENO XYETHANO I TRIETHO XYSIL YL P	II: 322U039GMF) 2 (UNII: HIE492ZZ		(GN40 YQC7B)				
pheno xyethano i trietho xysil yl p Packag ing	II: 322U039GMF) 2 (UNII: HIE492ZZ			rketing Start Date	Market	ing End Da	
PHENO XYETHANO I TRIETHO XYSILYLP Packaging I Item Code NDC:71884-015- 02	II: 322U039GMF) J (UNII: HIE492ZZ ROPYL STEARE 2 in 1 PACKET	DIMONIUM CHLORIDE (UNII: X Package Description	Ma 08/1	*keting Start Date 4/2020	Market	ing End Da	
PHENO XYETHANO I TRIETHO XYSILYLP Packaging # Item Code 1 NDC:71884-015- 02 1	II: 322U039GMF) (UNII: HIE492ZZ ROPYL STEARE 2 in 1 PACKET 26.5 mL in 1 PAC	DIMONIUM CHLORIDE (UNII: X	Ma 08/1 on Product	4/2020	Market	ing End Da	
PHENO XYETHANO I TRIETHO XYSILYLP # Item Code 1 NDC:71884-015- 02 2 NDC:71884-015-24	II: 322U039GMF) J (UNII: HIE492ZZ ROPYL STEARE 2 in 1 PACKET 26.5 mL in 1 PAC 24 in 1 CASE	DIMONIUM CHLORIDE (UNII: X Package Description	Ma 08/1 on Product		Market	ing End Da	
PHENO XYETHANO I TRIETHO XYSILYLP Packaging # Item Code 1 NDC:71884-015- 02 1 2 NDC:71884-015-24 2	II: 322U039GMF) (UNII: HIE492ZZ ROPYL STEARE 2 in 1 PACKET 26.5 mL in 1 PAC 24 in 1 CASE 2 in 1 PACKET	PIMONIUM CHLORIDE (UNII: X Package Description CKAGE; Type 0: Not a Combinati	on Product 08/1	4/2020	Market	ing End Da	
PHENO XYETHANO I TRIETHO XYSIL YLP Packaging # Item Code 1 NDC:71884-015- 02 1 NDC:71884-015-24 2 NDC:71884-015-24	II: 322U039GMF) (UNII: HIE492ZZ ROPYL STEARE 2 in 1 PACKET 26.5 mL in 1 PAC 24 in 1 CASE 2 in 1 PACKET	DIMONIUM CHLORIDE (UNII: X Package Description	on Product 08/1	4/2020	Market	ing End Da	
PHENO XYETHANO I TRIETHO XYSIL YLP Packaging # Item Code 1 NDC:71884-015- 02 1 NDC:71884-015-24 2 NDC:71884-015-24	II: 322U0 39 GMF) (UNII: HIE49 2ZZ ROPYL STEARE 2 in 1 PACKET 26.5 mL in 1 PAC 24 in 1 CASE 2 in 1 PACKET 26.5 mL in 1 PAC	PIMONIUM CHLORIDE (UNII: X Package Description CKAGE; Type 0: Not a Combinati	on Product 08/1	4/2020	Market	ing End Da	
Example by the sector of the sector	II: 322U0 39 GMF) (UNII: HIE49 2ZZ ROPYL STEARE 2 in 1 PACKET 26.5 mL in 1 PAC 24 in 1 CASE 2 in 1 PACKET 26.5 mL in 1 PAC 5 mL in 1 PAC	PIMONIUM CHLORIDE (UNII: X Package Description CKAGE; Type 0: Not a Combinati	on Product on Product	4/2020		ing End Da	

Labeler - Enviro Specialty Chemicals Inc (202621850)