

PE SINUS CONGESTION- phenylephrine hcl tablet, film coated
Topco Associates, LLC

TopCare 44-453

Active ingredient (in each tablet)

Phenylephrine HCl 10 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: ask a doctor

Other information

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

Questions or comments?

1-888-423-0139

Principal Display Panel

+TopCare®

health

NDC 36800-704-44

COMPARE TO SUDAFED PE®

SINUS CONGESTION

ACTIVE INGREDIENT*

NON-DROWSY

PE Sinus Congestion

MAXIMUM STRENGTH

PHENYLEPHRINE HCl 10 mg - NASAL DECONGESTANT

RELIEVES:

- Sinus Pressure
- Sinus Congestion

18 TABLETS

actual size

**TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS**

ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Sudafed PE® Sinus Congestion.
50844 ORG082045344

DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO LNKA0122
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com

QUALITY

✓

• GUARANTEED •

This TopCare® product is laboratory tested to guarantee its highest quality.
Your total satisfaction is guaranteed.



NON-DROWSY

PE Sinus Congestion

MAXIMUM STRENGTH

PHENYLEPHRINE HCl 10 mg - NASAL DECONGESTANT

NDC 36800-704-44

COMPARE TO SUDAFED PE®
SINUS CONGESTION
ACTIVE INGREDIENT*

NON-DROWSY

PE Sinus Congestion

MAXIMUM STRENGTH

PHENYLEPHRINE HCl 10 mg - NASAL DECONGESTANT

NON-DROWSY

PE Sinus Congestion

MAXIMUM STRENGTH

PHENYLEPHRINE HCl 10 mg - NASAL DECONGESTANT

RELIEVES:

- Sinus Pressure
- Sinus Congestion

18 TABLETS

actual size

TAMPER EVIDENT: DO NOT USE IF
PACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERINGno print / no varnish area
lot no. & exp. dateB-1910-453-44
01602045344

0 36800 11851 5

©2012 TopCare LLC 60007
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
OUTSTONS 1-888-423-0139
TOPCO UNK1012
@TOPCO UNK1012
Scan here for more
information or
www.topcarebrand.com
call 1-888-423-0139

This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., owner of the registered trademark Sudafed PE®. Sinus Congestion.

09844 ORG0820145344

©2012 TopCare LLC 60007
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
OUTSTONS 1-888-423-0139
TOPCO UNK1012
Scan here for more
information or
www.topcarebrand.com
call 1-888-423-0139

This TopCare® product is laboratory tested to guarantee its highest quality.

Your total satisfaction is guaranteed.



Drug Facts (continued)		Active ingredient (in each tablet) Purpose		Uses	
If pregnant or breast-feeding, ask a health professional before use.	If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug, do not take this product.	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.	Ask a doctor before use if you have heart disease, diabetes, high blood pressure, or glaucoma.	■ symptoms do not improve within 7 days or occur with fever or chills.	■ symptoms do not improve within 7 days or occur with fever or chills.
■ adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.	■ store at 20°C (77°F); excursions permitted between 15°-30°C (59°-86°F).	Prescription drug contraindications: Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	When using this product do not exceed recommended dosage.	■ difficulty in urination due to enlargement of the prostate gland.	■ difficulty in urination due to enlargement of the prostate gland.
■ children under 12 years: ask a doctor before taking this product.	■ use end cap for expiration date and lot number.	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	Ask a doctor before use if you have a cold, fever or other respiratory allergies.	■ heart disease, diabetes, high blood pressure, or glaucoma.	■ heart disease, diabetes, high blood pressure, or glaucoma.
■ Tamper Evident: Do not use if outer package is broken.	■ store at 20°C (77°F); excursions permitted between 15°-30°C (59°-86°F).	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	■ symptoms do not improve within 7 days or occur with fever or chills.	■ symptoms do not improve within 7 days or occur with fever or chills.
■ Tamper Evident: Do not use if outer package is broken.	■ Tamper Evident: Do not use if outer package is broken.	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	■ symptoms do not improve within 7 days or occur with fever or chills.	■ symptoms do not improve within 7 days or occur with fever or chills.
■ Tamper Evident: Do not use if outer package is broken.	■ Tamper Evident: Do not use if outer package is broken.	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychotropics or emetics, certain drugs for Parkinson's disease), or for 2 weeks after stopping the MAOI drug.	■ symptoms do not improve within 7 days or occur with fever or chills.	■ symptoms do not improve within 7 days or occur with fever or chills.

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

TopCare 44-453

PE SINUS CONGESTION

phenylephrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-704
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-704-44	1 in 1 CARTON	03/15/2022	
1		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:36800-704-07	2 in 1 CARTON	03/15/2022	
2		18 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:36800-704-29	1 in 1 CARTON	03/15/2022	
3		150 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/15/2022	

Labeler - Topco Associates, LLC (006935977)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(36800-704) , pack(36800-704)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(36800-704)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(36800-704)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(36800-704)

Revised: 1/2026

Topco Associates, LLC