

**GAS RELIEF EXTRA STRENGTH- simethicone capsule, liquid filled
TOP CARE (Topco Associates LLC)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Simethicone 125 mg

Purpose

Antigas

Uses

For the relief of pressure, bloating, and fullness commonly referred to as gas

Warnings

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Directions

- **adults:** swallow with water 1 or 2 softgels as needed after meals and at bedtime
- do not exceed 4 softgels in 24 hours unless directed by a doctor

Other information

- store between 15-30°C (59-86°F)
- do not refrigerate
- protect from light, heat, and moisture

Inactive ingredients

D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, peppermint oil, purified water, sorbitan, sorbitol, titanium dioxide

*contain one or more of these ingredients

Questions or comments?

Call toll free 1-888-423-0139

Principal Display Panel

COMPARE TO GAS-X® EXTRA STRENGTH ACTIVE INGREDIENT†

EXTRA STRENGTH

Gas Relief

ANTI-GAS/SIMETHICONE, 125 mg

FAST RELIEF OF:

- Bloating
- Pressure
- Fullness & Gas

SOFTGELS

†This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

topcare@topco.com

www.topcarebrand.com

Product Label

Drug Facts	
Active ingredient (in each softgel)	Purpose
Simethicone 125 mg.....	Antigas
Uses For the relief of pressure, bloating, and fullness commonly referred to as gas.	
Warnings If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.	
Directions ■ adults: swallow with water 1 or 2 softgels as needed after meals and at bedtime ■ do not exceed 4 softgels in 24 hours unless directed by a doctor	
Other information ■ store between 15-30°C (59-86°F) ■ do not refrigerate ■ protect from light, heat, and moisture	
Inactive ingredients D&C yellow #10, edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, peppermint oil, purified water*, sorbitan*, sorbitol*, titanium dioxide *contains one or more of these ingredients	
Questions or comments? Call toll free 1-888-423-0139	

DISTRIBUTED BY TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO PLVA0218 QUESTIONS? 1-888-423-0139
topcare@topco.com www.topcarebrand.com

PLD-F47J
FC004512



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.



*This product is not manufactured or distributed by GSK Consumer Healthcare, distributor of Gas-X® Extra Strength.

TopCare® health™

EXTRA STRENGTH

Gas Relief

ANTI-GAS/SIMETHICONE, 125 mg

NDC 36800-487-50



COMPARE TO GAS-X® EXTRA STRENGTH ACTIVE INGREDIENT†

EXTRA STRENGTH

Gas Relief

ANTI-GAS/SIMETHICONE, 125 mg

FAST RELIEF OF:

- Bloating
- Pressure
- Fullness & Gas



50 SOFTGELS actual size

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

TOPCARE HEALTH Extra Strength Gas Relief

GAS RELIEF EXTRA STRENGTH			
simethicone capsule, liquid filled			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-487
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	125 mg
Inactive Ingredients			

Ingredient Name	Strength
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	green	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	PO;SCU;L125
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-487-30	30 in 1 CARTON	08/31/2016	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:36800-487-50	50 in 1 CARTON	08/31/2016	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	08/31/2016	

Labeler - TOP CARE (Topco Associates LLC) (006935977)

Revised: 12/2022

TOP CARE (Topco Associates LLC)