

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15- titanium dioxide and zinc oxide suspension

Charlotte Tilbury Beauty Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Magic Foundation Flawless Long-Lasting Coverage Sunscreen Broad Spectrum SPF 15

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
Titanium Dioxide 3.19%	Sunscreen
Zinc Oxide 0.94%	Sunscreen

Uses:

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings:

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. water to remove.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.
- Reapply at least every 2 hours or immediately after towel drying.
- Use a water-resistant sunscreen if swimming or sweating.

Inactive Ingredients:

Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Nylon-12, HDI/Trimethylol Hexyllactone Crosspolymer, Acrylates/Dimethicone Copolymer, Phenoxyethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distearidimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopheryl Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate,

Butylene Glycol, Silica, Ethylhexylglycerin, Fomes Officinalis (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil.
May contain: Iron Oxides.

Other Information:

Protect the product in this container from excessive heat and direct sun.

Principal Display Panel - 30 mL 1.0 fl. oz.

Magic Foundation

Flawless Long-Lasting Coverage

Broad Spectrum Sunscreen SPF 15

30 mL 1.0 fl.oz. US



FLAWLESS,
PORELESS,
YOUTHFUL
LOOKING SKIN
EVERYDAY
UNE PEAU
VISIBLEMENT
PLUS JEUNE,
ZÉRO DÉFAUT
ET SANS PORES
AU QUOTIDIEN

LEARN MORE AT WWW.L'ORÉAL PARIS.COM
OR VISIT WWW.CHARLOTTELEBURY.COM



**MAGIC
FOUNDATION™
FOND DE TEINT**

FLAWLESS LONG-LASTING COVERAGE
UNCOUVRANCE LONGUE TENUE, ZÉRO
DÉFAUT, PPS ES À LARGE SPECTRE

UNE COUVRANCE LONGUE TENUE, ZÉRO
DÉFAUT, PPS ES À LARGE SPECTRE



30 ML e

L'ORÉAL

A FULL-COVERAGE, DERM-MATTE,
LONG-LASTING FOUNDATION,
ENRICHED WITH HYALURONIC
ACID, MUSHROOM EXTRACT AND
THE CONCENTRATED POWER OF
VITAMIN C, SKIN FEELS
MOISTURISED, DEWY AND PORES
APPEAR MINIMISED.

APPLICATION: FOR FLAWLESS
COVERAGE, APPLY WITH MY
FOUNDATION BRUSH, STARTING
AT THE CENTRE OF THE FACE
AND WORKING OUTWARDS.
FINISH WITH ABRUSH
FLAWLESS FINISH POWDER
ALONG THE T-ZONE & CHIN
TO CONTROL SHINE.

UN FOND DE TEINT LONGUE
TENUE, OFFRANT UNE
COUVRANCE COMPLÈTE,
DERM-MATTE, ENRICHÉ EN ACIDE
HYALURONIQUE, À L'EXTRAIT
DE CHAMPIGNON ET EN
PUSSANT CONCENTRÉ
DE VITAMINE C, IL PRODUIT
À LA PEAU HYDRATATION
ET SENSATION DE FRAÎCHEUR ET
LES PORES SEMBENT RESSERRÉS.

APPLICATION: POUR UNE
COUVRANCE ZÉRO DÉFAUT,
AFFIQUER AVEC MON PINCEAU
À FOND DE TEINT, EN PARTANT
DU CENTRE DU VISAGE VERS
L'EXTÉRIEUR. FINIR AVEC LA
POUDRE ABRUSH FLAWLESS
FINISH SUR LA ZONE T
ET LE MENTON POUR
CONTROLLER LA BRILLANCE.

MADE IN ITALY FOR
FABRICATION EN ITALIE POUR
CHARLOTTE LEBURY BEAUTY LTD.
LONDON WC2E 2ND, UK
D07N5YH, IRELAND



Charlotte Tilbury

MAGIC
FOUNDATION
FOND DE TEINT

SUNSCREEN
BROAD SPECTRUM SPF 35
PROTECTION SOLAIRE
SPF 35 A LARGE SPECTRE



30 ml e 1.0 fl. oz. US

Drug Facts

Active ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	0.9%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Nylon-12, HDI/Trimethylol Hexylactone Crosspolymer, Acrylates/Dimethicone Copolymer, Phenoxyethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distearldimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopheryl Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Fomes Officinalis (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil.
May contain: Iron Oxides.

Other information

- protect the product in this container from excessive heat and direct sun



FLAWLESS,
PORELESS,
YOUTHFUL
LOOKING SKIN
EVERYDAY
UNE PEAU
VISIBLEMENT
PLUS JEUNE,
ZÉRO DÉFAUT
ET SANS PORES
AU QUOTIDIEN


LEARN MORE ABOUT US ON PAGES 102
CHARLOTTE BURRY.COM
#CharlotteBurryBeauty



MAGIC FOUNDATION™ FOND DE TEINT

FLAWLESS LONG-LASTING COVERAGE
SUNSCREEN BROADSPECTRUM SPF 15

UNE COUVRANCE LONGUE TENUE, ZÉRO
DÉFAUT, FPS 15 À LARGE SPECTRE



30 ML e

1.0 FL. OZ.

A FULL-COVERAGE, DRY-MATTE,
LONG-LASTING FOUNDATION,
ENRICHED WITH HYALURONIC
ACID, MUSHROOM EXTRACT AND
THE CONCENTRATED POWER OF
VITAMIN C, SKIN FEELS
MOISTURISED, DEWY AND PORES
APPEAR MINIMISED.

APPLICATION: FOR FLAWLESS
COVERAGE, APPLY WITH MY
FOUNDATION BRUSH, STARTING
AT THE CENTRE OF THE FACE
AND WORKING OUTWARDS.
FINISH WITH ABRUSH
FLAWLESS FINISH POWDER
ALONG THE T-ZONE & CHIN
TO CONTROL SHINE.

UN FOND DE TEINT LONGUE
TENUE, OFFRANT UNE
COUVRANCE COMPLÈTE,
DÈS-MATTE, ENRICHÉ EN ACIDE
HYALURONIQUE, À L'EXTRAIT
DE CHAMPIGNON ET EN
PULVÉRISÉ CONCENTRÉ
DE VITAMINE C, IL PRODUIT
À LA PEAU HYDRATATION
ET SENSATION DE FRAÎCHEUR ET
LES PORES SEMBLERENT RESSERRÉS.

APPLICATION: POUR UNE
COUVRANCE ZÉRO DÉFAUT,
APPLIQUEZ AVEC MON Pinceau
À FOND DE TEINT, EN PARTANT
DU CENTRE DU VISAGE VERS
L'EXTÉRIEUR. FINISSEZ AVEC LA
POUDRE ABRUSH FLAWLESS
FINISH SUR LA ZONE T
ET LE MENTON POUR
CONTROLER LA BRILLANCE.

MADE IN ITALY FOR
FABRIQUE EN ITALIE POUR
CHARLOTTE BURRY BEAUTY LTD.
LONDON WC2R 2ND, UK
D07 N51H, IRELAND





FLAWLESS,
PORELESS,
YOUTHFUL
LOOKING SKIN
EVERYDAY
UNE PEAU
VISIBLEMENT
PLUS JEUNE,
ZÉRO DÉFAUT
ET SANS PORES
AU QUOTIDIEN

LEARN MORE AT WWW.CHARLOTTETILBURY.COM
FOND DE TEINT



**MAGIC
FOUNDATION™
FOND DE TEINT**

FLAWLESS LONG-LASTING COVERAGE
UNCOUVRANCE LONGUE TENUE, ZÉRO
DÉFAUT, PPS ES À LARGE SPECTRE

UNE COUVRANCE LONGUE TENUE, ZÉRO
DÉFAUT, PPS ES À LARGE SPECTRE



30 ML e

1.0 FL. OZ.

A FULL-COVERAGE, DERM-MATTE,
LONG-LASTING FOUNDATION,
ENRICHED WITH HYALURONIC
ACID, MUSHROOM EXTRACT AND
THE CONCENTRATED POWER OF
VITAMIN C, SKIN FEELS
MOISTURIZED, DEWY AND PORES
APPEAR MINIMIZED.

APPLICATION: FOR FLAWLESS
COVERAGE, APPLY WITH MY
FOUNDATION BRUSH, STARTING
AT THE CENTRE OF THE FACE
AND WORKING OUTWARDS.
FINISH WITH ABRUSH
FLAWLESS FINISH POWDER
ALONG THE T-ZONE & CHIN
TO CONTROL SHINE.

UN FOND DE TEINT LONGUE
TENUE, OFFRANT UNE
COUVRANCE COMPLÈTE,
DERM-MATTE, ENRICHÉ EN ACIDE
HYALURONIQUE, À L'EXTRAIT
DE CHAMPIGNON ET EN
PUSSANT CONCENTRÉ
DE VITAMINE C, IL PRODUIT
À LA PEAU HYDRATATION
ET SENSATION DE FRAÎCHEUR ET
LES PORES SEMBENT RESSERRÉS.

APPLICATION: POUR UNE
COUVRANCE ZÉRO DÉFAUT,
AFFIQUER AVEC MON PINCEAU
À FOND DE TEINT, EN PARTANT
DU CENTRE DU VISAGE VERS
L'EXTÉRIEUR. FINIR AVEC LA
POUDRE ABRUSH FLAWLESS
FINISH SUR LA ZONE T
ET LE MENTON POUR
CONTROLLER LA BRILLANCE.

MADE IN ITALY FOR
FABRICATION EN ITALIE POUR
CHARLOTTE TILBURY BEAUTY LTD.
LONDON WC2E 2ND, UK
D07N5YH, IRELAND



Charlotte Tilbury

MAGIC
FOUNDATION
FOND DE TEINT

SUNSCREEN
BROAD SPECTRUM SPF 35
PROTECTION SOLAIRE
SPF 35 A LARGE SPECTRE



30 ml e 1.0 fl. oz. US



FLAWLESS,
PORELESS,
YOUTHFUL
LOOKING SKIN
EVERYDAY
UNE PEAU
VISIBLEMENT
PLUS JEUNE,
ZÉRO DÉFAUT
ET SANS PORES
AU QUOTIDIEN

LEARN MORE AT WWW.CHARLOTTETILBURY.COM
FOND DE TEINT



**MAGIC
FOUNDATION™
FOND DE TEINT**

FLAWLESS LONG-LASTING COVERAGE
UNCOUVRANCE LONGUE TENUE, ZÉRO
DÉFAUT, PPS ES À LARGE SPECTRE

UNE COUVRANCE LONGUE TENUE, ZÉRO
DÉFAUT, PPS ES À LARGE SPECTRE



30 ML e

1.0 FL. OZ.

A FULL-COVERAGE, DERM-MATTE,
LONG-LASTING FOUNDATION,
ENRICHED WITH HYALURONIC
ACID, MUSHROOM EXTRACT AND
THE CONCENTRATED POWER OF
VITAMIN C. SKIN FEELS
MOISTURIZED, DEWY AND PORES
APPEAR MINIMIZED.


APPLICATION: FOR FLAWLESS
COVERAGE, APPLY WITH MY
FOUNDATION BRUSH, STARTING
AT THE CENTRE OF THE FACE
AND WORKING OUTWARDS.
FINISH WITH ABRUSH
FLAWLESS FINISH POWDER
ALONG THE T-ZONE & CHIN
TO CONTROL SHINE.

UN FOND DE TEINT LONGUE
TENUE, OFFRANT UNE
COUVRANCE COMPLÈTE,
DERM-MATTE, ENRICHÉ EN ACIDE
HYALURONIQUE, À L'EXTRAIT
DE CHAMPIGNON ET EN
PUSSANT CONCENTRÉ
DE VITAMINE C. IL PRODUIT
À LA PEAU HYDRATATION
ET SENSATION DE FRAÎCHEUR ET
LES PORES SEMBENT RESSERRÉS.

APPLICATION: POUR UNE
COUVRANCE ZÉRO DÉFAUT,
AFFIQUER AVEC MON FINCIAU
À FOND DE TEINT, EN PARTANT
DU CENTRE DU VISAGE VERS
L'EXTÉRIEUR. FINIR AVEC LA
POUDRE ABRUSH FLAWLESS
FINISH SUR LA ZONE T
ET LE MENTON POUR
CONTROLLER LA BRILLANCE.

MADE IN ITALY FOR
FABRIQUE EN ITALIE POUR
CHARLOTTE TILBURY BEAUTY LTD.
LONDON WC2E 2ND, UK
D07 N5YH, IRELAND





Shade 1 Fair

Charlotte
Tilbury


Drug Facts		
Active Ingredients		Purpose
Titanium dioxide	11%	Sunscreen
Zinc oxide	0.8%	Sunscreen
Uses		
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 		
Warnings		
For external use only		
Do not use on damaged or broken skin		
When using this product keep out of eyes. Rinse with water to remove.		
Stop use and ask a doctor if rash occurs		
Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.		
Directions		
<ul style="list-style-type: none"> shake before use apply liberally and evenly 15 minutes before sun exposure children under 6 months of age ask a doctor See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses use a water-resistant sunscreen if swimming or sweating reapply: <ul style="list-style-type: none"> at least every 2 hours immediately after towel drying 		
Inactive Ingredients		
Water, Cyclopentasiloxane, Cyclohexane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycolin, Tri-12, HD Trimethyl Hexylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushrooms) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.		
Other Information		
protect the product in this container from excessive heat and direct sun.		

Charlotte
Tilbury

Drug Facts		
Active Ingredients		Purpose
Titanium dioxide	11%	Sunscreen
Zinc oxide	0.8%	Sunscreen
Uses		
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 		
Warnings		
For external use only		
Do not use on damaged or broken skin		
When using this product keep out of eyes. Rinse with water to remove.		
Stop use and ask a doctor if rash occurs		
Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.		
Directions		
<ul style="list-style-type: none"> shake before use apply liberally and evenly 15 minutes before sun exposure children under 6 months of age ask a doctor See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses use a water-resistant sunscreen if swimming or sweating reapply: <ul style="list-style-type: none"> at least every 2 hours immediately after towel drying 		
Inactive Ingredients		
Water, Cyclopentasiloxane, Cyclohexane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycolin, Tri-12, HD Trimethyl Hexylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushrooms) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.		
Other Information		
protect the product in this container from excessive heat and direct sun.		

Charlotte
Tilbury

Drug Facts		
Active Ingredients		Purpose
Titanium dioxide	11%	Sunscreen
Zinc oxide	0.8%	Sunscreen
Uses		
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 		
Warnings		
For external use only		
Do not use on damaged or broken skin		
When using this product keep out of eyes. Rinse with water to remove.		
Stop use and ask a doctor if rash occurs		
Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.		
Directions		
<ul style="list-style-type: none"> shake before use apply liberally and evenly 15 minutes before sun exposure children under 6 months of age ask a doctor See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses use a water-resistant sunscreen if swimming or sweating reapply: <ul style="list-style-type: none"> at least every 2 hours immediately after towel drying 		
Inactive Ingredients		
Water, Cyclopentasiloxane, Cyclohexane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycolin, Tri-12, HD Trimethyl Hexylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushrooms) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.		
Other Information		
protect the product in this container from excessive heat and direct sun.		



1 FAIR/PÂLE

pantone: 2309CP

Shade 2 Fair

2 FAIR/PALE

Charlotte
Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients
Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Cellulose, PEG/PPG-10/1 Dimethicone, Glycerin, N-Butyl-1,2-Hexanediol, Hexadecane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hydroxide, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

2 FAIR/PALE

Charlotte
Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.


Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients
Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Cellulose, PEG/PPG-10/1 Dimethicone, Glycerin, N-Butyl-1,2-Hexanediol, Hexadecane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hydroxide, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun



pantone: 727CP

Charlotte Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	1.7%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Carbomer, PEG-PPG-10/1 Dimethicone, Glycolin, Nonyl-12, HDI Trimethylsilyloxydimethylsiloxane Crosspolymer, Acrylates Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydragen Dimethicone, Sodium Dehydroacetate, Alumina, Dibenzyltinium Hexastearate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PEG-40 Hydrogenated Castor Oil). May contain Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

Shade 3 Fair

3 FAIR/PALE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 AM – 2 PM
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexylsiloxane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, HDI Trimethyl Hexylacrylate Crosspolymer, Acrylates/Dimethylsiloxane Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Dibutyltinyltin Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PSD-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

3 FAIR/PALE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 AM – 2 PM
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexylsiloxane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, HDI Trimethyl Hexylacrylate Crosspolymer, Acrylates/Dimethylsiloxane Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Dibutyltinyltin Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PSD-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

3 FAIR/PALE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions


- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 AM – 2 PM
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexylsiloxane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, HDI Trimethyl Hexylacrylate Crosspolymer, Acrylates/Dimethylsiloxane Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Dibutyltinyltin Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PSD-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 720 CP

Shade 3.5 Fair

3.5 FL OZ / 100 mL

Charlotte Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	12.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- Used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- Shake before use.
- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age, ask a doctor.
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carbocyclic PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, 10-Dimethyl Hexadecane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Dihydroxide, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Trihydroxypropyl Triazene, Ascorbic Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Silyl Ether Extract, PEG-40 Hydrogenated Castor Oil. May contain Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

3.5 FAIR/PALE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.4%	Sunscreen

Uses

- helps prevent sunburn
- When used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, HD Trimethyl Hexylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenoxethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Dihydroxyacetate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydroperated Caster Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

3.5 FAIR/PALE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.4%	Sunscreen

Uses

- helps prevent sunburn
- When used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions


- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, HD Trimethyl Hexylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenoxethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Dihydroxyacetate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydroperated Caster Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 719CP

Shade 4 Fair

Charlotte
Tilbury


Drug Facts		
Active Ingredients		Purpose
Titanium dioxide	14.1%	Sunscreen
Zinc oxide	0.9%	Sunscreen
Uses		
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 		
Warnings		
For external use only		
Do not use on damaged or broken skin		
When using this product keep out of eyes. If in eyes, rinse with water to remove.		
Stop use and ask a doctor if rash occurs		
Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.		
Directions		
<ul style="list-style-type: none"> shake before use apply liberally and evenly 15 minutes before sun exposure children under 6 months of age ask a doctor See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses use a water-resistant sunscreen if swimming or sweating reapply: <ul style="list-style-type: none"> at least every 2 hours immediately after towel-drying 		
Inactive Ingredients		
Water, Cyclopentasiloxane, Cyclohexylsiloxane, Triethyl Citrate, PEG/PPG-10/1 Dimethicone, Glycolin, Triethyl Citrate, HD Dimethylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Distearate, Hexadecyl Dimethylamine, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Ethoxycinnamate (Mustangs) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.		
Other Information		
protect the product in this container from excessive heat and direct sun.		

Charlotte
Tilbury

Drug Facts		
Active Ingredients		Purpose
Titanium dioxide	14.1%	Sunscreen
Zinc oxide	0.9%	Sunscreen
Uses		
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 		
Warnings		
For external use only		
Do not use on damaged or broken skin		
When using this product keep out of eyes. If in eyes, rinse with water to remove.		
Stop use and ask a doctor if rash occurs		
Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.		
Directions		
<ul style="list-style-type: none"> shake before use apply liberally and evenly 15 minutes before sun exposure children under 6 months of age ask a doctor See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses use a water-resistant sunscreen if swimming or sweating reapply: <ul style="list-style-type: none"> at least every 2 hours immediately after towel-drying 		
Inactive Ingredients		
Water, Cyclopentasiloxane, Cyclohexylsiloxane, Triethyl Citrate, PEG/PPG-10/1 Dimethicone, Glycolin, Triethyl Citrate, HD Dimethylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Distearate, Hexadecyl Dimethylamine, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Ethoxycinnamate (Mustangs) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.		
Other Information		
protect the product in this container from excessive heat and direct sun.		

Charlotte
Tilbury

Drug Facts		
Active Ingredients		Purpose
Titanium dioxide	14.1%	Sunscreen
Zinc oxide	0.9%	Sunscreen
Uses		
<ul style="list-style-type: none"> helps prevent sunburn if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun 		
Warnings		
For external use only		
Do not use on damaged or broken skin		
When using this product keep out of eyes. If in eyes, rinse with water to remove.		
Stop use and ask a doctor if rash occurs		
Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.		
Directions		
<ul style="list-style-type: none"> shake before use apply liberally and evenly 15 minutes before sun exposure children under 6 months of age ask a doctor See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> limit time in the sun, especially from 10 a.m. – 2 p.m. wear long-sleeved shirts, pants, hats, and sunglasses use a water-resistant sunscreen if swimming or sweating reapply: <ul style="list-style-type: none"> at least every 2 hours immediately after towel-drying 		
Inactive Ingredients		
Water, Cyclopentasiloxane, Cyclohexylsiloxane, Triethyl Citrate, PEG/PPG-10/1 Dimethicone, Glycolin, Triethyl Citrate, HD Dimethylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Distearate, Hexadecyl Dimethylamine, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Ethoxycinnamate (Mustangs) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.		
Other Information		
protect the product in this container from excessive heat and direct sun.		



pantone: 3596CP

Shade 4.5 Medium

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	3.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, HD Trimethyl Hexylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum, Dibutyltinolane Hexarite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycarbonyl Ethane, Ascorbic Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PEG-40 Hydroperoxyl Ester Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	3.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-12, HD Trimethyl Hexylsiloxane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum, Dibutyltinolane Hexarite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycarbonyl Ethane, Ascorbic Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PEG-40 Hydroperoxyl Ester Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun



pantone: 7507CP

Shade 5 Medium

S MEDIUM/MOYEN

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/1%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply **generously** and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, **regularly** use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- **Reapply:**
 - at least every 2 hours
 - immediately after towel drying

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexane, Tri-C, Cellulose/Poly-101 Dimethicone, Glycerin, Methyl-12, HDI Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distardimerium Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other information

- protect the product in this container from excessive heat and direct sun

S MEDIUM/MOYEN

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/1%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply **generously** and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, **regularly** use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- **Reapply:**
 - at least every 2 hours
 - immediately after towel drying

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexane, Tri-C, Cellulose/Poly-101 Dimethicone, Glycerin, Methyl-12, HDI Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distardimerium Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other information

- protect the product in this container from excessive heat and direct sun

S MEDIUM/MOYEN

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/1%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply **generously** and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, **regularly** use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- **Reapply:**
 - at least every 2 hours
 - immediately after towel drying

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexane, Tri-C, Cellulose/Poly-101 Dimethicone, Glycerin, Methyl-12, HDI Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distardimerium Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other information

- protect the product in this container from excessive heat and direct sun



pantone 728CP

Shade 6 Medium

Charlotte
Tilbury

Charlotte
Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See **Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 AM – 2 PM
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients
Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-9-Glyceryl Ether Dimethacrylate Crosspolymer, Acrylates/Dimethicone Copolymer, Phenoxethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mastimare) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See **Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 AM – 2 PM
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients
Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Nonyl-9-Glyceryl Ether Dimethacrylate Crosspolymer, Acrylates/Dimethicone Copolymer, Phenoxethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mastimare) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun



pantone: 2311CP

Shade 7 Medium

Charlotte
TilburyCharlotte
TilburyCharlotte
Tilbury**Drug Facts**

Active Ingredients	%/1%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.9%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distyrene/Invarium Heterofin, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetraacetic Acid, Tocopherol Acetate, Aluminum Hydroxide, Trihydroxypropylidene, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Silyl Ether, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other information

- protect the product in this container from excessive heat and direct sun

Drug Facts

Active Ingredients	%/1%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.9%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distyrene/Invarium Heterofin, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetraacetic Acid, Tocopherol Acetate, Aluminum Hydroxide, Trihydroxypropylidene, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Silyl Ether, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other information

- protect the product in this container from excessive heat and direct sun

Drug Facts

Active Ingredients	%/1%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.9%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distyrene/Invarium Heterofin, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetraacetic Acid, Tocopherol Acetate, Aluminum Hydroxide, Trihydroxypropylidene, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Silyl Ether, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other information

- protect the product in this container from excessive heat and direct sun



7 MEDIUM/MOYEN

pantone: 721CP

Shade 8 Medium

Charlotte
Tilbury

Charlotte
Tilbury

Drug Facts

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings**For external use only**

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Triethyl Citrate, PEG/PPG-10/1 Dimethylsiloxane, Cyclohexyl Dimethylsiloxane, Hexadecyl Dimethylsiloxane, Acrylates/Dimethylsiloxane Copolymer, Phenylmethicone, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Dihydrogen Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Malonate Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

Drug Facts

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings**For external use only**

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions


- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Triethyl Citrate, PEG/PPG-10/1 Dimethylsiloxane, Cyclohexyl Dimethylsiloxane, Hexadecyl Dimethylsiloxane, Acrylates/Dimethylsiloxane Copolymer, Phenylmethicone, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Dihydrogen Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Malonate Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 2313CP

Shade 9 Dark

9 DEEP/FONCE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Dose

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycolin, Nonyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethylsiloxane Copolymer, Phenoxethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disturbinerium Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

9 DEEP/FONCE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Dose

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycolin, Nonyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethylsiloxane Copolymer, Phenoxethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disturbinerium Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

9 DEEP/FONCE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Dose

- helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycolin, Nonyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethylsiloxane Copolymer, Phenoxethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disturbinerium Hexastate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 722CP

Shade 9.5 Dark

9.5 DEEP/FONCE

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	6.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Heptalate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Silyl Ether, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

9.5 DEEP/FONCE

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	6.4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, HD Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimonium Heptalate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethyl Silyl Ether, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 2318CP

Shade 10 Dark

Charlotte
TilburyCharlotte
Tilbury**Drug Facts**

Active Ingredients	%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Niobium-12, HD Trimethyl Hexafluoroisobutylacrylate, Acrylates/Dimethylacrylate Copolymer, Phenylethyl Alcohol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Dihydroxyethylacetate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycarbonyl Ethane, Ascorbic Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PSD-40 Hydrated Caster Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

Drug Facts

Active Ingredients	%	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb PEG/PPG-10/1 Dimethicone, Glycerin, Niobium-12, HD Trimethyl Hexafluoroisobutylacrylate, Acrylates/Dimethylacrylate Copolymer, Phenylethyl Alcohol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Dihydroxyethylacetate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycarbonyl Ethane, Ascorbic Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom Extract, PSD-40 Hydrated Caster Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 730CP

Shade 11 Dark

11 DEEP/FONCE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexylsiloxane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, 13-Dimethyl-Hexadecane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distaurinone/kun Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Ilyoformate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

11 DEEP/FONCE

Charlotte
Tilbury**Drug Facts**

Active Ingredients	%/g	Purpose
Titanium dioxide	1.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexylsiloxane, Tri-C, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, 13-Dimethyl-Hexadecane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distaurinone/kun Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Ilyoformate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun



Shade 12 Dark

12 DEEP/FONÇÉ

Charlotte
Tilbury

12 DEEP/FONÇÉ

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexane, Tri-, Cetyl PEG/PPG-10/1 Dimethylsiloxane, Glyceryl Methacrylate, Hydroxyethyl Methacrylate Copolymer, Acrylates/Dimethylacrylate Copolymer, Phenylbenzyl Alcohol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distearoylmonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hydroxymethylol Methacrylate, Ethylhexylglycerin, Farnesyl Dimethylacrylate, Menthyl Lactate, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexane, Tri-, Cetyl PEG/PPG-10/1 Dimethylsiloxane, Glyceryl Methacrylate, Hydroxyethyl Methacrylate Copolymer, Acrylates/Dimethylacrylate Copolymer, Phenylbenzyl Alcohol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distearoylmonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hydroxymethylol Methacrylate, Ethylhexylglycerin, Farnesyl Dimethylacrylate, Menthyl Lactate, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun



pantone: 2320CP

Shade O Fair

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	1.7%	Sunscreen
Zinc oxide	2.8%	Sunscreen

Uses

- helps prevent sunburn
- Used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Carbomer, PEG/PPG-10/1 Dimethicone, Glycolin, Nonyl-12, HD Dimethicone, Hexadecylacrylate Copolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distyrene/Dimethyl Methacrylate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Ethylsiloxane, Menthyl Ethylsiloxane, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

0 FAIR/PALE

Charlotte
Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	2.9%	Sunscreen

Uses
 - helps prevent sunburn
 - if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions
 - shake before use
 - apply liberally and evenly 15 minutes before sun exposure
 - children under 6 months of age, ask a doctor
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients
 Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Ceri~~l~~, PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, HD~~l~~ Trimethylsil Hexylsiloxane Crosspolymer, Acrylate/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Distearate, Hexastearate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information
 - protect the product in this container from excessive heat and direct sun.

0 FAIR/PALE

Charlotte
Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	2.9%	Sunscreen

Uses
 - helps prevent sunburn
 - if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.


Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions
 - shake before use
 - apply liberally and evenly 15 minutes before sun exposure
 - children under 6 months of age, ask a doctor
 - **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
 - reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients
 Water, Cyclopentasiloxane, Cyclohexasiloxane, Talc, Ceri~~l~~, PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-12, HD~~l~~ Trimethylsil Hexylsiloxane Crosspolymer, Acrylate/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Distearate, Hexastearate, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information
 - protect the product in this container from excessive heat and direct sun.



pantone: 475CP

Shade 6.5 Medium

6.5 MEDIUM/MOYEN

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	3.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **See Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Tri-C, Cellulose/PVP-10/1 Dimethicone, Glycerin, Methyl-12, HD/Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distearoylmonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Trihydrocyclopentasiloxane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Citronellol (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

6.5 MEDIUM/MOYEN

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	3.1%	Sunscreen
Zinc oxide	3.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **See Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Tri-C, Cellulose/PVP-10/1 Dimethicone, Glycerin, Methyl-12, HD/Trimethyl Hexafluoro Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Distearoylmonium Hectorite, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Trihydrocyclopentasiloxane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Citronellol (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 4655CP

Shade 6.75 Medium

Charlotte
Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	1.7%	Sunscreen
Zinc oxide	0.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 AM – 2 PM,
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Triethylparaben, PEG/PPG-10/1 Dimethicone, Glycerin, Methylparaben, Hexyldecylacrylate, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroascorbate, Alumina, Disteardimonium Heptanoate, Dehydroascorbic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethylamine Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.

Charlotte
Tilbury

Drug Facts

Active Ingredients		Purpose
Titanium dioxide	1.7%	Sunscreen
Zinc oxide	0.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- See Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 AM – 2 PM,
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexanone, Triethylparaben, PEG/PPG-10/1 Dimethicone, Glycerin, Methylparaben, Hexyldecylacrylate, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroascorbate, Alumina, Disteardimonium Heptanoate, Dehydroascorbic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Dimethylamine Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun.



pantone: 7515CP

Shade 8.5 Medium

8.5 MEDIUM/MOYEN

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	1.7%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- See **Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-1,2-Hexanediol, Hexadecane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Distearate, Hexanediol, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

8.5 MEDIUM/MOYEN

Charlotte
Tilbury**Drug Facts**

Active Ingredients		Purpose
Titanium dioxide	1.7%	Sunscreen
Zinc oxide	0.8%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- See **Protection Measures**. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-, Cetyl PEG/PPG-10/1 Dimethicone, Glycerin, Methyl-1,2-Hexanediol, Hexadecane Crosspolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Aluminum Distearate, Hexanediol, Dehydroacetic Acid, Potassium Sorbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun



Shade 11.5 Dark

Charlotte
TilburyCharlotte
Tilbury**Drug Facts**

Active Ingredients	%/%	Purpose
Titanium dioxide	12%	Sunscreen
Zinc oxide	3.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb. PEG/PPG-10/1 Dimethicone, Glycerin, Tri-C-4,2,10/Trimethyl Hexadecane Copolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimium Heterite, Dehydroacetic Acid, Potassium Serbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun

Drug Facts

Active Ingredients	%/%	Purpose
Titanium dioxide	12%	Sunscreen
Zinc oxide	3.5%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help, or contact a Poison Control Center right away.

Directions

- shake before use
- apply liberally and evenly 15 minutes before sun exposure
- children under 6 months of age, ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - use a water-resistant sunscreen if swimming or sweating
- reapply:
 - at least every 2 hours
 - immediately after towel drying

Inactive Ingredients

Water, Cyclopentasiloxane, Cyclohexasiloxane, Tri-C, Carb. PEG/PPG-10/1 Dimethicone, Glycerin, Tri-C-4,2,10/Trimethyl Hexadecane Copolymer, Acrylates/Dimethicone Copolymer, Phenylethanol, Benzyl Alcohol, Sodium Chloride, Magnesium Sulfate, Hydrogen Dimethicone, Sodium Dehydroacetate, Alumina, Disteardimium Heterite, Dehydroacetic Acid, Potassium Serbate, Benzoic Acid, Dimethicone, Tetrasodium EDTA, Tocopherol Acetate, Aluminum Hydroxide, Triethoxycaprylylsilane, Ascorbyl Tetraisopalmitate, Propylene Carbonate, Sodium Hyaluronate, Butylene Glycol, Silica, Ethylhexylglycerin, Farnesyl Chloride (Mushroom) Extract, PEG-40 Hydrogenated Castor Oil. May contain: Iron Oxides.

Other Information

- protect the product in this container from excessive heat and direct sun



11.5 DARK/FONCÉ

panitone: 2319CP

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-586
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.693 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	

CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
GLYCERIN (UNII: PDC6A3C0OX)
NYLON-12 (UNII: 446U8J075B)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PHENOXYETHANOL (UNII: HE492ZZ3T)
BENZYL ALCOHOL (UNII: LKG8494WBH)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
ALUMINUM OXIDE (UNII: LM26O6933)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MM)
EDETATE SODIUM (UNII: MP1J8420LU)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics			
Color	bro wn (1 Fair)	Score	
Shape	capsule	Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-586-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-587
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.693 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	

LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (2 Fair)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70 186-587-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC mono graph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70 186-588
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.553 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

TALC (UNII: 7SEV7J4R1U)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
GLYCERIN (UNII: PDC6A3C0OX)
NYLON-12 (UNII: 446U8J075B)
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BENZYL ALCOHOL (UNII: LKG8494WBH)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
ALUMINUM OXIDE (UNII: LM26O6933)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MM)
EDETATE SODIUM (UNII: MP1J8420LU)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y10)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics			
Color	brown (3 Fair)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-588-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-589
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.578 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (3.5 Fair)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-589-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-590
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.466 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	

CYCLOMETHICONE 6 (UNII: XHK3U310BA)
TALC (UNII: 7SEV7J4R1U)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
GLYCERIN (UNII: PDC6A3C0OX)
NYLON-12 (UNII: 446U8J075B)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PHENOXYETHANOL (UNII: HE492ZZ3T)
BENZYL ALCOHOL (UNII: LKG8494WBH)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
ALUMINUM OXIDE (UNII: LM26O6933)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MIM)
EDETATE SODIUM (UNII: MP1J8420LU)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics

Color	brown (4 Fair)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-590-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-591
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.564 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics			
Color	brown (4.5 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-591-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15
titanium dioxide and zinc oxide suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-592
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	2.4208 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
TALC (UNII: 7SEV7J4R1U)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
GLYCERIN (UNII: PDC6A3C0OX)
NYLON-12 (UNII: 446U8J075B)
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BENZYL ALCOHOL (UNII: LKG8494WBH)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
ALUMINUM OXIDE (UNII: LM26O6933)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MM)
EDETATE SODIUM (UNII: MP1J8420LU)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y10)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics

Color	brown (5 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-592-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-593
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.469 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics

Color	brown (6 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-593-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-594
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.193 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
TALC (UNII: 7SEV7J4R1U)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
GLYCERIN (UNII: PDC6A3C0OX)
NYLON-12 (UNII: 446U8J075B)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BENZYL ALCOHOL (UNII: LKG8494WBH)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
ALUMINUM OXIDE (UNII: LM26O6933)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
DEHYDROACETIC ACID (UNII: 2KAG279R6R)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MIM)
EDETATE SODIUM (UNII: MP1J8420LU)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics

Color	brown (7 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-594-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-595
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.111 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (8 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-595-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-596
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.572 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

WATER (UNII: 059QF0KO0R)
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)
CYCLOMETHICONE 6 (UNII: XHK3U310BA)
TALC (UNII: 7SEV7J4R1U)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
GLYCERIN (UNII: PDC6A3C0OX)
NYLON-12 (UNII: 446U8J075B)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BENZYL ALCOHOL (UNII: LKG8494WBH)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)
ALUMINUM OXIDE (UNII: LM26O6933)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
BENZOIC ACID (UNII: 8SKN0B0MIM)
EDETATE SODIUM (UNII: MP1J8420LU)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics

Color	brown (9 Dark)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-596-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-597
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.502 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (9.5 Dark)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70 186-597-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70 186-599
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.058 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (10 Dark)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-599-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-598
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.058 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Product Characteristics

Color	brown (11 Dark)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-598-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-585
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.058 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (12 Dark)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-585-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-580
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.693 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDROACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	

HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics			
Color	brown (0 Fair)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-580-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15
titanium dioxide and zinc oxide suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-581
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.401 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (6.5 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-581-01	1 in 1 CARTON	06/01/2018	

1	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-582
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.394 g in 30 mL
	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL
Inactive Ingredients			
	Ingredient Name	Strength	
	WATER (UNII: 059QF0KO0R)		
	CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)		
	CYCLOMETHICONE 6 (UNII: XHK3U310BA)		
	TALC (UNII: 7SEV7J4R1U)		
	CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)		
	GLYCERIN (UNII: PDC6A3C0OX)		
	NYLON-12 (UNII: 446U8J075B)		
	HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)		
	PHENOXYETHANOL (UNII: HIE492ZZ3T)		
	BENZYL ALCOHOL (UNII: LKG8494WBH)		
	SODIUM CHLORIDE (UNII: 451W47IQ8X)		
	MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)		
	SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)		
	ALUMINUM OXIDE (UNII: LM26O6933)		
	DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
	DEHYDROACETIC ACID (UNII: 2KAG279R6R)		
	POTASSIUM SORBATE (UNII: 1VPU26JZZ4)		
	BENZOIC ACID (UNII: 8SKN0B0MIM)		
	EDETATE SODIUM (UNII: MP1J8420LU)		
	.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
	ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
	TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)		

ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics

Color	brown (6.75 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70186-582-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-583
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.830 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)	
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)	

Product Characteristics

Color	brown (8.5 Medium)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	NDC:70186-583-01	1 in 1 CARTON	06/01/2018
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

MAGIC FOUNDATION FLAWLESS LONG-LASTING COVERAGE SUNSCREEN BROAD SPECTRUM SPF 15

titanium dioxide and zinc oxide suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70186-584
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	1.058 g in 30 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.287 g in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
TALC (UNII: 7SEV7J4R1U)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
GLYCERIN (UNII: PDC6A3C0OX)	
NYLON-12 (UNII: 446U8J075B)	
HEXAMETHYLENE DIISO CYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM SULFATE, UNSPECIFIED (UNII: DE08037SAB)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
ALUMINUM OXIDE (UNII: LM26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
DEHYDRO ACETIC ACID (UNII: 2KAG279R6R)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
EDETATE SODIUM (UNII: MP1J8420LU)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A)
PROPYLENE CARBONATE (UNII: 8D08K3S51E)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
LARICIFOMES OFFICINALIS FRUITING BODY (UNII: 7IFM8431X3)
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)
FERRIC OXIDE RED (UNII: 1K09F3G675)
HYDROGEN DIMETHICONE (20 CST) (UNII: 12Z59IF64N)
FERRIC OXYHYDROXIDE (UNII: 87PZU03K0K)
DIMETHICONE (UNII: 92RU3N3Y1O)
ACRYLIC ACID/DIMETHICONE METHACRYLATE/ETHYLHEXYL ACRYLATE COPOLYMER (UNII: E5024Y9FFQ)

Product Characteristics

Color	brown (11.5 Dark)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70 186-584-01	1 in 1 CARTON	06/01/2018	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	06/01/2018	

Labeler - Charlotte Tilbury Beauty Ltd. (218353520)