

**PROHEAL HYDROCORTISONE 1% MAXIMUM STRENGTH PLUS ALOE-
hydrocortisone cream
Click Industries LLC**

PROHEAL HYDROCORTISONE 1% CREAM ULTRA SOOTHING ALOE

Drug Facts

Active Ingredient

Hydrocortisone 1%

Purpose

Anti-Itch

Uses:

Temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to: eczema, insect bites, poison ivy, oak, or sumac, soaps, detergents, cosmetics, jewelry, seborrheic dermatitis, psoriasis, temporarily relieves external anal and external genital itching, other uses of this product should be only under the advice and supervision of a doctor.

Warnings:

For external use only.

Do not use: • In the genital area if you have a vaginal discharge. Consult a doctor. • For the treatment of diaper rash. Consult a doctor.

When using this product • Avoid contact with eyes • Do not use more than directed unless told to do so by a doctor • Do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if • Rectal bleeding occurs • Condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

Directions

For itching of skin irritation, inflammation, and rashes:

• Adults and children 2 years of age and older: apply to affected area not more than 3 to

4 times daily • Children under 2 years of age: do not use, ask a doctor

For external anal and external genital itching, adults:

• When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly • Gently dry by patting or blotting with toilet tissue or soft cloth before applying • Apply to affected area not more than 3 to 4 times daily • Children under 12 years of age: ask a doctor

Other information:

Store at 20-25°C (68-77°F)

Inactive ingredients:

Aloe barbadensis leaf juice, Cetyl alcohol, Glycerin, Glyceryl stearate SE, Mineral oil, PEG-100 stearate, Phenoxyethanol, Purified water, Stearyl alcohol, White petrolatum, Xanthan gum.

ULTRA SOOTHING ALOE


Manufactured for: ProHeal
Surfside, FL

www.prohealproducts.com

772-776-4325 (Rev. 08/25)

Packaging

Package : 113g



Drug Facts		Drug Facts (continued)
Active ingredient Hydrocortisone 1%	Purpose Anti-Itch	Directions For itching of skin irritation, inflammation, and rashes: • Adults and children 2 years of age and older apply to affected area not more than 3 to 4 times daily • Children under 2 years of age: do not use, ask a doctor For external anal and external genital itching, adults: • When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly • Gently dry by patting or blotting with toilet tissue or soft cloth before applying • Apply to affected area not more than 3 to 4 times daily • Children under 12 years of age: ask a doctor Other information: Store at 20-25°C (68-77°F)
Warnings: For external use only. Do not use: • In the genital area if you have a vaginal discharge. Consult a doctor. • For the treatment of diaper rash. Consult a doctor. When using this product: • Avoid contact with eyes • Do not use more than directed unless told to do so by a doctor • Do not put directly into the rectum by using fingers or any mechanical device or applicator Stop use and ask a doctor if: • Rectal bleeding occurs • Condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.		Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Glycerin, Glyceryl stearate SE, Mineral oil, PEG-100 stearate, Phenoxyethanol, Purified water, Stearyl alcohol, White petrolatum, Xanthan gum. NDC 86173-005-04



Package : 454g



Drug Facts		Drug Facts (continued)
Active ingredient Hydrocortisone 1%	Purpose Anti-Itch	Directions For itching of skin irritation, inflammation, and rashes: • Adults and children 2 years of age and older apply to affected area not more than 3 to 4 times daily • Children under 2 years of age: do not use, ask a doctor For external anal and external genital itching, adults: • When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly • Gently dry by patting or blotting with toilet tissue or soft cloth before applying • Apply to affected area not more than 3 to 4 times daily • Children under 12 years of age: ask a doctor Other information: Store at 20-25°C (68-77°F)
Warnings: For external use only. Do not use: • In the genital area if you have a vaginal discharge. Consult a doctor. • For the treatment of diaper rash. Consult a doctor. When using this product: • Avoid contact with eyes • Do not use more than directed unless told to do so by a doctor • Do not put directly into the rectum by using fingers or any mechanical device or applicator Stop use and ask a doctor if: • Rectal bleeding occurs • Condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.		Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Glycerin, Glyceryl stearate SE, Mineral oil, PEG-100 stearate, Phenoxyethanol, Purified water, Stearyl alcohol, White petrolatum, Xanthan gum. NDC 86173-005-16



Drug Facts Label

Drug Facts		Drug Facts (continued)
Active ingredient Hydrocortisone 1%	Purpose Anti-Itch	Directions For itching of skin irritation, inflammation, and rashes: • Adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily • Children under 2 years of age: do not use, ask a doctor For external anal and external genital itching, adults: • When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly • Gently dry by patting or blotting with toilet tissue or soft cloth before applying • Apply to affected area not more than 3 to 4 times daily • Children under 12 years of age: ask a doctor Other information: Store at 20-25°C (68-77°F)
Warnings: For external use only. Do not use: • In the genital area if you have a vaginal discharge. Consult a doctor. • For the treatment of diaper rash. Consult a doctor. When using this product: • Avoid contact with eyes • Do not use more than directed unless told to do so by a doctor • Do not put directly into the rectum by using fingers or any mechanical device or applicator Stop use and ask a doctor if: • Rectal bleeding occurs • Condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not use this or any other hydrocortisone product unless you have asked a doctor Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.		Inactive ingredients: Aloe barbadensis leaf juice, Cetyl alcohol, Glycerin, Glyceryl stearate SE, Mineral oil, PEG-100 stearate, Phenoxyethanol, Purified water, Stearyl alcohol, White petrolatum, Xanthan gum. NDC:86173-005-04

PROHEAL HYDROCORTISONE 1% MAXIMUM STRENGTH PLUS ALOE hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:86173-005
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)		HYDROCORTISONE	1 g in 100 g

Inactive Ingredients

Ingredient Name		Strength
ALOE VERA LEAF JUICE (UNII: RUE8E6T4NB)		
CETYL ALCOHOL (UNII: 936JST6JCN)		
GLYCERIN (UNII: PDC6A3C0OX)		

GLYCERYL STEARATE SE (UNII: FCZ5MH785I)				
MINERAL OIL (UNII: T5L8T28FGP)				
PEG-100 MONOSTEARATE (UNII: YD01N1999R)				
PHENOXYETHANOL (UNII: HIE492ZZ3T)				
WATER (UNII: 059QF0KO0R)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
WHITE PETROLATUM (UNII: B6E5W8RQJ4)				
XANTHAN GUM (UNII: TTV12P4NEE)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:86173-005-04	113 g in 1 JAR; Type 0: Not a Combination Product	08/28/2025	
2	NDC:86173-005-16	454 g in 1 JAR; Type 0: Not a Combination Product	08/28/2025	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	08/28/2025	

Labeler - Click Industries LLC (117033580)

Revised: 8/2025

Click Industries LLC