# ZOROAHER LIQUID WART REMOVER- salicylic acid 17% liquid wart remover liquid Jiangxi Hemei Pharmaceutical Co., Ltd

-----

84010-096

#### **Active Ingredient**

Salicylic Acid 17% (w/w)

#### **Purpose**

Wart remover

#### Use

- \* For removal of common and plantar warts.
- \* Common warts can be easily recognized by the rough cauliflower-like appearance of the surface.
- \* Plantar warts can be recognized by its location only on the bottom of the foot, its tenderess, and the interuption of the footprint pattern.

#### **Warnings**

\* If you have diabetes or poor blood circulation. \* On irritated skin or any area that is infated or reddened. \* On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes

Stop use and ask a doctor if discomfort persists

#### Do not use

\* If you have diabetes or poor blood circulation. \* On irritated skin or any area that is infated or reddened. \* On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes

## When Using

- \* If product gets in eyes, fush with water for 15 minutes.
- \* Cap bottle tightly when not in use and store at room temperature away from heat.
- \* If pregnant or breast-feeding, ask a health professional before use.

## Stop Use

Stop use and ask a doctor if discomfort persists

#### **Ask Doctor**

Stop use and ask a doctor if discomfort persists

#### **Keep Oot Of Reach Of Children**

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222) right away.

#### **Directions**

- \* Wash the affected area by soaking the wart in wamm water for 5 minutes.
- \*Dry thoroughly, apply one drop at a time with applicator to suficiently cover each wart.
- \*Let it dry, self-adhesive masking sheets can be used to hide warts.
- \*Repeat procedure once or twice daily as needed (until wart is removed)

#### Other information

\* Store at temperature (59-86°F/15-30'C). \*Keep in a cool place and avoid direct sunlight.

#### **CAUTIONS**

- \*For external use only. \*Flammable, keep away from fire andflames.
- \*Pregnant women, lactating women, people with allergies, children under 3 years old, and people with damaged skin should avoid using it.

#### **WART REMOVE**

You should begin to see the effects within 5-8 days. Typically, most minor warts take around 2 weeks to be removed, while larger warts may require a longer duration for complete removal and healing

## Inactive ingredients

Water, Borneol, Glycerin, Podofilox, Polyethylene Glycol, etc.

#### PRINCIPAL DISPLAY PANEL

## 55.6x93x40.6mm



## **ZOROAHER LIQUID WART REMOVER**

salicylic acid 17% liquid wart remover liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-096
Route of Administration	TOPICAL		

## **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ) SALICYLIC ACID

17 g in 100 mL

**Inactive Ingredients** 

Ingredient Name	Strength
-----------------	----------

**BORNEOL** (UNII: M89NIB437X) WATER (UNII: 059QF0KO0R) PODOFILOX (UNII: L36H50F353)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3MJQ0SDW1A)

**GLYCERIN** (UNII: PDC6A3C0OX)

_		
שבע	kag	IINA
rac	Ray	1119

ı	. ackaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:84010-096-	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	04/12/2025	

## Marketing Information

- · · · · · · · · · · · · · · · · · · ·			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	04/12/2025	

## Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
liangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-096)	

Jiangxi Hemei Pharmaceutical Co., Ltd Revised: 4/2025