

PLAGENTRA BABY SUNCITY- octinoxate, octisalate, titanium dioxide cream
C.A Pharm Co., Ltd.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredients: ETHYLHEXYL METHOXYCINNAMATE 7.5%, ETHYLHEXYL SALICYLATE 5.0%, TITANIUM DIOXIDE 3.0%

INACTIVE INGREDIENT

Inactive Ingredients:

Water, Cyclopentasiloxane, Isohexadecane, Butylene Glycol, Isoamyl p-Methoxycinnamate, Glycerin, Polysorbate 60, C12-15 Alkyl Benzoate, Dimethicone, Glyceryl Stearate, Dimethicone Crosspolymer, Sorbitan Stearate, Stearic Acid, VP/Eicosene Copolymer, PEG-100 Stearate, Cetearyl Alcohol, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polysorbate 80, PEG-10 Dimethicone, Hexyl Laurate, Panthenol, Caprylyl glycol, Fragrance, Ethylhexylglycerin, Tropolone, Tocopheryl Acetate, Alumina, Magnesium Aluminum Silicate, Polyglutamic Acid, Leuconostoc/Radish Root Ferment Filtrate, Arnica Montana Flower Extract, Achillea Millefolium Extract, Gentiana Lutea Root Extract, Artemisia Absinthium Extract, Xanthan Gum, Disodium EDTA, Sodium Hyaluronate, Ethyl Ascorbyl Ether, Human Oligopeptide-1, Oligopeptide-3

PURPOSE

Purpose: UVA/UVB Protection

WARNINGS

Warnings:

1. Stop using the product and go to a doctor immediately if one of the following symptoms occurs. If immediate care is not sought, the symptoms may worsen :
 - 1) Itching, redness, swelling, rash, etc.
 - 2) If one of the symptoms above occurs due to direct sunlight.
2. Do not apply the product to wounds or skin with dermatitis such as eczema.
3. Storage and Handling, 1) Keep the lid closed after use. 2) Keep the product out of children's reach. 3) Keep away from direct sunlight, do not store at high or low temperature.
4. It contains AHA. If it is your first time to use this product, take a small amount and gently apply to the skin to check if it cause any trouble to your skin.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of babies and children.

INDICATIONS & USAGE

Indication and usage:

- 1) Tighten the lid after using it.
- 2) Don't keep it in the place where the temperature is extremely hot or low and exposed to the direct sunlight.
- 3) Use it on the day you will be in the sun, 30 minutes before you go outside, apply an ounce of

sunscreen.

DOSAGE & ADMINISTRATION

Dosage and administration:

To apply sunscreen, squeeze a dollop of sun cream onto your hand and rub it all the skin that will be exposed to UV.

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL



Sun&Air pollution block



Active Ingredients : % (W/W)
 Ethylhexyl Methoxycinnamate 7.500
 Ethylhexyl Salicylate 5.000
 Titanium Dioxide 3.000

Inactive Ingredients :
 Water, Cyclopentasiloxane, Isohexadecane, Butylene Glycol, Isoamyl p-Methoxycinnamate, Glycerin, Polysorbate 60, C12-15 Alkyl Benzoate, Dimethicone, Glyceryl Stearate, Dimethicone Crosspolymer, Sorbitan Stearate, Stearic Acid, VP/Eicosene Copolymer, PEG-100 Stearate, Cetearyl Alcohol, Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Polysorbate 80, PEG-10 Dimethicone, Hexyl Laurate, Panthenol, Caprylyl glycol, Fragrance, Ethylhexylglycerin, Tropone, Tocopheryl Acetate, Alumina, Magnesium Aluminum Silicate, Polyglutamic Acid, Leuconostoc/Radish Root Ferment Filtrate, Arnica Montana Flower Extract, Achillea Millefolium Extract, Gentiana Lutea Root Extract, Artemisia Absinthium Extract, Xanthan Gum, Disodium EDTA, Sodium Hyaluronate, Ethyl Ascorbyl Ether, Human Oligopeptide-1, Oligopeptide-3

Purpose: UVA/UVB Protection

Warnings

1. Stop using the product and go to a doctor immediately if one of the following symptoms occurs. If immediate care is not sought, the symptoms may worsen: 1) Itching, redness, swelling, rash, etc. 2) If one of the symptoms above occurs due to direct sunlight.
2. Do not apply the product to wounds or skin with dermatitis such as eczema.
3. Storage and Handling. 1) Keep the lid closed after use. 2) Keep the product out of children's reach.
- 3) Keep away from direct sunlight, do not store at high or low temperature.
4. This product contains AHA. If it is your first time to use this product, take a small amount and gently apply to a small patch of skin to check for any irritation.

Keep out of reach of babies and children.



MADE IN KOREA



60g / 2.11 fl.oz

Baby Suncity Cream



"Everyone's guess is a gender"
 We make products with
 a mother's heart and soul.

Baby Suncity Cream
 SPF36/PA++

Baby Suncity Cream which maximizes SPF efficiency and at the same time, minimizes skin irritation by distributing powder particles evenly based on the advanced UV dispersing technology "Powder in Gel System".

Efficacy : Protects the skin from UV rays. (SPF36/PA++)

Indication and usage :

- 1) Tighten the lid after using it.
- 2) Don't keep it in the place where the temperature is extremely hot or low and exposed to the direct sunlight.
- 3) Use it on the day you will be in the sun, 30 minutes before you go outside, apply an ounce of sunscreen.

Dosage and administration :

To apply sunscreen, squeeze a dollop of sun cream onto your hand and rubbing all the skin that will be exposed to UV.

Consumer Compensation Policy :
 If any defect is found, compensation, refund or exchange will be offered in accordance with the Consumer Dispute Resolution Standard of Fair Trade Commission.

※ Please refer the user guide and warnings of instructions before use.

Manufactured for WINNOVA CO., LTD
 14-6, Gajang Industry dong-ro, Osan, Gyeonggi-do, Korea.

Distributed by C.A PHARM USA, INC
 3435 Wilshire Blvd #2300 Los Angeles, CA 90010

Distributed by C.A PHARM CO., LTD
 #1004 Gasan Digital Empire, 1130 Beoman-ro, Geumcheon-gu, Seoul, Korea.

Customer Service Center

+82-2-532-3478

www.capharm.net

www.capharm.co.kr



The 36th Golden Prize
 at the International Exhibition
 of Inventions in Geneva.

Sun&Air pollution block



60g / 2.11 fl.oz

Baby Suncity Cream



PLAGENTRA BABY SUNCITY
 octinoxate, octisalate, titanium dioxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68988-090
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	4.5 g in 60 g
OCTISALATE (UNII: 4X49 Y0596W) (OCTISALATE - UNII:4X49 Y0596W)	OCTISALATE	3 g in 60 g
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	1.8 g in 60 g

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Butylene Glycol (UNII: 3XUS85K0RA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68988-090-01	60 g in 1 CARTON		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	04/01/2014	

Labeler - C.A Pharm Co., Ltd. (688198385)

Registrant - C.A Pharm Co., Ltd. (688198385)

Establishment

Name	Address	ID/FEI	Business Operations
C.A Pharm Co., Ltd.		688198385	manufacture(68988-090)

Revised: 12/2014

C.A Pharm Co., Ltd.