

**HAIR REGEN - HAIR REGROWTH TREATMENT- mens foam minoxidil 1
pk aerosol, foam
Yiwu Yizhou Trading Co., Ltd**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Minoxidil 5% for Hair Regen Mens foam Minoxidil 1 pk

Active Ingredient

Minoxidil 5% w/w (without propellant)

Purpose

Hair regrowth treatment for men

Use

to regrow hair on top of the scalp (vertex only, see pictures on side of this carton)

Warnings

For external use only. For use by men only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman.
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp.

Ask a doctor before use

if you have heart disease

When using this product

- do not apply on other parts of your body.
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.
- for some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs.
- sudden, unexplained weight gain occurs.
- your hands or feet swell.
- scalp irritation or redness occurs.
- unwanted facial hair growth occurs.
- you do not see hair growth in 4 months.

May be harmful if used when pregnant or breast-feeding.**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply half a capful 2 times a day to the scalp in the hair loss area.
- massage into scalp with fingers, then wash hands well.
- see enclosed booklet for complete directions on how to use.
- using more or more often will not improve results.
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

Other information

- hair regrowth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months.
- see hair loss pictures on side of this carton.
- before use, read all information on package and enclosed booklet.
- keep the package. It contains important information.

Store at controlled room temperature 68 to 77°F (20 to 25°C).

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol.

M13:



MEN'S MINOXIDIL
5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

HAIR REGEN

MEN'S MINOXIDIL
5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

UNSCENTED EASY-TO-USE FOAM

#1 Dermatologist Recommended Active Ingredient

- Clinically Proven to Help Regrow Hair
- Reactivates Hair Follicles to Stimulate Regrowth

FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP

THIS PACKAGE CONTAINS

- 6-60 g (2.11 oz) cans of **Minoxidil Topical Aerosol, 5% (Foam)** (6-month supply)
- Information leaflet with complete directions on how to use and obtain best results

1: PREP HANDS WITH COLD WATER
Rinse your fingers in cold water and dry them. Note: Foam will melt on contact with warm surfaces.

2: OPEN CHILD-RESISTANT CAP
Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.

3: DISPENSE VERTICALLY ONTO A COLD SURFACE
Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).

4: APPLY TO SCALP, NOT HAIR
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

5: CLOSE CAP AND WASH HANDS
Snap the cap back into place, ensuring the arrows do not align, which will keep the cap child-resistant.

Drug Facts

Active ingredient
Minoxidil 5% w/w (without propellant).

Purpose Hair regrowth treatment for men

Use to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

Warnings
For external use only. For use by men only. Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

Ask a doctor before use if you have heart disease

When using this product

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.
- For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions


- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

Other information

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information.

Store at controlled room temperature 68° to 77° F (20° to 25° C)


Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures




M-02:

FOR BEST RESULTS**1: PREP HANDS WITH COLD WATER**

Rinse your fingers in cold water and dry them. Note: Foam will melt on contact with warm surfaces.

**2: OPEN CHILD-RESISTANT CAP**

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.

**3: DISPENSE VERTICALLY ONTO A COLD SURFACE**

Hold the can straight upside down. If you hold the can at an angle, the foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).

**4: APPLY TO SCALP, NOT HAIR**

Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

**5: CLOSE CAP AND WASH HANDS**

Snap cap back into place. Be sure arrows do not line up, so cap remains child-resistant. Wash hands and any surface after use.

Read and keep package and leaflet for full product information

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Store at Controlled Room Temperature

20-25°C (68-77°F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

LOT NO. JHZ562
EXP. 01/2029

HAIR REGEN

MEN'S
MINOXIDIL
5% MINOXIDIL TOPICAL AEROSOL
HAIR REGROWTH TREATMENT

- Unscented
- Clinically Proven to Help Regrow Hair
- Reactivates Hair Follicles to Stimulate Regrowth

EASY-TO-USE
FOAM



USE TWICE DAILY
For best results apply directly to scalp

NOT FOR USE BY WOMEN

60 g (2.11 OZ) CAN

Active Ingredient: Minoxidil 5% w/w (without propellant)

Warnings

For external use only.

Extremely Flammable: Avoid fire, flame or smoking during and immediately following application.

Do not use if

- You are a woman
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

Ask a doctor before use if you have heart disease

When using this product

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if:

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control center right away. (1-800-222-1222)

**HAIR REGEN**

Distributed by
HAIR REGEN™

167 Madison Avenue
Ste 205 #236
New York City, NY 10016

HAIR REGEN - HAIR REGROWTH TREATMENT

mens foam minoxidil 1 pk aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84232-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	5 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)				
BUTANE (UNII: 6LV4FOR43R)				
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				
PROPANE (UNII: T75W9911L6)				
LACTIC ACID (UNII: 33X04XA5AT)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
ISOBUTANE (UNII: BXR49TP611)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
CITRIC ACID (UNII: 2968PHW8QP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84232-012-21	1 in 1 BOX	04/15/2025	
1	NDC:84232-012-02	60 g in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			04/15/2025	

Labeler - Yiwu Yizhou Trading Co., Ltd (840905001)

Registrant - Yiwu Yizhou Trading Co., Ltd (840905001)

Establishment

Name	Address	ID/FEI	Business Operations
Yiwu Yizhou Trading Co., Ltd		840905001	manufacture(84232-012)

Revised: 4/2025

Yiwu Yizhou Trading Co., Ltd