

**HAIR REGEN - HAIR REGROWTH TREATMENT- mens foam minoxidil 6  
pk aerosol, foam  
Yiwu Yizhou Trading Co., Ltd**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Minoxidil 5% for Hair Regen Mens foam Minoxidil 6 pk**

**Active Ingredient**

Minoxidil 5% w/w (without propellant)

**Purpose**

Hair regrowth treatment for men

**Use**

to regrow hair on top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**

**For external use only. For use by men only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- you are a woman.
- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp.

**Ask a doctor before use**

if you have heart disease

**When using this product**

- do not apply on other parts of your body.
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage.
- for some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs.
- sudden, unexplained weight gain occurs.
- your hands or feet swell.
- scalp irritation or redness occurs.
- unwanted facial hair growth occurs.
- you do not see hair growth in 4 months.

**May be harmful if used when pregnant or breast-feeding.****Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area.
- massage into scalp with fingers, then wash hands well.
- see enclosed booklet for complete directions on how to use.
- using more or more often will not improve results.
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again.

**Other information**

- hair regrowth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months.
- see hair loss pictures on side of this carton.
- before use, read all information on package and enclosed booklet.
- keep the package. It contains important information.

Store at controlled room temperature 68 to 77°F (20 to 25°C).

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol.

## MEN'S MINOXIDIL

5% MINOXIDIL TOPICAL AEROSOL  
HAIR REGROWTH TREATMENT

---

**Drug Facts**

**Active ingredient**  
Minoxidil 5% w/v (without propellant)

**Purpose** Hair regrowth treatment for men

**Use** to regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)

**Warnings**  
For external use only. For use by men only.  
**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- you are a woman
- your amount of hair loss is different than that shown on side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

**When using this product**

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all men.

**Stop use and ask a doctor if:**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

**May be harmful if used when pregnant or breast-feeding.**  
**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply half a capful 2 times a day to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- see enclosed booklet for complete directions on how to use
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

**Other Information**

- hair growth has been shown in a clinical study of men (mostly white) aged 18-49 years who used it for 4 months
- see hair loss pictures on side of this carton
- before use, read all information on package and enclosed booklet
- keep the package. It contains important information.
- store at controlled room temperature 48° to 77°F (20° to 25°C)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperature above 120°F (49°C).

**Inactive ingredients**  
butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polyisobutylene, propellant, purified water, SD alcohol 40-B, stearyl alcohol.

Minoxidil Topical Aerosol, 5% (Foam) is for men who have general thinning of hair on top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Minoxidil Topical Aerosol, 5% (Foam) has been shown to regrow hair in men with the following rate of thinning or hair loss.





If men have more hair loss or hair loss in a place different than shown above, Minoxidil Topical Aerosol, 5% (Foam) may not work.




EASY-TO-USE FOAM

## MEN'S MINOXIDIL

5% MINOXIDIL TOPICAL AEROSOL  
HAIR REGROWTH TREATMENT

#1 Dermatologist Recommended  
Active Ingredient

- Clinically Proven to Help Regrow Hair
- Reactivates Hair Follicles to Stimulate Regrowth

## EASY-TO-USE FOAM



MONTH  
SUPPLY

SIX 60 g (2.11 OZ) CANS | TOTAL 360 g (12.66 OZ)

clinically Proven to Help  
to Stimulate Regrowth

**HAIR REGEN**

ITEM H005  
MINOXIDIL MEN FOAM 6PK



8 50069 72403 0

MADE IN PRC

LOT NO. JH2562 EXP. 01/2029

**HAIR REGEN**

Distributed by  
**HAIR REGEN™**

167 Madison Avenue  
Ste 205 #236  
New York City, NY 10016

**THIS PACKAGE CONTAINS**

- 6 60 g (2.11 oz) cans of Minoxidil Topical Aerosol, 5% (Foam) (6-month supply)
- Information leaflet with complete directions on how to use and obtain best results

**1: PREP HANDS WITH COLD WATER**

Rinse your fingers in cold water and dry them. Note: Foam will melt on contact with warm surfaces.

**2: OPEN CHILD-RESISTANT CAP**

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.

**3: DISPENSE VERTICALLY ONTO A COLD SURFACE**

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense about a capful of foam onto cold surface (e.g. dish, or cold hands).

**4: APPLY TO SCALP, NOT HAIR**

Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

**5: CLOSE CAP AND WASH HANDS**

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface after use.








M-02:

**FOR BEST RESULTS****1: PREP HANDS WITH COLD WATER**

Rinse your fingers in cold water and dry them. Note: Foam will melt on contact with warm surfaces.

**2: OPEN CHILD-RESISTANT CAP**

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.

**3: DISPENSE VERTICALLY ONTO A COLD SURFACE**

Hold the can straight upside down. If you hold the can at an angle, the foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).

**4: APPLY TO SCALP, NOT HAIR**

Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

**5: CLOSE CAP AND WASH HANDS**

Snap cap back into place. Be sure arrows do not line up, so cap remains child-resistant. Wash hands and any surface after use.

**Read and keep package and leaflet for full product information**

**Inactive ingredients**

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

**Store at Controlled Room Temperature**

20-25°C (68-77°F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

**LOT NO. JHZ562  
EXP. 01/2029**

**HAIR REGEN****MEN'S  
MINOXIDIL  
5% MINOXIDIL TOPICAL AEROSOL  
HAIR REGROWTH TREATMENT**

- Unscented
- Clinically Proven to Help Regrow Hair
- Reactivates Hair Follicles to Stimulate Regrowth

**EASY-TO-USE  
FOAM****USE TWICE DAILY  
For best results apply directly to scalp****NOT FOR USE BY WOMEN****60 g (2.11 OZ) CAN**

**Active Ingredient:** Minoxidil 5% w/w (without propellant)

**Warnings**

**For external use only.**

**Extremely Flammable:** Avoid fire, flame or smoking during and immediately following application.

**Do not use if**

- You are a woman
- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.

**Ask a doctor before use if you have heart disease**

**When using this product**

- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture

**Stop use and ask a doctor if:**

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control center right away. (1-800-222-1222)

**HAIR REGEN**

Distributed by  
**HAIR REGEN™**

167 Madison Avenue  
Ste 205 #236  
New York City, NY 10016

**HAIR REGEN - HAIR REGROWTH TREATMENT**

mens foam minoxidil 6 pk aerosol, foam

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84232-014
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name		Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)		MINOXIDIL	5 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
GLYCERIN (UNII: PDC6A3C0OX)				
BUTANE (UNII: 6LV4FOR43R)				
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				
LACTIC ACID (UNII: 33X04XA5AT)				
POLYSORBATE 60 (UNII: CAL22UVI4M)				
CETYL ALCOHOL (UNII: 936JST6JCN)				
CITRIC ACID (UNII: 2968PHW8QP)				
PROPANE (UNII: T75W9911L6)				
ISOBUTANE (UNII: BXR49TP611)				
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84232-014-26	6 in 1 BOX	04/15/2025	
1	NDC:84232-014-02	60 g in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			04/15/2025	

**Labeler** - Yiwu Yizhou Trading Co., Ltd (840905001)

**Registrant** - Yiwu Yizhou Trading Co., Ltd (840905001)

## Establishment

Name	Address	ID/FEI	Business Operations
Yiwu Yizhou Trading Co., Ltd		840905001	manufacture(84232-014)

Revised: 4/2025

Yiwu Yizhou Trading Co., Ltd