

**HAIR REGEN - HAIR REGROWTH TREATMENT- womens foam minoxidil 6
pk aerosol, foam
Yiwu Yizhou Trading Co., Ltd**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Minoxidil 5% for Hair Regen Womens foam Minoxidil 6 pk

Active Ingredient

Minoxidil 5% w/w (without propellant)

Purpose

Hair regrowth treatment

Use

for women who have general thinning of hair on top of the scalp (vertex only, as shown below).

Warnings

For external use only. For use by men only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

Do not use if

- your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical foam is not intended for frontal baldness or receding hairline.
- you have no family history of hair loss.
- your hair loss is sudden and/or patchy.
- you do not know the reason for your hair loss.
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful.
- you use other medicines on the scalp.

Ask a doctor before use

if you have heart disease

When using this product

- do not use more than directed.
- do not apply on other parts of the body.
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture.
- results may occur at three months with consistent **daily use**. For some women, you may need to use this product **once a day** for at least six months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

Stop use and ask a doctor if ...

- chest pain, rapid heartbeat, faintness, or dizziness occurs.
- sudden, unexplained weight gain occurs.
- your hands or feet swell.
- scalp irritation or redness occurs.
- unwanted facial hair growth occurs.

May be harmful if used when pregnant or breast-feeding.**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- see enclosed booklet for complete directions.
- apply half a capful **once daily** directly to the scalp in the hair loss area.
- massage into scalp with fingers, then wash hands well.
- using more or more often will not improve results.
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again.

Store at controlled room temperature 68-77°F (20-25°C).

Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol.

W19:



W-01:



FOR BEST RESULTS

1: PREP HANDS WITH COLD WATER
Rinse your fingers in cold water and dry them. Note: Foam will melt on contact with warm surfaces.

2: OPEN CHILD - RESISTANT CAP
Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull cap off.

3: DISPENSE VERTICALLY ONTO A COLD SURFACE
Hold the can straight upside down. If you hold the can at an angle, the foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).

4: APPLY TO SCALP, NOT HAIR
Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.

5: CLOSE CAP AND WASH HANDS
Snap cap back into place. Be sure the arrows **do not** line up, so cap remains child-resistant. Wash hands and any surface after use.

Read and keep package and leaflet for full product information

Inactive ingredients
butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

Store at Controlled Room Temperature 20-25°C (68-77°F). Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

LOT NO. WLQ873 EXP. 01/2029

HAIR REGEN

Women's

MINOXIDIL

5% MINOXIDIL TOPICAL AEROSOL

HAIR REGROWTH TREATMENT

• Unscented
• Clinically Proven to Help Regrow Hair
• Reactivates Hair Follicles to Stimulate Regrowth

EASY-TO-USE FOAM

1 MONTH SUPPLY

28.35 g (1 OZ) CAN

Active Ingredient: Minoxidil 5% w/w (without propellant)

Warnings
For external use only.
Extremely Flammable: Avoid fire, flame or smoking during and immediately following application

Do not use if

- You have no family history of hair loss
- Your hair loss is sudden and/or patchy
- You do not know the reason for your hair loss
- You are under 18 years of age. Do not use on babies and children.
- Your scalp is red, inflamed, infected, irritated, or painful.
- You use other medicines on the scalp.
- Your hair loss is associated with childbirth.

Ask a doctor before use if you have heart disease

When using this product:

- Do not use more than directed
- Do not apply on other parts of the body
- Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- Some people have experienced changes in hair color and/or texture

Stop use and ask a doctor if:

- Chest pain, rapid heartbeat, faintness, or dizziness occurs
- Sudden, unexplained weight gain occurs
- Your hands or feet swell
- Scalp irritation or redness occurs
- Unwanted facial hair growth occurs

May be harmful if used when pregnant or breast-feeding. Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control center right away. (1-800-222-1222)

Empty & Replace Cap


METAL CAN

Distributed by
HAIR REGEN
167 Madison Avenue
Ste 205 #236
New York City, NY 10016

HAIR REGEN - HAIR REGROWTH TREATMENT

womens foam minoxidil 6 pk aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84232-018
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
BUTANE (UNII: 6LV4FOR43R)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
LACTIC ACID (UNII: 33X04XA5AT)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISOBUTANE (UNII: BXR49TP611)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
PROPANE (UNII: T75W9911L6)	

CETYL ALCOHOL (UNII: 936JST6JCN)				
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)				
CITRIC ACID (UNII: 2968PHW8QP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84232-018-26	6 in 1 BOX	04/15/2025	
1	NDC:84232-018-01	28.35 g in 1 BOTTLE, DISPENSING; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other			04/15/2025	

Labeler - Yiwu Yizhou Trading Co., Ltd (840905001)

Registrant - Yiwu Yizhou Trading Co., Ltd (840905001)

Establishment			
Name	Address	ID/FEI	Business Operations
Yiwu Yizhou Trading Co., Ltd		840905001	manufacture(84232-018)