

SALICYLIC ACID- liquid wart remover liquid
Chain Drug Marketing Association Inc.

Quality Choice Liquid Wart Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart Remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface. The plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- if you are a diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
- on genital warts and warts on the face
- on moles, birthmarks and warts with hair growing from them
- on mucous membranes
- on irritated, infected or reddened skin

When using this product

- avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Stop use and ask doctor if

discomfort persists

Keep out of reach of children.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area, may soak wart in warm water for 5 minutes
- dry area thoroughly
- apply small amount of wart remover with applicator to sufficiently cover each wart
- let dry and repeat this procedure once or twice daily until wart is removed for up to 12 weeks

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-248-449-9300

Principal Display Panel**QC****Quality Choice**

Maximum Strength

Liquid Wart**Remover**

Salicylic Acid

Removes Common and Plantar Warts Safely and Easily

Includes Brush ApplicatorNET WT **0.31** FL OZ (9 mL)

NDC 63868-299-09



*Compare to the active ingredient in COMPOUND W®

Maximum Strength

Liquid Wart Remover

Salicylic Acid

Removes Common and Plantar Warts Safely and Easily

Includes Brush Applicator

NET WT 0.31 FL OZ (9 mL)

Removes Common and Plantar Warts Safely and Easily

53-0120C

Maximum Strength

Liquid Wart Remover

Salicylic Acid

NET WT 0.31 FL OZ (9 mL)

Liquid Wart Remover

NO VARNISH AREA



Distributed by C.D.M.A., Inc.®
43157 W. Nine Mile
Novi, MI 48376-0995
www.qualitychoice.com
Questions: 248-449-9300



* This product is not manufactured or distributed by Mediatech Products Inc., owner of the registered trademark Compound W®.

Made in USA

DO NOT USE IF NECKBAND IS BROKEN

Drug Facts

Active Ingredient
Salicylic acid 17% w/w
Wart remover

Purpose
Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough, cauliflower-like appearance of the surface. Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings
For external use only.

Flammable
Keep away from fire or flame
Cap bottle tightly and store at room temperature away from heat

Do not use
■ if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist
■ on genital warts and warts on the face
■ on moles, birthmarks and warts with hair growing from them
■ on mucous membranes
■ on irritated, infected or reddened skin

When using this product
■ avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes
■ avoid inhaling vapors

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
■ wash affected area, may soak wart in warm water for 5 minutes
■ dry area thoroughly
■ apply small amount of wart remover with applicator to sufficiently cover each wart
■ let dry and repeat this procedure once or twice daily as needed until wart is removed for up to 12 weeks

Other information
store between 20° to 30°C (68° to 86°F)

Inactive ingredients
ethyl ether, nitrocellulose

Questions? Call 1-248-449-9300

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE



SALICYLIC ACID

liquid wart remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-299
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-299-09	9 mL in 1 BOTTLE, WITH APPLICATOR; Type 0: Not a Combination Product	10/01/2015	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	10/01/2015	

Labeler - Chain Drug Marketing Association Inc. (011920774)

Revised: 12/2024

Chain Drug Marketing Association Inc.