

**REINREUDE PROVIDES TEMPORARY RELIEF FOR MINOR MUSCLE AND JOINT PAIN- lidocaine 4% provides temporary relief for minor muscle and joint pain patch**  
**Jiangxi Hemei Pharmaceutical Co., Ltd**

-----

**84010-099**

**Active Ingredient**

Lidocaine 4%

**Purpose**

Pain Relief

**Use**

- temporarily relieves minor pain associated with:
- arthritis ■ simple backache ■ bursitis ■ tendonitis ■ muscle strains ■ sprains ■ bruises
- cramps

**Warnings**

For external use only

**Do not use**

- avoid contact with eyes and mucous membranes
- do not apply to wounds or damaged skin, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use

**When Using**

- use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged skin, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- A transient burning sensation may occur upon application but usually disappears within a few days.

## **Stop Use**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use

## **Ask Doctor**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

## **Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a Poison Control Center right away

## **Directions**

adults and children over 12 years.

- remove backing from patch by firmly grasping both ends and gently pulling until backing separate in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- Wear one patch for up to 8 hours.

- Repeat if needed, but do not use more than 3 times daily.

children 12 years or younger: ask a doctor

## **Inactive ingredients**

water, aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, nonoxonyl-30, polyacrylic acid, polysorbate 80, sodium polycrylate, sorbitan sesauioleate, Starch, talc, tartaric acid, titanium dioxide

## **PRINCIPAL DISPLAY PANEL**

**REINREUDE™**

128\*18\*177mm

TEMPORARILY RELIEVES  
MINOR ACHES & PAINS**REINREUDE™**TEMPORARILY RELIEVES  
MINOR ACHES & PAINSBACK, NECK,  
LEG & SHOULDERPROVIDES TEMPORARY RELIEF  
FOR MINOR MUSCLE AND JOINT  
PAIN

TOPICAL ANESTHETIC

- No-Mess, Single-Use Application
- Easy to Apply and Remove
- Flexible Gel Patch Designed For Secure Application
- Unscented

8 PATCHES



BACK, NECK, LEG &amp; SHOULDER

**Drug Facts**

Active Ingredient.....Purpose  
Lidocaine 4%.....Pain Relief  
Uses  
■ temporarily relieves minor pain associated with:  
■ arthritis ■ simple backache ■ bursitis ■ tendonitis ■ muscle strains ■ sprains ■ bruises ■ cramps

**Warnings**

For external use only

**When using this product**

- use only as directed. Read and follow all directions and warnings on this carton.
- avoid contact with eyes and mucous membranes
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged skin, broken or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- A transient burning sensation may occur upon application but usually disappears within a few days.

**Stop use and ask a doctor if**

- condition worsens ■ redness is present ■ irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

adults and children over 12 years.

- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- Wear one patch for up to 8 hours.
- Repeat if needed, but do not use more than 3 times daily.
- children 12 years or younger: ask a doctor

**Inactive Ingredients**

water, aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, Starch, talc, tartaric acid, titanium dioxide.



Manufacturer: Jiangxi Hemei Pharmaceutical Co., Ltd.  
Address: 4th Floor, Building 1956, Phase III, Zhangjiashan Medical Incubation Park, Zhangshu, Yichun, Jiangxi 331208, China (CHN)

**REINREUDE PROVIDES TEMPORARY RELIEF FOR MINOR MUSCLE AND JOINT PAIN**

lidocaine 4% provides temporary relief for minor muscle and joint pain patch

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-099
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100

**Inactive Ingredients**

Ingredient Name	Strength
CELLULOSE GUM (UNII: K679OBS311)	
WATER (UNII: 059QF0KO0R)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	

<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>ISOPROPYL MYRISTATE</b> (UNII: 0RE8K4LNJS)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-099-01	8 in 1 BOX; Type 0: Not a Combination Product	04/15/2025	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/15/2025	

**Labeler** - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)

### Establishment

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-099)

Revised: 4/2025

Jiangxi Hemei Pharmaceutical Co., Ltd