

BLUE LIZARD SENSITIVE SPF 50 SUNSCREEN- titanium dioxide and zinc oxide lotion
Crown Laboratories

Blue Lizard Sensitive SPF 50 Sunscreen

Active ingredients

Titanium Dioxide 8%

Zinc Oxide 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove

Stop use and ask doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- shake well prior to use

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Other information

- protect the product in this container from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

1,2-Hexanediol, Aloe Barbadensis Leaf Juice Powder, Alumina, Aluminum Stearate, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Ethylhexyl Stearate, Euphorbia Cerifera (Candelilla) Wax, Hexyl Laurate, Hydroxyacetophenone, Methyl Glucose Dioleate, Octyldodecyl Neopentanoate, PEG-7 Hydrogenated Castor Oil, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Propanediol, Tocopherol, Tocopheryl Acetate, Triethoxycaprylylsilane, Trimethylsiloxysilicate, VP/Hexadecene Copolymer, Water

Questions?

call **800.877.8869** or visit www.bluelizardsunscreen.com

Blue Lizard Sensitive 3 oz Tube

Blue Lizard

Australian Sunscreen

50

SENSITIVE

with soothing organic aloe

MINERAL SUNSCREEN

UVA/UVB PROTECTION

BROAD SPECTRUM SPF 50

WATER RESISTANT

(80 MINUTES)

TRUSTED BY DERMATOLOGISTS

3 fl oz (89 ml)



Blue Lizard
AUSTRALIAN SUNSCREEN®

NEW LOOK & FORMULA

50
SENSITIVE

WITH SOOTHING ORGANIC ALOE

MINERAL SUNSCREEN

UVA/UVB PROTECTION
BROAD SPECTRUM SPF 50

WATER RESISTANT
(80 MINUTES)

TRUSTED BY DERMATOLOGISTS

3 fl oz (89 ml)

WE LOVE THE REEF™
No Octinoxate or Oxybenzone

SMART CAP™ TECHNOLOGY
Cap changes color in UV light

Drug Facts	
Active ingredients Titanium Dioxide 8% Zinc Oxide 10%	Purpose Sunscreen Sunscreen
Uses • helps prevent sunburn	
Warnings For external use only	
Do not use • on damaged or broken skin	
When using this product • keep out of eyes. Rinse with water to remove	
Stop use and ask a doctor if • rash occurs	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions • shake well prior to use • apply liberally 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses	
Other information • protect the product in this container from excessive heat and direct sun • may stain some fabrics	
Inactive ingredients 1,2-Hexanediol, Aloe Barbadosis Leaf Juice Powder, Alumina, Aluminum Stearate, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Disodium EDTA, Ethylhexyl Palmitate, Ethylhexyl Stearate, Euphorbia Cerifera (Candelilla) Wax, Hexyl Laurate, Hydroxyacetophenone, Methyl Glucose Dioleate, Octyldodecyl Neopentanoate, PEG-7 Hydrogenated Castor Oil, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Propanediol, Tocopherol (Vitamin E), Tocopheryl Acetate, Triethoxycaprylylsilane, Trimethylsiloxysilicate, VP/Hexadecene Copolymer, Water	 3 03162 04630 6
Questions? call 800.877.8869 or visit www.bluelizardsunscreen.com	

Distr. by: Crown Laboratories, Inc. Johnson City, TN 37604
Cruelty Free P12613.00

BLUE LIZARD SENSITIVE SPF 50 SUNSCREEN

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-2046
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	89.6 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	112 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
EUPHORBIA CERIFERA (CANDELILLA) WAX (UNII: WL0328HX19)	
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	
HEXADECYL POVIDONE (4 HEXADECYL BRANCHES/REPEAT) (UNII: AG75W62QYU)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
PEG-7 HYDROGENATED CASTOR OIL (UNII: WE09129TH5)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
METHYL GLUCOSE DIOLEATE (UNII: FA9KFJ4Z6P)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
TOCOPHEROL (UNII: ROZB2556P8)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-2046-31	89 mL in 1 TUBE; Type 0: Not a Combination Product	12/02/2024	
2	NDC:0316-2046-46	148 mL in 1 TUBE; Type 0: Not a Combination Product	12/02/2024	
3	NDC:0316-2046-55	5 mL in 1 PACKET; Type 0: Not a Combination Product	02/01/2025	
4	NDC:0316-2046-51	259 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/01/2025	
5	NDC:0316-2046-82	30 mL in 1 TUBE; Type 0: Not a Combination Product	12/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/02/2024	

Labeler - Crown Laboratories (119508400)

Establishment

Name	Address	ID/FEI	Business Operations
Crown Laboratories		119508400	manufacture(0316-2046)

Revised: 12/2025

Crown Laboratories