

PAIN RELIEF GEL-PATCH- lidocaine and menthol patch
Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.

Liuquanmiao, Lidocaine+Menthol Pain Relief Gel-Patch, Lidocaine 4%, Menthol 1%, 15 Patches

Active ingredients

Lidocaine 4% Purpose: Topical anesthetic

Menthol 1% Purpose: Topical analgesic

Purpose

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adult and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12:Consult a doctor

Inactive ingredients

Dihydroxyaluminium Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

supports@sumifunofficial.com

172-45

Lidocaine + Menthol

45

PATCHES

www.sumifunofficial.com

YouTube @sumifun

Facebook @sumifunofficial

Twitter @sumifunOfficial

Instagram @sumifunofficial

TikTok @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine + Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

45 PATCHES
(15 x 3 cm)
(5 inch x 1.2 inch)

Guangzhou Sumifun Import & Export Trade Co., Ltd.
111 Building, No. 8, Dongfeng East Road,
Zhuwan, Taihe District, Guangzhou, Guangdong, China

www.sumifun.com

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active ingredients **Purpose**
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hip, shoulder, elbow, and ankle.

Warnings
For external use only
Do not use
• on wounds or damaged skin
• with a heating pad or device
• with other ointments, creams, sprays, or lotions
• if you are allergic to any ingredients of this product

When using this product
• use only as directed
• avoid contact with the eyes, mucous membranes, or saliva
• do not bandage tightly

Stop use and ask a doctor if
• skin reactions such as redness, swelling, blistering or other discomfort occur
• symptoms persist for more than 7 days

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed, accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
• Clean and dry the affected area.
• Tear off the protective film and apply the exposed part of the patch to the affected area.
• Carefully remove remaining film while pressing the patch firmly on the skin.
• Remove patch from the skin after at most 8-hour application.
Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyethylamine Acrylate, Ethylene Glycol Dimethyl Ether, Hydroxyethylmethacrylate, Isopropyl Alcohol, Methyl Cellulose, Polyethylene Glycol, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

CHILD Resistant Packaging

12
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
YouTube: @sumifun
INS: @sumifunofficial
Facebook: @sumifunOfficial
Twitter: @sumifunOfficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

12 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Luquanmiao Import & Export Trade Co., Ltd.
412 Building A, No. 8, Dong Heng San Road,
Zhucon, Tianhe District, Guangzhou, Guangdong, China;

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

unijuns



Knee



Back



Neck



Elbow



Shoulder

Drug Facts

Active ingredients **Purpose**
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 9 7 7 9 1 6 5 1 4 0 5 8

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, LL(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

13
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
Twitter: @sumifunOfficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

13 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Liuquanmao Import & Export Trade Co., Ltd.
417, Building A, No. 8, Dong Hong San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Knee



Back



Neck



Elbow



Shoulder

unjin

Drug Facts

Active ingredients _____ **Purpose**
Lidocaine 4% _____ Topical anesthetic
Menthol 1% _____ Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 9 7 9 1 6 5 1 4 1 1 9

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.

Children under age of 12: Consult a doctor

- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Yasdin, 11(4)-Tartaric Acid, Mineral oil, Polysorbate 80, Polysilylic Acid, Polyvinylpyrrolidone K30, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

Maximum Strength

Sumifun®

Lidocaine
+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away

4% LIDOCAINE
1% MENTHOL

14 PATCHES
5.5"X 3.94"
(Each X 10cm)

Guangzhou Lidoqumiao Import & Export Trade Co., Ltd.
41X, Building A, No. 8, Dong Heng San Road,
Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

14

PATCHES

Lidocaine +Menthol

www.sumifunofficial.com

YouTube: @sumifun

Facebook: @sumifunOfficial

INS: @sumifunofficial

TikTok: @sumifunofficial

Usage

- 1

Remove patch from outer package
- 2

Partially peel back protective film
- 3

Place on affected area
- 4

Remove remaining film while pressing patch to skin

unjuuns

Knee

Back

Neck

Elbow

Shoulder

Drug Facts

Active ingredients **Purpose**
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

6 9 7 9 1 6 5 1 4 1 2 6

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L-Aspartic Acid, Mineral oil, Polyorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
 supports@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

16
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
INS: @sumifunofficial
TikTok: @sumifunofficial
Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine
+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain :

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

16 PATCHES
5.8" X 3.94"
(14cm X 10cm)

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.
417, Building A, No. 6, Dong Heng San Road,
Zhuoru, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining
film while
pressing patch to skin



Drug Facts

Active ingredients Purpose
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint
pains in the wrist, knees, back, neck, hips, shoulders,
elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or
mashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering
or other discomfort occur
- symptoms persist for more than 7 days



If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or
contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed
part of the patch to the affected area.
- Carefully remove remaining film while pressing
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour
application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum aminoacetate, Edetate
Disodium, Glycerin, Hydroxyacetophenone,
Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate
80, Polyacrylic Acid, Polyvinylpyrrolidone K90,
Polyethylene Glycol, Sodium Polyacrylate,
Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

17
PATCHES

Lidocaine + Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine
+ Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

17 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Lijiangmao Import & Export Trade Co., Ltd.
 411 Building A, No. 6, Dong Hong San Road,
 Zhuzhou, Tanhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active ingredients Purpose
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
 For external use only
Do not use
 • on wounds or damaged skin
 • with a heating pad or device
 • with other ointments, creams, sprays, or liniments
 • if you are allergic to any ingredients of this product

When using this product
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or masts
 • do not bandage tightly

Stop use and ask a doctor if
 • skin reactions such as redness, swelling, blistering or other discomfort occur
 • symptoms persist for more than 7 days



If pregnant or breast-feeding, ask a health professional before use.
KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8-hour application.
 Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Yasolin, L-L-Tartaric Acid, Mineral oil, Polyborate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

19
PATCHES

Lidocaine + Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Instagram: @sumifunofficial
 Facebook: @sumifunOfficial
 Twitter: @sumifunOfficial
 TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine + Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

19 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Luokunliao Import & Export Trade Co., Ltd.
 412 Building A, No. 8, Dong Hang San Road,
 Zhushan, Tianhe District, Guangzhou/Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active ingredients Purpose
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 077916 514157

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

- Adults and Children above 12 years old:
 - Clean and dry the affected area.
 - Tear off the protective film and apply the exposed part of the patch to the affected area.
 - Carefully remove remaining film while pressing the patch firmly on the skin.
 - Remove patch from the skin after at most 8-hour application.
- Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyhydroxyethylone 999, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com
 Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

20
PATCHES

Lidocaine +Menthol
www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

20 PATCHES
(3.3" X 3.3")
(14cm X 10cm)

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.
41E, Building A, No. 8, Dong Heng San Road,
Zhuom Tianhe District, Guangzhou/Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active ingredients **Purpose**
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- Use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



If pregnant or breast-feeding, ask a health professional before use.
KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

21
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

21 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Lianqianmai Import & Export Trade Co., Ltd.
417 Building A, No. 8, Dong Hong San Road,
Zhucau, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC.

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active Ingredients Purpose
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

- Do not use
 - on wounds or damaged skin
 - with a heating pad or device
 - with other ointments, creams, sprays, or liniments
 - if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 0 7 7 9 1 6 5 1 4 1 7 1

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyethylamine, Aminocaproate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, (+)-Tartaric Acid, Mineral oil, Polyacrylate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:

business@sumifunofficial.com

Child Resistant Packaging

Lidocaine +Menthol

www.sumifunofficial.com YouTube: @sumifun
 @sumifunofficial Facebook: @sumifunOfficial
 @sumifunofficial Twitter: @sumifunOfficial
 @sumifunofficial TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

4% LIDOCAINE
1% MENTHOL

22 PATCHES
(6.8" X 3.94" / 17cm X 10cm)

Guangzhou Lidaomei Import & Export Trade Co., Ltd.
 412 Building A No. 26 Dong Xiang Street
 Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Knee Back Neck Elbow Shoulder

Drug Facts

Active ingredients	Purpose
Lidocaine 4% Menthol 1%	Topical anesthetic Topical analgesic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or other
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

6 9 7 7 9 1 0 5 1 4 1 8 8

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Isobutyl 2-Terbutyl Acid, Mineral oil, Polyacrylate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

Lidocaine + Menthol

www.sumifunofficial.com

YouTube: @sumifun

Facebook: @sumifunofficial

Instagram: @sumifunofficial

TikTok: @sumifunofficial

Twitter: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine + Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING -8H-

4% LIDOCAINE 1% MENTHOL

23 PATCHES
5.5"X 3.94"
(14cm X 10cm)

Guangzhou Lixuanmei Import & Export Trade Co., Ltd.
477 Building A, No. 8, Deng Heng San Road,
Zhuwan, Tianhe District, Guangzhou, Guangdong, China.

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun®

Knee Back Neck Elbow Shoulder

Drug Facts

Active ingredients **Purpose**
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses
Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
Dihydroxyaluminum Aminoacetate, Edinate Dioxidine, Glycerin, Hydroxyoctobenzene, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polycarbonate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
support@sumifunofficial.com

Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

6 8 7 7 9 1 6 5 1 4 1 9 5

Lidocaine +Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING
-8H-

4% LIDOCAINE
1% MENTHOL

24 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Lidaqianmai Import & Export Trade Co., Ltd.
 415, Building A, No. 8, Dong Heng San Road,
 Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun®

Knee Back Neck Elbow Shoulder

Drug Facts

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Active ingredients _____ **Purpose**
 Lidocaine 4% _____ Topical anesthetic
 Menthol 1% _____ Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or treatments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

Inactive ingredients
 Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L-L-Tartaric Acid, Mineral oil, Polyacrylate 60, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 4 2 0 1 1

26
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING 8H

4% LIDOCAINE
1% MENTHOL

26 PATCHES
(3.3" X 3.3")
(8.6cm X 8.6cm)

Guangzhou Lixuan Import & Export Trade Co., Ltd.
 412 Building A, No. 8, Dong Heng San Road,
 Zhaocun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun®

Knee Back Neck Elbow Shoulder

Drug Facts

Active Ingredients **Purpose**
 Lidocaine 4% Topical anesthetic.
 Menthol 1% Topical analgesic.

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- If you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or rashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydroxyethylamine, Benzocaine, Ethylate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polyorbate 80, Polycrylic Acid, Polyvinylpyrrolidone 109, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
 business@sumifunofficial.com
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 4 2 1 8

27
PATCHES

Lidocaine + Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING
-8H-

4% LIDOCAINE
1% MENTHOL

27 PATCHES
5.5"X 3.94"
(14cm X 10cm)

Guangzhou Liqunmei Import & Export Trade Co., Ltd.
 412 Building A, No. 6, Dong Hong San Road,
 Zhaomun Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

unjjwngs

Knee Back Neck Elbow Shoulder

Drug Facts

Active ingredients Purpose
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic.

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only
 Do not use
 • on wounds or damaged skin
 • with a heating pad or device
 • with other ointments, creams, sprays, or liniments
 • if you are allergic to any ingredients of this product

When using this product
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or rashes
 • do not bandage tightly

Stop use and ask a doctor if
 • skin reactions such as redness, swelling, blistering or other discomfort occur
 • symptoms persist for more than 7 days

If pregnant or breast-feeding,
 ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8-hour application.
Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydroxyethylamine Acrylate, Edisate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L-L-Tartaric Acid, Mineral oil, Polysorbate 80, Polyethylene Glycol, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 778 10 5 1422 5

Lidocaine +Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 Twitter: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING 8H

4% LIDOCAINE 1% MENTHOL

29 PATCHES (29 Pkts x 10cm)

Guangzhou Liqianmei Import & Export Trade Co., Ltd.
 412 Building A, No. 21 Dongfang Road,
 Zhushan, Tianhe District, Guangzhou, Guangdong, China.

Model: 1710C

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun®

Knee Back Neck Elbow Shoulder

Drug Facts

Active Ingredients Purpose
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
 For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or lotions
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or mashes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8-hour application.
 Children under age of 12: Consult a doctor

Inactive ingredients
 Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycine, Hydroxyacetophenone, Isobutyl, L-L-Tartaric Acid, Mineral Oil, Polyacrylate 90, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 4 2 3 2

Lidocaine +Menthol

30 PATCHES

www.sumifunofficial.com
 YouTube: @sumifun
 Instagram: @sumifunofficial
 Facebook: @sumifunOfficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING
-8H-

4% LIDOCAINE
1% MENTHOL

30 PATCHES
5.9" X 3.94" (15cm X 10cm)

Guangzhou Luqianmao Import & Export Trade Co., Ltd.
 411, Building A, No. 8, Dong Heng San Road,
 Zhoushan, Taizhou District, Guangzhou/Guangdong, China

Made in PRC

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun

Knée Back Neck Elbow Shoulder

Drug Facts

Active Ingredients **Purpose**
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or tissues
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
 Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive Ingredients
 Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Isobutyl 2-Hydroxybutyrate, Mineral Oil, Polyacrylate 80, Polyacrylic Acid, Polyethylene Glycol, Polyethylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 9 1 6 1 5 1 4 2 4 9

Lidocaine +Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING
-8H-

4% LIDOCAINE
1% MENTHOL

32 PATCHES
5.67" X 3.94"
(144mm X 100mm)

Guangzhou Lidoqumiao Import & Export Trade Co., Ltd.
 #17 Building A, No. 6, Dong Heng 3rd Road,
 Zhusha 1, Tiantie District, Guangzhou, Guangdong, China

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

unjin

Knee Back Neck Elbow Shoulder

Drug Facts

Active Ingredients Purpose
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or lotions
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or mingles
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive Ingredients
 Dihydroxyaluminum Aminoacetate, Ekastate Diiodine, Glycine, Hydroxyacetophenone, Kaolin, L-L-Tartaric Acid, Mineral oil, Polycarbonate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 4 5 1 4 2 5 6

Lidocaine +Menthol

www.sumifunofficial.com

YouTube: @sumifun

Instagram: @sumifunofficial

Facebook: @sumifunofficial

Twitter: @sumifunofficial

33 PATCHES

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain :

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

33 PATCHES
5.5" X 3.94"
(14cm X 10cm)

Guangzhou Lijianxin Pharmaceutical & Export Trade Co., Ltd.
417 Building A, No. 8, Dong Heng San Road,
Zhuang, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active Ingredients Purpose
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pain in the wrist, knee, back, neck, hip, shoulder, elbow.

Warnings

For external use only

- Do not use
 - on wounds or damaged skin
 - with a heating pad or device
 - with other ointments, creams, sprays, or liniments
 - if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or mucus
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 9 7791 615 142 63

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive Ingredients

Dihydroplumonium Ammonochloride, Edotate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polyborate 60, Polyacrylic Acid, Polyvinylpyrrolidone 100, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

34
PATCHES

Lidocaine + Menthol

www.sumifunofficial.com [YouTube @sumifun](https://www.youtube.com/channel/UCsumifun)
[Instagram @sumifunofficial](https://www.instagram.com/sumifunofficial) [Facebook @sumifunOfficial](https://www.facebook.com/sumifunofficial)
[TikTok @sumifunofficial](https://www.tiktok.com/@sumifunofficial) [Twitter @sumifunOfficial](https://twitter.com/sumifunOfficial)

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away

LONG LASTING

-8H-

4% LIDOCAINE

1% MENTHOL

34

PATCHES
(5.5" X 3.94"
Inches X Cent)

Usage

- 1

Remove patch from outer package
- 2

Partially peel back protective film
- 3

Place on affected area
- 4

Remove remaining film while pressing patch to skin

unijun8

Knee

Back

Neck

Elbow

Shoulder

Drug Facts	
Active Ingredients	Purpose
Lidocaine 4% Menthol 1%	Topical anesthetic Topical analgesic
Uses	
Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hips, shoulders, elbows.	
Warnings	
For external use only	
Do not use	
<ul style="list-style-type: none"> • on severely damaged skin • with a heating pad or device • with other ointments, creams, sprays, or lotions • if you are allergic to any ingredients of this product 	
When using this product	
<ul style="list-style-type: none"> • use only as directed • avoid contact with the eyes, mucous membranes, or nipples • do not bandage tightly 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> • skin reactions such as redness, swelling, blistering or other discomfort occur • symptoms persist for more than 7 days 	
<p style="font-size: 8px;">0 57791 64514 27 0</p>	

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor.

Inactive Ingredients
Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L-Aspartic Acid, Methylol, Polyacrylate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

Lidocaine + Menthol

www.sumifunofficial.com

Instagram: @sumifunofficial

Facebook: @sumifunofficial

Twitter: @sumifunofficial

YouTube: @sumifun

LinkedIn: @sumifunofficial

35 PATCHES

Maximum Strength

Sumifun®

Lidocaine

+ Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING

8H

4% LIDOCAINE
1% MENTHOL

35 PATCHES

5.5" x 3.38" (14cm x 8.6cm)

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

unjiuns

Knee Back Neck Elbow Shoulder

Drug Facts

Active Ingredients **Purpose**
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses
Temporarily relieves muscle aches and minor joint pain in the wrist, knee, back, neck, hip, shoulder, elbow.

Warnings
For external use only
• on wounds or damaged skin
• with a heating pad or device
• with other ointments, creams, sprays, or lotions
• if you are allergic to any ingredients of this product

When using this product
• use only as directed
• avoid contact with the eyes, mucous membranes, or mucus
• do not bandage tightly

Stop use and ask a doctor if
• skin reactions such as redness, swelling, blistering or other discomfort occur
• symptoms persist for more than 7 days

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:
• Clean and dry the affected area.
• Tear off the protective film and apply the exposed part of the patch to the affected area.
• Carefully remove remaining film while pressing the patch firmly on the skin.
• Remove patch from the skin after at most 8-hour application.
Children under age of 12: Consult a doctor

Inactive Ingredients
Dihydroxyaluminum Ammoniate, Stearate, Disodium Glycinate, Hydroxyacetophenone, Kaolin, L-Ly-Termino Acid, Mineral oil, Polybutadiene, Polyethylene Glycol, Polypropylene, Polypropylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 4 2 8 7

Guangzhou Sumifun Import & Export Trade Co., Ltd.
47 Building A, No. 6, Dong Heng San Road,
Zhuosen, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Lidocaine + Menthol
 www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Twitter: @sumifunOfficial

37
 PATCHES

Maximum Strength

Sumifun®

Lidocaine + Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away



4% LIDOCAINE
 1% MENTHOL

37 PATCHES
 5.5" X 3.94"
 (140mm X 100mm)

Guangzhou Lianxinshun Import & Export Trade Co., Ltd.
 402 Building A, No. 8, Dongheng East Road,
 Zhuzhou, Nanhai District, Guangzhou Guangdong, China

Model: P12

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin



Drug Facts

Active ingredients: Lidocaine 4%
 Menthol 1%

Purpose: Topical anesthetic
 Topical analgesic

Uses: Temporarily relieves muscle aches and minor joint pains in the wrist, knee, back, neck, hip, shoulder, elbow.

Warnings: For external use only

Do not use: on wounds or damaged skin, with a heating pad or device, with other ointments, creams, sprays, or lotions, if you are allergic to any ingredients of this product

When using this product: as directed, avoid contact with the eyes, mucous membranes, or mouth, do not bandage tightly

Stop use and ask a doctor if: skin reactions such as redness, swelling, blistering or other discomfort occur, symptoms persist for more than 7 days



If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN. If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions: Adults and Children above 12 years old: Clean and dry the affected area. Tear off the protective film and apply the exposed part of the patch to the affected area. Carefully remove remaining film while pressing the patch firmly on the skin. Remove patch from the skin after at most 8-hour application. Children under age of 12: Consult a doctor

Inactive Ingredients: Dihydroxyethylamine Hydrochloride, Ethanol, Disodium Edetate, Glycerin, Hydroxyacetophenone, Isobutyl Alcohol, Isobutyl Alcohol, Polysorbate 80, Polyethylene Glycol, Polypropylene Glycol, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water

Questions or Comments: support@sumifunofficial.com
 Business Cooperation: business@sumifunofficial.com

Child Resistant Packaging

Lidocaine + Menthol

36 PATCHES

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
Twitter: @sumifunOfficial
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine + Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

36 PATCHES
(3'S X 3.33")
(1.04" X 1.08")

Guangzhou Lijianzhen Import & Export Trade Co., Ltd.
411 Building, A, No. 9, Dongyuan Street,
Zhuoru, Tianhe District, Guangzhou/Guangdong, China.

WHL021002

Usage



1 Remove patch from outer package



2 Partially peel back protective film



3 Place on affected area



4 Remove remaining film while pressing patch to skin



Drug Facts

Active Ingredients Purpose
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the neck, lower back, neck, hips, shoulders, elbows.

Warnings

For external use only

- Do not use
 - on wounds or damaged skin
 - with other ointments, creams, sprays, or lotions
 - if you are allergic to any ingredients of this product.

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or mouth
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days



6 97791 615 14294

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poisons Control Center immediately.

Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive Ingredients

Dihydroxyethylamine, Ammonioacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Potassium Lidocaine Acid, Mineral Oil, Polyacrylate BG, Polyacrylic Acid, Polyethylene Glycol, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation: business@sumifunofficial.com

CNS Resistant Packaging

Lidocaine + Menthol

www.sumifunofficial.com
 YouTube @sumifun
 Facebook @sumifunOfficial
 Instagram @sumifunofficial
 TikTok @sumifunofficial
 Twitter @sumifunOfficial

38 PATCHES

Maximum Strength

Sumifun®

Lidocaine + Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING 8H

4% LIDOCAINE 1% MENTHOL

38 PATCHES
 (5.7x3.3cm)
 (2.3x1.3in)

Guangzhou Liguanniao Import & Export Trade Co., Ltd.
 #10 Building A, No. 8, Dongfeng Sea Road,
 Zhuoshan, Taishan District, Guangzhou, Guangdong, China.

Made in China

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

Sumifun

Knee Back Neck Elbow Shoulder

Drug Facts

Active Ingredients **Purpose**
 Lidocaine HCl Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pain in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings
For external use only
 • do not use on damaged skin
 • with a heating pad or device
 • with other creams, ointments, sprays, or lotions
 • if you are allergic to any ingredients of this product

When using this product
 • use only as directed
 • avoid contact with the eyes, mucous membranes, or sores
 • do not bandage tightly

Stop use and ask a doctor if
 • skin reactions such as redness, swelling, blistering or other discomfort occur
 • symptoms persist for more than 7 days

If pregnant or breast-feeding,
 use as health professional advises.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old
 • Clean and dry the affected area.
 • Tear off the protective film and apply the exposed part of the patch to the affected area.
 • Carefully remove remaining film while pressing the patch firmly on the skin.
 • Remove patch from the skin after at most 8-hour application.
Children under age of 12: Consult a doctor

Inactive Ingredients
 Dihydroxyethylamine Ammonioacetate, Ethylate Calcium, Dicyclopentadiene, Hydroxyacetophenone, Kapton, L-lysine HCl, Polystyrene, Polypropylene, Polyethylene Glycol, Polypropylene Glycol, Polyethylene Glycol, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
 Business Cooperation:
 business@sumifunofficial.com

China Resident Packaging

6 9 7 9 1 6 2 1 4 3 1 7

39 PATCHES

Lidocaine +Menthol

www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING -8H-

**4% LIDOCAINE
1% MENTHOL**

39 PATCHES
5.5" X 3.94" (14cm X 10cm)

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

unjuuns

Knee Back Neck Elbow Shoulder

Drug Facts

Active Ingredients **Purpose**
 Lidocaine 4% Topical anesthetic
 Menthol 1% Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or mashes
- do not bandage tightly

Stop use and ask a doctor if

- a skin reaction such as redness, swelling, itching or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,
ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Peel off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
 Dibutyltinyltinum, Ammonioacetate, Edotone, Oxidolium, Opacium, Hydroxyethylcellulose, Kaolin, L-1-Tartaric Acid, Mineral Oil, Polyorbate 30, Polyacrylic Acid, Polyvinylpyrrolidone 100, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 4 3 2 4

Guangzhou Luyuanxin Import & Export Trade Co., Ltd.
 472 Building A, No. 4 Dong Jiang San Road,
 Zhushu, Tieshi District, Guangzhou, Guangdong, China.

Model: 172-40

172-40

Lidocaine +Menthol

www.sumifunofficial.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Instagram: @sumifunofficial
Twitter: @sumifunOfficial

40
PATCHES

Maximum Strength

Sumifun®

Lidocaine
+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated
Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

40 PATCHES
3.57 x 3.31"
(9.0 x 8.4cm)

Guangzhou Lidocaine Import & Export Trade Co., Ltd.
475 Building A, No. 8, Dong Heng San Road,
Zhushu, Tiaohu District, Guangzhou, Guangdong, China.

©2019 Sumifun

Usage



Remove patch from
outer package



Partially peel back
protective film



Place on
affected area



Remove remaining
film while
pressing patch to skin



Drug Facts

Active Ingredients Purpose
Lidocaine 4% Topical anesthetic
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint
pains in the wrist, knees, back, neck, hips, shoulders,
elbows.

Warnings

For external use only

- Do not use
- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or lotions
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or
nose
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering,
or other discomfort occur
- symptoms persist for more than 7 days



6 97791 615143 1

KEEP OUT OF REACH OF CHILDREN.
If swallowed accidentally, get medical help or
contact with Poison Control Center immediately.

Directions

- Adults and Children above 12 years old
- Clean and dry the affected area
- Tear off the protective film and apply the exposed
part of the patch to the affected area
- Carefully remove remaining film while pressing
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour
application.
- Children under age of 12: Consult a doctor

Inactive Ingredients

Dihydroxyaluminum Aminoacetate, Edetate
Disodium, Glycerin, Hydroxyoctophenone,
Kathon, L-Ascorbic Acid, Menthylol, Propylene
Glycol, Polyacrylic Acid, Polyvinylpyrrolidone K90,
Polyethylene Glycol, Sodium Polycarboxylate,
Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com
Business Cooperation:
business@sumifunofficial.com

©2019 Sumifun

Lidocaine +Menthol
 www.sumifunofficial.com
 YouTube: @sumifun
 Facebook: @sumifunOfficial
 Instagram: @sumifunofficial
 TikTok: @sumifunofficial
 Twitter: @sumifunOfficial

41
 PATCHES

Maximum Strength

Sumifun®

Lidocaine
 +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away

LONG LASTING
 -8H-

4% LIDOCAINE
1% MENTHOL

41 PATCHES
 (3.5" x 3.5")
 (10cm x 10cm)

Guangzhou Lidocaine Import & Export Trade Co., Ltd.
 #10 Building A, No. 8, Dong Hong San Road,
 Zhushan, Tiesha District, Guangzhou, Guangdong, China.

Usage

- Remove patch from outer package
- Partially peel back protective film
- Place on affected area
- Remove remaining film while pressing patch to skin

unifun

Knee Back Neck Elbow Shoulder

Drug Facts

Active Ingredients	Purpose
Lidocaine 4%	Topical anesthetic
Menthol 1%	Topical analgesic

Uses
 Temporarily relieves muscle soreness and minor joint pain in the wrist, knee, back, neck, hip, shoulder, and elbow.

Warnings
For external use only

- do not use on wounds or damaged skin
- with a heating pad or device
- with other anesthetics, creams, ointments, or lotions
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or mucus
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering, or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,
 ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive Ingredients
 Dihydroaluminum Ammonosulfate, Ethylate Disulfide, Glycerin, Hydroxyethylmethacrylate, Kaolin, (+)-Sorbic Acid, Mineral oil, Polyacrylate 90, Polyacrylic Acid, Polypropylene Glycol, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

6 9 7 9 1 6 0 5 1 4 3 4 8

Lidocaine + Menthol

www.sumifun.com YouTube: @sumifun
 Instagram: @sumifunofficial Facebook: @sumifunofficial
 TikTok: @sumifunofficial Twitter: @sumifunofficial

42
PATCHES

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away

LONG LASTING

8H

4% LIDOCAINE
1% MENTHOL

42 PATCHES
6.5" x 3.58" (16.5 x 9.1cm)

Usage

- 1  Remove patch from outer package
- 2  Partially peel back protective film
- 3  Place on affected area
- 4  Remove remaining film while pressing patch to skin

Sumifun®


Knee


Back


Neck


Elbow


Shoulder

Drug Facts

Active ingredients Lidocaine 4% **Purpose** Topical anesthetic
 Menthol 1% **Topical analgesic**

Uses
 Temporarily relieves muscle aches and minor joint pain in the wrist, knee, back, neck, hips, shoulders, elbows.

Warnings
For external use only

Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or water
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.
 If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions
Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients
 Ethylhexylmethacrylate, Acrylamide, Stenatol, Lidocaine, Diphenol, Hydroxyethylphenone, Phthalic Lithium Acid, Methylol, Polyacrylate, Polyethylene Glycol, Polyethylene Glycol, Polyethylene Glycol, Triethylamine, Disodium Phosphate

Questions or Comments:
 support@sumifunofficial.com
Business Cooperation:
 business@sumifunofficial.com

Child Resistant Packaging

Guangzhou Lidocaine Import & Export Trade Co., Ltd.
 #18 Building 24, No. 8, Gongtang East Road,
 Zhuzhou, Tianhe District, Guangzhou, Guangdong, China.

made in China

Lidocaine +Menthol

43 PATCHES

www.sumifun.com
YouTube: @sumifun
Facebook: @sumifunOfficial
Twitter: @sumifunOfficial
Instagram: @sumifunOfficial
TikTok: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

- Fast Acting
- Stay-put Flexible Patch
- Cooling & Numbs Pain Away



4% LIDOCAINE
1% MENTHOL

43 PATCHES
2.5" X 3.54"
(Pack of 43)

Guangzhou Huananmei Import & Export Trade Co., Ltd.
3/F, Building A, No. 8, Donghuang Sun Park,
Zhuangzi, Tianpu, Lufei, Guangzhou, Guangdong, China.

©2020/2021

Usage



Remove patch from outer package



Partially peel back protective film



Place on affected area



Remove remaining film while pressing patch to skin

unijuns



Drug Facts

Active Ingredients Lidocaine 4%
Purpose Topical anesthetic
Menthol 1% Topical analgesic

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knee, back, neck, hip, shoulders, elbows.

Warnings

For external use only

- do not use on damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or robes
- do not bandage tightly

Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

If pregnant or breast-feeding,

ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

- Adults and Children above 12 years old
- Clean and dry the affected area.
- Peel off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.
- Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyacetone Ammonium Acrylate, Citrate Dioxide, Glycine, Hydroxypropylcellulose, Kaelin, L(+)-Tartaric Acid, Mineral Oil, Polyacrylate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifun.com
Business Cooperation:
business@sumifun.com

Child Resistant Packaging



6 977916 514362



PAIN RELIEF GEL-PATCH

lidocaine and menthol patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-172
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
KAOLIN (UNII: 24H4NWX5CO)	

TARTARIC ACID (UNII: W4888I119H)
WATER (UNII: 059QF0KO0R)
DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS (UNII: 1K713C615K)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JNI2J)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
MINERAL OIL (UNII: T5L8T28FGP)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
GLYCERIN (UNII: PDC6A3C0OX)
EDETATE DISODIUM (UNII: 7FLD91C86K)
POVIDONE K90 (UNII: RDH86HJV5Z)
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-172-12	12 in 1 BOX	04/10/2025	
1		12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:83602-172-16	16 in 1 BOX	04/10/2025	
2		12 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:83602-172-13	13 in 1 BOX	04/10/2025	
3		12 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:83602-172-14	14 in 1 BOX	04/10/2025	
4		12 g in 1 PATCH; Type 0: Not a Combination Product		
5	NDC:83602-172-17	17 in 1 BOX	04/10/2025	
5		12 g in 1 PATCH; Type 0: Not a Combination Product		
6	NDC:83602-172-19	19 in 1 BOX	04/10/2025	
6		12 g in 1 PATCH; Type 0: Not a Combination Product		
7	NDC:83602-172-20	20 in 1 BOX	04/10/2025	
7		12 g in 1 PATCH; Type 0: Not a Combination Product		
8	NDC:83602-172-	21 in 1 BOX	04/10/2025	

21	21 in 1 BOX	04/10/2025	
8	12 g in 1 PATCH; Type 0: Not a Combination Product		
9	NDC:83602-172-22 22 in 1 BOX	04/10/2025	
9	12 g in 1 PATCH; Type 0: Not a Combination Product		
10	NDC:83602-172-23 23 in 1 BOX	04/10/2025	
10	12 g in 1 PATCH; Type 0: Not a Combination Product		
11	NDC:83602-172-26 26 in 1 BOX	04/10/2025	
11	12 g in 1 PATCH; Type 0: Not a Combination Product		
12	NDC:83602-172-24 24 in 1 BOX	04/10/2025	
12	12 g in 1 PATCH; Type 0: Not a Combination Product		
13	NDC:83602-172-27 27 in 1 BOX	04/10/2025	
13	12 g in 1 PATCH; Type 0: Not a Combination Product		
14	NDC:83602-172-29 29 in 1 BOX	04/10/2025	
14	12 g in 1 PATCH; Type 0: Not a Combination Product		
15	NDC:83602-172-30 30 in 1 BOX	04/10/2025	
15	12 g in 1 PATCH; Type 0: Not a Combination Product		
16	NDC:83602-172-32 32 in 1 BOX	04/10/2025	
16	12 g in 1 PATCH; Type 0: Not a Combination Product		
17	NDC:83602-172-33 33 in 1 BOX	04/10/2025	
17	12 g in 1 PATCH; Type 0: Not a Combination Product		
18	NDC:83602-172-34 34 in 1 BOX	04/10/2025	
18	12 g in 1 PATCH; Type 0: Not a Combination Product		
19	NDC:83602-172-35 35 in 1 BOX	04/10/2025	
19	12 g in 1 PATCH; Type 0: Not a Combination Product		
20	NDC:83602-172-36 36 in 1 BOX	04/10/2025	
20	12 g in 1 PATCH; Type 0: Not a Combination Product		
21	NDC:83602-172-37 37 in 1 BOX	04/10/2025	
21	12 g in 1 PATCH; Type 0: Not a Combination Product		
22	NDC:83602-172-38 38 in 1 BOX	04/10/2025	
22	12 g in 1 PATCH; Type 0: Not a Combination Product		
	NDC:83602-172-39		

23	NDC:83602-172-39	39 in 1 BOX	04/10/2025	
23		12 g in 1 PATCH; Type 0: Not a Combination Product		
24	NDC:83602-172-40	40 in 1 BOX	04/10/2025	
24		12 g in 1 PATCH; Type 0: Not a Combination Product		
25	NDC:83602-172-41	41 in 1 BOX	04/10/2025	
25		12 g in 1 PATCH; Type 0: Not a Combination Product		
26	NDC:83602-172-42	42 in 1 BOX	04/10/2025	
26		12 g in 1 PATCH; Type 0: Not a Combination Product		
27	NDC:83602-172-43	43 in 1 BOX	04/10/2025	
27		12 g in 1 PATCH; Type 0: Not a Combination Product		
28	NDC:83602-172-44	44 in 1 BOX	04/10/2025	
28		12 g in 1 PATCH; Type 0: Not a Combination Product		
29	NDC:83602-172-45	45 in 1 BOX	04/10/2025	
29		12 g in 1 PATCH; Type 0: Not a Combination Product		
30	NDC:83602-172-46	46 in 1 BOX	04/10/2025	
30		12 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/10/2025	

Labeler - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Registrant - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 7/2025

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.