

**PAIN RELIEF GEL-PATCH- lidocaine and menthol patch**  
**Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.**

-----  
**Liuquanmiao, Lidocaine+Menthol Pain Relief Gel-Patch, Lidocaine 4%, Menthol 1%, 15 Patches**

**Active ingredients**

Lidocaine 4% ..... Purpose: Topical anesthetic

Menthol 1% ..... Purpose: Topical analgesic

**Purpose**

Topical anesthetic (Lidocaine)

Topical analgesic (Menthol)

**Uses**

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

**Warnings**

**For external use only**

**Do not use**

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

**When using this product**

- use only as directed
- avoid contact with the eyes, mucous membranes or rashes
- do not bandage tightly

**Stop use and ask a doctor if**

- skin reactions such as redness, swelling, blistering or other discomfort occur
- symptoms persist for more than 7 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

**Directions**

**Adult and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed part of the patch to the affected area.
- Carefully remove remaining film while pressing the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour application.

**Children under age of 12:**Consult a doctor

**Inactive ingredients**

Dihydroxyaluminium Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

**Questions or Comments:**

supports@sumifunofficial.com

**172-45**









14 PATCHES

Lidocaine +Menthol

www.sumifunofficial.com

INS: @sumifunofficial

Facebook: @sumifunOfficial

Twitter: @sumifunOfficial

TikTok: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine +Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away

LONG LASTING

-8H-

4% LIDOCAINE

1% MENTHOL

14 PATCHES

5.5"X 3.94"

(14cm X 10cm)

Guangzhou Lidoqumiao Import & Export Trade Co., Ltd.

41X Building A, No. 8, Dong Heng San Road,

Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

Usage

1 Remove patch from outer package

2 Partially peel back protective film

3 Place on affected area

4 Remove remaining film while pressing patch to skin

unjin

Knee Back Neck Elbow Shoulder

Drug Facts

Active ingredients

Lidocaine 4% Topical anesthetic

Menthol 1% Topical analgesic

Purpose

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Uses

For external use only

Do not use

on wounds or damaged skin

with a heating pad or device

with other ointments, creams, sprays, or liniments

if you are allergic to any ingredients of this product

When using this product

use only as directed

avoid contact with the eyes, mucous membranes, or rashes

do not bandage tightly

Stop use and ask a doctor if

skin reactions such as redness, swelling, blistering or other discomfort occur

symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the affected area.

Carefully remove remaining film while pressing the patch firmly on the skin.

Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Kaolin, L-Aspartic Acid, Mineral oil, Polyacrylate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polyacrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:

business@sumifunofficial.com

Child Resistant Packaging

6 9 7 9 1 6 5 1 4 1 2 6

172-16



17

PATCHES

Lidocaine

+Menthol

www.sumifunofficial.com

YouTube: @sumifun

Instagram: @sumifunofficial

Facebook: @sumifunOfficial

Twitter: @sumifunOfficial

INS: @sumifunofficial

TIKTOK: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine

+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated Nerves And Relieves Pain:

✓

Fast Acting

✓

Stay-put Flexible Patch

✓

Cooling & Numbs Pain Away

LONG LASTING

-8H-

4% LIDOCAINE

1% MENTHOL

17

PATCHES

5.5" X 3.94"

(14cm X 10cm)

Guangzhou Liuganmao Import & Export Trade Co., Ltd.

412 Building A, He & Dong Hong San Road,

Zhuozhen, Tianhe District, Guangzhou Guangdong, China.

Made in PRC

Usage

1

Remove patch from outer package

2

Partially peel back protective film

3

Place on affected area

4

Remove remaining film while pressing patch to skin

unifun

®

Knee

Back

Neck

Elbow

Shoulder

Drug Facts

Active Ingredients

Lidocaine 4%.....Topical anesthetic

Menthol 1%.....Topical analgesic

Purpose

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Uses

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Temporarily relieves muscle soreness and minor joint pains in the wrist, knees, back, neck, hips, shoulders, elbows.

Warnings

For external use only

Do not use

on wounds or damaged skin

with a heating pad or device

with other ointments, creams, sprays, or liniments

if you are allergic to any ingredients of this product

When using this product

use only as directed

avoid contact with the eyes, mucous membranes, or rashes

do not bandage tightly

Stop use and ask a doctor if

skin reactions such as redness, swelling, blistering or other discomfort occur

symptoms persist for more than 7 days

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or contact with Poison Control Center immediately.

Directions

Adults and Children above 12 years old:

Clean and dry the affected area.

Tear off the protective film and apply the exposed part of the patch to the affected area.

Carefully remove remaining film while pressing the patch firmly on the skin.

Remove patch from the skin after at most 8-hour application.

Children under age of 12: Consult a doctor

Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate Disodium, Glycerin, Hydroxyacetophenone, Xanthin, L-Lys-Tartaric Acid, Mineral oil, Polysorbate 80, Polyacrylic Acid, Polyvinylpyrrolidone K90, Propylene Glycol, Sodium Polycrylate, Titanium Dioxide, Water.

Questions or Comments:

support@sumifunofficial.com

Business Cooperation:

business@sumifunofficial.com

Child Resistant Packaging

6 9 7 7 9 1 6 5 1 4 1 4 0

172-19

Lidocaine +Menthol

19  
PATCHES

www.sumifunofficial.com  
YouTube: @sumifun  
Instagram: @sumifunofficial  
Facebook: @sumifunOfficial  
Twitter: @sumifunOfficial  
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

Lidocaine  
+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated  
Nerves And Relieves Pain :

✓ Fast Acting

✓ Stay-put Flexible Patch

✓ Cooling & Numbs Pain Away



4% LIDOCAINE  
1% MENTHOL

19 PATCHES  
5.5" X 3.94"  
(14cm X 10cm)

Guangzhou Luqueimiao Import & Export Trade Co., Ltd.  
412 Building A, No. 8, Dong Hong San Road,  
Zhushan, Tianhe District, Guangzhou Guangdong, China.

Made in PRC

## Usage



Remove patch from  
outer package



Partially peel back  
protective film



Place on  
affected area



Remove remaining  
film while  
pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

### Drug Facts

**Active ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical anesthetic  
Menthol 1% ..... Topical analgesic

### Uses

Temporarily relieves muscle soreness and minor joint  
pains in the wrist, knees, back, neck, hips, shoulders,  
elbows.

### Warnings

**For external use only**

### Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or  
rashes
- do not bandage tightly

### Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering  
or other discomfort occur
- symptoms persist for more than 7 days



6 077916 514157

**If pregnant or breast-feeding,**  
ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**  
If swallowed accidentally, get medical help or  
contact with Poison Control Center immediately.

### Directions

**Adults and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed  
part of the patch to the affected area.
- Carefully remove remaining film while pressing  
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour  
application.

### Inactive ingredients

Dihydroxyaluminum Aminoacetate, Edetate  
Disodium, Glycerin, Hydroxyacetophenone,  
Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate  
80, Polyacrylic Acid, Polyvinylpyrrolidone K90,  
Propylene Glycol, Sodium Polycrylate,  
Titanium Dioxide, Water.

### Questions or Comments:

support@sumifunofficial.com  
**Business Cooperation:**  
business@sumifunofficial.com

Child Resistant Packaging

172-20

20  
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com  
YouTube: @sumifun  
Facebook: @sumifunOfficial  
Instagram: @sumifunofficial  
TikTok: @sumifunofficial  
Twitter: @sumifunOfficial

Maximum Strength

Sumifun®

Lidocaine  
+Menthol

Pain Relief Gel-Patch

Desensitizes Aggravated  
Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE  
1% MENTHOL

20 PATCHES  
3.5" X 3.94"  
(10cm X 10cm)

Guangzhou Luquanmao Import & Export Trade Co., Ltd.  
415 Building A, No. 8, Dong Heng San Road,  
Zhuochi Town District, Guangzhou/Guangdong, China;

MADE IN PRC

## Usage



Remove patch from  
outer package



Partially peel back  
protective film



Place on  
affected area



Remove remaining  
film while  
pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

## Drug Facts

**Active Ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical anesthetic  
Menthol 1% ..... Topical analgesic

## Uses

Temporarily relieves muscle soreness and minor joint  
pains in the wrist, knees, back, neck, hips, shoulders,  
elbows.

## Warnings

**For external use only**

## Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

## When using this product

- Use only as directed
- avoid contact with the eyes, mucous membranes, or  
rashes
- do not bandage tightly

## Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering  
or other discomfort occur
- symptoms persist for more than 7 days



6 9 7 7 9 1 6 5 1 4 1 6 4

**If pregnant or breast-feeding,**  
ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**  
If swallowed accidentally, get medical help or  
contact with Poison Control Center immediately.

## Directions

**Adults and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed  
part of the patch to the affected area.
- Carefully remove remaining film while pressing  
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour  
application.

**Children under age of 12:** Consult a doctor

## Inactive ingredients

Oily/droxyaluminum, Aminocaproate, Edetate  
Disodium, Glycerin, Hydroxyacetophenone,  
Kaolin, L(+)-Tartaric Acid, Mineral oil, Polysorbate  
80, Polyacrylic Acid, Polyvinylpyrrolidone K90,  
Propylene Glycol, Sodium Polyacrylate,  
Titanium Dioxide, Water.

## Questions or Comments:

support@sumifunofficial.com

**Business Cooperation:**  
business@sumifunofficial.com

Child Resistant Packaging

21  
PATCHES

Lidocaine +Menthol

www.sumifunofficial.com  
 YouTube: @sumifun  
 Facebook: @sumifunOfficial  
 Instagram: @sumifunofficial  
 TikTok: @sumifunofficial

Maximum Strength

Sumifun®

# Lidocaine +Menthol

## Pain Relief Gel-Patch

Desensitizes Aggravated  
Nerves And Relieves Pain:

✓ Fast Acting

✓ Stay-put Flexible Patch

✓ Cooling & Numbs Pain Away



4% LIDOCAINE  
1% MENTHOL

21 PATCHES  
5.5"X 3.94"  
(14cm X 10cm)

Guangzhou Lianxinmao Import & Export Trade Co., Ltd.  
 417 Building A, No. 8, Dong Hong San Road,  
 Zhucun, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

### Usage



Remove patch from  
outer package



Partially peel back  
protective film



Place on  
affected area



Remove remaining  
film while  
pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

#### Drug Facts

**Active ingredients** ..... **Purpose**  
 Lidocaine 4% ..... Topical anesthetic  
 Menthol 1% ..... Topical analgesic

#### Uses

Temporarily relieves muscle soreness and minor joint  
pains in the wrist, knees, back, neck, hips, shoulders,  
elbows.

#### Warnings

For external use only

#### Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or  
rashes
- do not bandage tightly

#### Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering  
or other discomfort occur
- symptoms persist for more than 7 days



6 6 7 7 5 1 6 5 1 4 1 7 1

If pregnant or breast-feeding,  
ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.**

If swallowed accidentally, get medical help or  
contact with Poison Control Center immediately.

#### Directions

Adults and Children above 12 years old:

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed  
part of the patch to the affected area.
- Carefully remove remaining film while pressing  
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour  
application.

Children under age of 12: Consult a doctor

#### Inactive ingredients

Dihydroxyethylamine Acrylate, Ethylate,  
Docusate, Glycol, Hydroxyacetophenone,  
Kaoiln, Li(+)-Tartaric Acid, Mineral oil, Polyorbate  
80, Polyacrylic Acid, Polyvinylpyrrolidone K80,  
Propylene Glycol, Sodium Polyacrylate,  
Titanium Dioxide, Water.

#### Questions or Comments:

support@sumifunofficial.com

Business Cooperation:  
business@sumifunofficial.com

Child Resistant Packaging









172-26







Lidocaine +Menthol

30  
PATCHES

www.sumifunofficial.com  
YouTube: @sumifun  
Facebook: @sumifunOfficial  
Instagram: @sumifunofficial  
Twitter: @sumifunOfficial  
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

**Lidocaine**  
+Menthol

**Pain Relief Gel-Patch**

Desensitizes Aggravated  
Nerves And Relieves Pain:

☒ Fast Acting

☒ Stay-put Flexible Patch

☒ Cooling & Numbs Pain Away



4% LIDOCAINE  
1% MENTHOL

30 PATCHES  
5.5" X 3.94"  
(14cm X 10cm)

Guangzhou Luxurmax Import & Export Trade Co., Ltd.  
411 Building A, No. 8, Deng Heng San Road,  
Zhuang Tianhe District, Guangzhou/Guangdong, China.

Made in PRC

## Usage



Remove patch from  
outer package



Partially peel back  
protective film



Place on  
affected area



Remove remaining  
film while  
pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

## Drug Facts

**Active Ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical anesthetic  
Menthol 1% ..... Topical analgesic

**Uses**  
Temporarily relieves muscle soreness and minor joint  
pains in the wrist, knees, back, neck, hips, shoulders,  
elbows.

**Warnings**  
*For external use only*  
**Do not use**  
• on wounds or damaged skin  
• with a heating pad or device  
• with other ointments, creams, sprays, or lotions  
• if you are allergic to any ingredients of this product

**When using this product**  
• use only as directed  
• avoid contact with the eyes, mucous membranes, or  
washes  
• do not bandage tightly

**Stop use and ask a doctor if**  
• skin reactions such as redness, swelling, blistering  
or other discomfort occur  
• symptoms persist for more than 7 days



6 97791 615142 49

**If pregnant or breast-feeding,**  
ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.**  
If swallowed accidentally, get medical help or  
contact with Poison Control Center immediately.

**Directions**  
Adults and Children above 12 years old:  
• Clean and dry the affected area.  
• Tear off the protective film and apply the exposed  
part of the patch to the affected area.  
• Carefully remove remaining film while pressing  
the patch firmly on the skin.  
• Remove patch from the skin after at most 8-hour  
application.  
Children under age of 12: Consult a doctor

**Inactive ingredients**  
Dihydroxyaluminum Aminoacetate, Edetate  
Disodium, Glycine, Hydroxyacetophenone,  
Isobutyl, L-Aspartic Acid, Mineral oil, Polycarbonate  
80, Polyacrylic Acid, Polyvinylpyrrolidone K80,  
Propylene Glycol, Sodium Polyacrylate,  
Titanium Dioxide, Water.

**Questions or Comments:**  
support@sumifunofficial.com  
**Business Cooperation:**  
business@sumifunofficial.com

Child Resistant Packaging

Lidocaine +Menthol

32  
PATCHES

www.sumifunofficial.com  
YouTube @sumifun  
Facebook @sumifunOfficial  
Instagram @sumifunofficial  
Twitter @sumifunofficial

Maximum Strength

Sumifun®

# Lidocaine +Menthol

## Pain Relief Gel-Patch

Desensitizes Aggravated  
Nerves And Relieves Pain:

Fast Acting

Stay-put Flexible Patch

Cooling & Numbs Pain Away



4% LIDOCAINE  
1% MENTHOL

32 PATCHES  
5.67" X 3.94"  
(14cm X 10cm)

Guangzhou Lianqumiao Import & Export Trade Co., Ltd.  
#2 Building A, No. 6, Dong Heng 3rd Road,  
Zhusha, Tianhe District, Guangzhou, Guangdong, China

100% NITRO

### Usage



Remove patch from  
outer package



Partially peel back  
protective film



Place on  
affected area



Remove remaining  
film while  
pressing patch to skin

unijun



Knee



Back



Neck



Elbow



Shoulder

#### Drug Facts

**Active Ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical anesthetic  
Menthol 1% ..... Topical analgesic

**Uses**  
Temporarily relieves muscle soreness and minor joint  
pains in the wrist, knee, back, neck, hips, shoulders,  
elbows.

**Warnings**  
**For external use only**  
**Do not use**  
• on wounds or damaged skin  
• with a heating pad or device  
• with other ointments, creams, sprays, or lotions  
• if you are allergic to any ingredients of this product

**When using this product**  
• use only as directed  
• avoid contact with the eyes, mucous membranes, or  
masks  
• do not bandage tightly

**Stop use and ask a doctor if**  
• skin reactions such as redness, swelling, blistering  
or other discomfort occur  
• symptoms persist for more than 7 days



6 97791 6 51425 6

**If pregnant or breast-feeding,**  
ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.**  
If swallowed accidentally, get medical help or  
contact with Poison Control Center immediately.

**Directions**  
**Adults and Children above 12 years old:**  
• Clean and dry the affected area.  
• Tear off the protective film and apply the exposed  
part of the patch to the affected area.  
• Carefully remove remaining film while pressing  
the patch firmly on the skin.  
• Remove patch from the skin after at most 8-hour  
application.  
**Children under age of 12:** Consult a doctor

**Inactive ingredients**  
Dihydroxyaluminum Aminoacetate, Edetate  
Disodium, Glycerin, Hydroxypropylcholine,  
Kaolin, L-Lysine, L-Tartaric Acid, Mineral oil, Polycarbonate  
80, Polyacrylic Acid, Polyvinylpyrrolidone K90,  
Propylene Glycol, Sodium Polycrylate,  
Titanium Dioxide, Water.

**Questions or Comments:**  
support@sumifunofficial.com  
**Business Cooperation:**  
business@sumifunofficial.com  
Child Resistant Packaging

Lidocaine +Menthol

33  
PATCHES

www.sumifunofficial.com  
Instagram: @sumifunofficial  
YouTube: @sumifun  
Facebook: @sumifunOfficial  
Twitter: @sumifunOfficial  
TikTok: @sumifunofficial

Maximum Strength

Sumifun®

# Lidocaine +Menthol

## Pain Relief Gel-Patch

Desensitizes Aggravated  
Nerves And Relieves Pain :

✓ Fast Acting

✓ Stay-put Flexible Patch

✓ Cooling & Numbs Pain Away



4% LIDOCAINE  
1% MENTHOL

33 PATCHES  
5.5"X 3.94"  
(About 8 Hours)

Guangzhou Lijuanxin Import & Export Trade Co., Ltd.  
#17 Building A, No. 8, Dong Heng San Road,  
Zhuexin, Tianhe District, Guangzhou, Guangdong, China.

Made in PRC

### Usage



Remove patch from  
outer package



Partially peel back  
protective film



Place on  
affected area



Remove remaining  
film while  
pressing patch to skin

Sumifun®



Knee



Back



Neck



Elbow



Shoulder

#### Drug Facts

**Active Ingredients** ..... **Purpose**  
Lidocaine 4% ..... Topical anesthetic  
Menthol 1% ..... Topical analgesic

#### Uses

Temporarily relieves muscle soreness and minor joint  
pains in the wrist, knees, back, neck, hips, shoulders,  
elbows.

#### Warnings

**For external use only**

#### Do not use

- on wounds or damaged skin
- with a heating pad or device
- with other ointments, creams, sprays, or liniments
- if you are allergic to any ingredients of this product

#### When using this product

- use only as directed
- avoid contact with the eyes, mucous membranes, or  
mashes
- do not bandage tightly

#### Stop use and ask a doctor if

- skin reactions such as redness, swelling, blistering  
or other discomfort occur
- symptoms persist for more than 7 days



6 9 779 1 6 5 1 4 2 6 3

#### If pregnant or breast-feeding,

ask a health professional before use.

#### KEEP OUT OF REACH OF CHILDREN.

If swallowed accidentally, get medical help or  
contact with Poison Control Center immediately.

#### Directions

**Adults and Children above 12 years old:**

- Clean and dry the affected area.
- Tear off the protective film and apply the exposed  
part of the patch to the affected area.
- Carefully remove remaining film while pressing  
the patch firmly on the skin.
- Remove patch from the skin after at most 8-hour  
application.

**Children under age of 12:** Consult a doctor

#### Inactive Ingredients

Dihydroxydimethylammonium Acrylate, Edetate  
Disodium, Glycerin, Hydroxyacetophenone,  
Kaoil, L-L-Tartaric Acid, Mineral oil, Polyborate  
80, Polyacrylic Acid, Polyvinylpyrrolidone 100,  
Propylene Glycol, Sodium Polycrylate,  
Titanium Dioxide, Water.

#### Questions or Comments:

support@sumifunofficial.com

#### Business Cooperation:

business@sumifunofficial.com

Child Resistant Packaging









**172-38**

















172-46



## PAIN RELIEF GEL-PATCH

lidocaine and menthol patch

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83602-172
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.01 g in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>KAOLIN</b> (UNII: 24H4NWX5CO)	

<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>DIHYDROXYALUMINUM AMINOACETATE ANHYDROUS</b> (UNII: 1K713C615K)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POVIDONE K90</b> (UNII: RDH86HJV5Z)	
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	

### Product Characteristics

Color	white	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83602-172-12	12 in 1 BOX	04/10/2025	
1	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:83602-172-16	16 in 1 BOX	04/10/2025	
2	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
3	NDC:83602-172-13	13 in 1 BOX	04/10/2025	
3	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
4	NDC:83602-172-14	14 in 1 BOX	04/10/2025	
4	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
5	NDC:83602-172-17	17 in 1 BOX	04/10/2025	
5	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
6	NDC:83602-172-19	19 in 1 BOX	04/10/2025	
6	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
7	NDC:83602-172-20	20 in 1 BOX	04/10/2025	
7	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
8	NDC:83602-172-	21 in 1 BOX	04/10/2025	

8	21	21 in 1 BOX	04/10/2025	
8	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
9	NDC:83602-172-22	22 in 1 BOX	04/10/2025	
9	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
10	NDC:83602-172-23	23 in 1 BOX	04/10/2025	
10	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
11	NDC:83602-172-26	26 in 1 BOX	04/10/2025	
11	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
12	NDC:83602-172-24	24 in 1 BOX	04/10/2025	
12	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
13	NDC:83602-172-27	27 in 1 BOX	04/10/2025	
13	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
14	NDC:83602-172-29	29 in 1 BOX	04/10/2025	
14	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
15	NDC:83602-172-30	30 in 1 BOX	04/10/2025	
15	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
16	NDC:83602-172-32	32 in 1 BOX	04/10/2025	
16	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
17	NDC:83602-172-33	33 in 1 BOX	04/10/2025	
17	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
18	NDC:83602-172-34	34 in 1 BOX	04/10/2025	
18	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
19	NDC:83602-172-35	35 in 1 BOX	04/10/2025	
19	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
20	NDC:83602-172-36	36 in 1 BOX	04/10/2025	
20	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
21	NDC:83602-172-37	37 in 1 BOX	04/10/2025	
21	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
22	NDC:83602-172-38	38 in 1 BOX	04/10/2025	
22	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
	NDC:83602-172-01			

23	NDC:83602-172-39	39 in 1 BOX	04/10/2025	
23	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
24	NDC:83602-172-40	40 in 1 BOX	04/10/2025	
24	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
25	NDC:83602-172-41	41 in 1 BOX	04/10/2025	
25	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
26	NDC:83602-172-42	42 in 1 BOX	04/10/2025	
26	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
27	NDC:83602-172-43	43 in 1 BOX	04/10/2025	
27	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
28	NDC:83602-172-44	44 in 1 BOX	04/10/2025	
28	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
29	NDC:83602-172-45	45 in 1 BOX	04/10/2025	
29	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		
30	NDC:83602-172-46	46 in 1 BOX	04/10/2025	
30	NDC:83602-172-01	12 g in 1 PATCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/10/2025	

**Labeler** - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

**Registrant** - Guangzhou Liuquanmiao Import & Export Trade Co., Ltd. (418399704)

Revised: 4/2025

Guangzhou Liuquanmiao Import & Export Trade Co., Ltd.