

SALICYLIC ACID- liquid corn and callus remover liquid
Chain Drug Marketing Association Inc.

Quality Choice Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17%w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eyes, flush with water for 15 minutes

Stop and ask a doctor

if discomfort persists, see your doctor or podiatrist

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushions with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information

store between 20°C to 30°C (68°F to 86°F)

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-248-449-9300

Principal Display Panel

QC

Quality Choice**Liquid Corn and
Callus Remover**

Salicylic Acid

Cushions Against Pain and Pressure

Removes Corns and Calluses Safely

3 Cushions

1/3 FL OZ (9.8 mL)

NDC 63868-298-03

QC
QUALITY CHOICE

*Compare to
DR. SCHOLL'S®

Liquid Corn and Callus Remover

Salicylic Acid

Cushions Against Pain and Pressure
Removes Corns and Calluses Safely

FPO

Blister and Product Covers This Area

3 Cushions 1/3 FL OZ (9.8 mL)

QC
QUALITY CHOICE

Liquid Corn and Callus Remover

Salicylic Acid

Cushions Against Pain and Pressure
Removes Corns and Calluses Safely

Drug Facts

Active ingredient	Purpose
Salicylic acid 17% w/w	Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings
For external use only.

Flammable

- keep away from fire or flame
- cap bottle tightly and store at room temperature away from heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

Stop use and ask a doctor
if discomfort persists, see your doctor or podiatrist.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly
- apply one drop at a time with applicator, to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)

Other information store between 20° to 30°C (68° to 86 F°)

Inactive ingredients camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions? Call 1-248-449-9300

IMPORTANT: CLOSE CAP TIGHTLY AFTER USE

SATISFACTION NOW GUARANTEED

Distributed by C.D.M.A., Inc.®
43157 W. Nine Mile
Novi, MI 48375-0965
www.qualitychoice.com
Questions: 248-449-9300

Made in USA 41-030QC

F.P.O.

6-35515 99384-6

SALICYLIC ACID

liquid corn and callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-298
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 9.8 mL

Inactive Ingredients

Ingredient Name	Strength
CASTOR OIL (UNII: D5340Y2I9G)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
PYROXYLIN (UNII: KYR8BR2X6O)	

Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-298-03	9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	10/01/2015	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M030	10/01/2015		

Labeler - Chain Drug Marketing Association Inc. (011920774)

Revised: 12/2024

Chain Drug Marketing Association Inc.