

**ESOMEPRAZOLE MAGNESIUM DELAYED-RELEASE CAPSULES, 20 MG -
esomeprazole magnesium delayed-release capsules, 20 mg capsule, delayed
release
ESOMEPRAZOLE MAGNESIUM DELAYED-RELEASE 20 MG MINI - esomeprazole
magnesium delayed-release 20 mg mini capsule, delayed release
MARKSANS PHARMA LIMITED**

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions. Symptoms include:
 - o skin reddening
 - o blisters
 - o rash

If an allergic reaction occurs, stop use and seek medical attention right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor before use. Heartburn in children may

sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg

Inactive ingredients black iron oxide, eudragit, FD&C Blue 1, FD&C Red 3, ferric oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, polysorbate 80, potassium hydroxide, shellac, simethicone, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate.

Esomeprazole Magnesium Delayed-Release Capsules 20 mg (Mini Capsules)

Inactive ingredients black iron oxide, corn starch, D&C red 27 aluminum lake, eudragit, FD&C blue 1, FD&C red 3, ferric oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, polysorbate 80, potassium hydroxide, shellac, simethicone, sodium lauryl sulfate, sucrose, talc, titanium dioxide, triethyl citrate

Questions or comments

Call **1-877-376-4271** (weekdays 9 AM to 5 PM)

Tips for Managing Heartburn

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

Manufactured for:

Time-Cap Labs, Inc.

7 Michael Avenue,
Farmingdale,
NY 11735, USA

Manufactured by:

Marksans Pharma Ltd.

Plot No. L-82, L-83
Verna Indl. Estate
Verna, Goa-403722, India

PRINCIPAL DISPLAY PANEL

NDC: 25000-075-76

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg

14 count bottle label

heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain

Ask a doctor or pharmacist before use if you are ■ taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if ■ your heartburn continues or worsens ■ you need to take this product for more than 14 days ■ you need to take more than 1 course of treatment every 4 months ■ you get diarrhea ■ you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ adults: 18 years of age and older: ■ this product is to be used once a day (every 24 hours), every day for 14 days ■ may take 1 to 4 days for full effect. **14-Day Course of Treatment** ■ swallow 1 capsule with a glass of water before eating in the morning ■ take every day for 14 days ■ do not take more than 1 capsule a day ■ swallow whole. Do not crush or chew capsules. ■ do not use for more than 14 days unless directed by your doctor. **Repeated 14-Day Courses (if needed)** ■ you may repeat a 14-day course every 4 months ■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information ■ read the directions and warnings before use ■ keep the carton. It contains important information.

Questions or comments? Call 1-877-376-4271 (weekdays 9 AM to 5 PM)


Manufactured for: **Time-Cap Labs, Inc.**
7 Michael Avenue, Farmingdale, NY 11735, USA

Manufactured by: **Marksans Pharma Ltd.**
Plot No. L-82, L-83, Verna Indl. Estate,
Verna, Goa-403722, India

Mfg. Lic. No.:G0DPUSS515

R20922

Adhesive Area

 **Marksans** NDC 25000-075-76

24 HOUR
Esomeprazole Magnesium
Delayed-Release Capsules USP, 20 mg
Acid Reducer

- Treats Frequent Heartburn
- May take 1 to 4 days for full effect

14 CAPSULES
One 14-day course of treatment

TAMPER EVIDENT: DO NOT USE IF THE IMPRINTED FOIL SEAL UNDER BOTTLE CAP OR BAND AROUND THE CENTER OF EACH CAPSULE IS BROKEN OR MISSING

KEEP CARTON FOR COMPLETE WARNINGS AND IMPORTANT INFORMATION

Active ingredient (in each capsule)
Esomeprazole 20 mg. Acid reducer (Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Uses ■ treats frequent heartburn (occurs 2 or more days a week) ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings Allergy alert: ■ Do not use if you are allergic to esomeprazole ■ Esomeprazole may cause severe skin reactions. Symptoms include: ■ skin reddening ■ blisters ■ rash

if an allergic reaction occurs, stop use and seek medical attention right away.

Do not use if you have: ■ trouble or pain swallowing, food, vomiting with blood, or bloody or black stools

■ heartburn with **lightheadedness, sweating or dizziness** ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness ■ frequent chest pain These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have ■ had heartburn over 3 months. This may be a sign of a more serious condition. ■ frequent wheezing, particularly with

Lot No.: _____ Exp. Date: _____

Varnish Omit Area

PEEL HERE FOR MORE INFORMATION

NDC: 25000-075-76

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg

14 count carton label

KEEP CARTON FOR COMPLETE WARNINGS AND IMPORTANT INFORMATION

Drug Facts

Active ingredient (in each capsule) Esomeprazole 20 mg (Each delayed-release capsule corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Purpose Acid reducer

Uses

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions. Symptoms include:
 - skin redness
 - blisters
 - rash
- If an allergic reaction occurs, stop use and seek medical attention right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders, or lightheadedness

Drug Facts (continued)

Frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.
- pregnant or breastfeeding, ask a health professional before use.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions ■ adults 18 years of age and older

- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

Drug Facts (continued)

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

■ children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F)

Inactive ingredients black iron oxide, eudragit, FD&C Blue 1, FD&C Red 3, ferrous oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, polyacrylate 80, potassium hydroxide, sugar spheres, stearic acid, titanium dioxide, triethyl citrate.

Questions or comments? Call 1-877-376-4271 (weekdays 9 AM to 5 PM)

Manufactured for: Time-Cap Labs, Inc.
7 Michael Avenue, Farmingdale, NY 11735, USA

Manufactured by: Marksans Pharma Ltd.
Plot No. L-82, L-83, Verna Indl. Estate, Verna, Goa-403722, India

Mfg. Lic. No. 600DMDRUS515

R20922

MISSING THE FOLIO SEAL UNDER BOTTLE CAP OR BAND AROUND THE CENTER OF EACH CAPSULE IS BROKEN OR MISSING TAMPER EVIDENCE: DO NOT USE IF THE IMPRINTED

NDC 25000-075-76

See new warning information

24 HOUR

Esomeprazole Magnesium


Delayed-Release Capsules USP, 20 mg

Acid Reducer

- Treats Frequent Heartburn
- May take 1 to 4 days for full effect

14 CAPSULES

One 14-day course of treatment



Varnish Omit

Varnish/Print Omit Area

Varnish Omit

NDC: 25000-112-76

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg (Mini capsules)

14 count bottle label

Drug Facts (continued)

- nausea or vomiting
 - stomach pain
 - **Ask a doctor or pharmacist before use if you are**
 - taking a prescription drug. Acid reducers may interact with certain prescription drugs.
 - **Stop use and ask a doctor if**
 - your heartburn continues or worsens
 - you need to take this product for more than 14 days
 - you need to take more than 1 course of treatment every 4 months
 - you get diarrhea
 - you develop a rash or joint pain
 - **If pregnant or breast-feeding, ask a health professional before use.**
 - **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
- ### Directions
- adults 18 years of age and older
 - this product is to be used once a day (every 24 hours), every day for 14 days
 - may take 1 to 4 days for full effect
- ### 14-Day Course of Treatment
- swallow 1 capsule with a glass of water before eating in the morning
 - take every day for 14 days
 - do not take more than 1 capsule a day
 - swallow whole. Do not crush or chew capsules
 - do not use for more than 14 days unless directed by your doctor
- ### Repeated 14-Day Courses (if needed)
- you may repeat a 14-day course every 4 months
 - **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
 - children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.
- ### Other Information
- read the directions and warnings before use
 - keep the carton. It contains important information.
 - store at 20-25°C (68-77°F)
- ### Inactive ingredients
- black iron oxide, corn starch, D&C red 27 aluminum lake, eudragit, FD&C Blue 1, FD&C red 3, ferric oxide yellow, gelatin, glyceryl monostearate, hydroxypropyl cellulose, hypromellose, magnesium stearate, poly sorbate 80, potassium hydroxide, shellac, simethicone, sodium lauryl sulfate, sucrose, talc, titanium dioxide, triethyl citrate

Questions or comments?

Call 1-877-376-4271 (weekdays 9 AM to 5 PM)
Manufactured for: Time-Caps Labs, Inc.
7 Michael Avenue, Farmingdale, NY 11735, USA
Manufactured by: Marksans Pharma Ltd.
Plot No. L-82, L-83, Verna Indl. Estate, Verna Goa-403722, India
Mfg. Lic. No.:60/DRUS/515 R00923

Adhesive Area

Varnish Omit Area

Lot No.:
Exp. Date:



These may be signs of a serious condition. See your doctor.

■ **Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss

■ frequent chest pain

■ sweating, pain spreading to arms, neck or shoulders; or lightheadedness

■ chest pain or shoulder pain with shortness of breath; or lightheadedness, sweating or dizziness

■ heartburn with lightheadedness, sweating or dizziness

■ or bloody or black stools

■ or trouble or pain swallowing food, vomiting with blood, or bloody or black stools

■ Do not use if you have

■ If an allergic reaction occurs, stop use and seek medical help right away.

■ symptoms may include:

- skin redness
- blisters
- rash

■ Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions.

■ **Warnings**

- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect
- treats frequent heartburn (occurs 2 or more days a week)

■ **Uses**

- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

■ **Active ingredient (in each capsule)**

- Esomeprazole 20 mg

■ **Purpose**

- Acid reducer

TAMPER EVIDENT: DO NOT USE IF THE IMPRINTED FOIL SEAL UNDER BOTTLE CAP OR BAND AROUND THE CENTER OF EACH CAPSULE IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each capsule)

■ **Purpose**

- Acid reducer

■ **Uses**

- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect
- treats frequent heartburn (occurs 2 or more days a week)

Warnings

■ Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions.

■ symptoms may include:

- skin redness
- blisters
- rash

■ If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have

■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools

■ chest pain or shoulder pain with shortness of breath; or lightheadedness, sweating or dizziness

■ heartburn with lightheadedness, sweating or dizziness

■ or bloody or black stools

■ or trouble or pain swallowing food, vomiting with blood, or bloody or black stools

Varnish Omit Area

Lot No.:
Exp. Date:



These may be signs of a serious condition. See your doctor.

■ **Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss

■ frequent chest pain

■ sweating, pain spreading to arms, neck or shoulders; or lightheadedness

■ chest pain or shoulder pain with shortness of breath; or lightheadedness, sweating or dizziness

■ heartburn with lightheadedness, sweating or dizziness

■ or bloody or black stools

■ or trouble or pain swallowing food, vomiting with blood, or bloody or black stools

■ Do not use if you have

■ If an allergic reaction occurs, stop use and seek medical help right away.

■ symptoms may include:

- skin redness
- blisters
- rash

■ Allergy alert:

- Do not use if you are allergic to esomeprazole
- Esomeprazole may cause severe skin reactions.

■ **Warnings**

- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect
- treats frequent heartburn (occurs 2 or more days a week)

■ **Uses**

- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

■ **Active ingredient (in each capsule)**

- Esomeprazole 20 mg

■ **Purpose**

- Acid reducer

 Marksans NDC 25000-112-76

Mini Capsules 24 HOUR
Esomeprazole Magnesium
Delayed-Release Capsules 20 mg
Acid Reducer


- Treats Frequent Heartburn
- May take 1 to 4 days for full effect

14 MINI CAPSULES
One 14-day course of treatment

NDC: 25000-112-76

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg (Mini capsules)

14 count carton label



ESOMEPRAZOLE MAGNESIUM DELAYED-RELEASE CAPSULES, 20 MG
 esomeprazole magnesium delayed-release capsules, 20 mg capsule, delayed release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:25000-075
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ESOMEPRAZOLE MAGNESIUM (UNII: R6DXU4WAY9) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
TALC (UNII: 7SEV7J4R1U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
SHELLAC (UNII: 46N107B71O)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
STARCH, CORN (UNII: O8232NY3SJ)	
SUCROSE (UNII: C151H8M554)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	

Product Characteristics

Color	PURPLE (golden cap and violet transparent body having light violet to violet colour band)	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	75
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:25000-075-76	1 in 1 CARTON	09/30/2023	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA217264	09/30/2023	

ESOMEPRAZOLE MAGNESIUM DELAYED-RELEASE 20 MG MINI

esomeprazole magnesium delayed-release 20 mg mini capsule, delayed release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:25000-112
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ESOMEPRAZOLE MAGNESIUM (UNII: R6DXU4WAY9) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZOLE	20 mg

Inactive Ingredients

Ingredient Name	Strength
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
STARCH, CORN (UNII: O8232NY35J)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 3 (UNII: PN2ZH5LOQY)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POTASSIUM HYDROXIDE (UNII: WZH3C48M4T)	
SHELLAC (UNII: 46N107B71O)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

Product Characteristics

Color	YELLOW (golden yellow opaque cap, transparent body, light violet to violet color	Score	no
-------	--	-------	----

Color	band)	Score	score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	112
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:25000-112-76	1 in 1 CARTON	03/18/2024	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA217264	03/18/2024	

Labeler - MARKSANS PHARMA LIMITED (925822975)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	MANUFACTURE(25000-075, 25000-112)

Revised: 3/2024

MARKSANS PHARMA LIMITED