

NERVIVE PAIN RELIEVING- lidocaine hcl and menthol spray
The Procter & Gamble Manufacturing Company

NERVIVE™ PAIN RELIEVING SPRAY

Drug Facts

Active ingredients

Lidocaine HCl 4%

Menthol 1%

Active ingredients Purpose

Topical anesthetic

Topical analgesic

Use

temporarily relieves minor pain

Warnings

For external use only

Flammable

- keep away from fire, sparks, and heated surfaces. Contents under pressure, do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

Do not use

- If you have had an allergic reaction to lidocaine or other local anesthetics
- on large areas of the body or on cut, irritated, blistered, or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- avoid contact with eyes and mucous membranes.
- do not spray in face or mouth
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken, blistered or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- a transient burning sensation may occur upon application but generally disappears in

several days

- avoid applying into skin folds

Stop use and ask a doctor if

- condition worsens
- severe burning sensation, redness, rash or irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children and pets.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years of age and older:

- spray the affected area not more than 3 to 4 times daily
- product will dry quickly on its own, and does not need to be rubbed in
- wash hands thoroughly with soap and water after each use

children under 12 years of age: ask a doctor

Store at no greater than 25°C (77°F).

Inactive ingredients

alcohol denat., isopropyl myristate, propylene glycol, water

Questions?

1-855-446-4345

Grip cap. Squeeze lines firmly.

Pull up & twist.

DIST. BY: PROCTER & GAMBLE, CINCINNATI, OH 45202


PRINCIPAL DISPLAY PANEL - 4.5 OZ

NERVIVE™

PAIN RELIEVING SPRAY

LIDOCAINE HCl & MENTHOL

NET WT 4.5 OZ (127.6 g)



NERVIVETM

PAIN RELIEVING SPRAY
LIDOCAINE HCl & MENTHOL

Drug Facts

Active ingredients	Purpose
Lidocaine HCl 4%.....	Topical anesthetic
Menthol 1%.....	Topical analgesic

Use temporarily relieves minor pain

Warnings
For external use only

Flammable

- keep away from fire, sparks, and heated surfaces. Contents under pressure, do not puncture or incinerate container. Exposure to temperatures above 120°F may cause bursting.

Do not use

- If you have had an allergic reaction to lidocaine or other local anesthetics
- on large areas of the body or on cut, irritated, blistered, or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- avoid contact with eyes and mucous membranes.
- do not spray in face or mouth
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken, blistered or irritated skin
- do not bandage tightly or apply local heat (such as heating pads) or a medicated patch to the area of use
- a transient burning sensation may occur upon application but generally disappears in several days
- avoid applying into skin folds

Stop use and ask a doctor if

- condition worsens
- severe burning sensation, redness, rash or irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions
adults and children 12 years of age and older:

- spray the affected area not more than 3 to 4 times daily
- product will dry quickly on its own, and does not need to be rubbed in
- wash hands thoroughly with soap and water after each use

children under 12 years of age: ask a doctor
Store at no greater than 25°C (77°F).

Inactive ingredients alcohol denat., isopropyl myristate, propylene glycol, water

Questions? 1-855-446-4345

BLOCKS NERVE PAIN SIGNALS

GREAT FOR HARD TO REACH
AREAS LIKE LEGS & FEET

WORKS IN MINUTES
AT THE SOURCE

NET WT 4.5 OZ (127.6 g)



**Grip cap. Squeeze lines firmly.
Pull up & twist.**

P&G Patents: www.pg.com/patents
DIST. BY: PROCTER & GAMBLE,
CINCINNATI, OH 45202

DOT2Q M5655
21322429

NDC:84126-319

Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
LIDOCAINE HYDROCHLORIDE (UNII: V13007Z41A) (LIDOCAINE - UNII:98PI200987)		LIDOCAINE HYDROCHLORIDE ANHYDROUS	4 g in 100 g	
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)		MENTHOL	1 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0KO0R)				
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
Product Characteristics				
Color	white	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84126-319-45	127.6 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/24/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	04/24/2025		

Labeler - The Procter & Gamble Manufacturing Company (004238200)