

**TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment**  
**Taro Pharmaceuticals U.S.A., Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Triple Antibiotic**

***Drug Facts***

<b><i>Active ingredients (in each gram)</i></b>	<b><i>Purpose</i></b>
Bacitracin zinc USP 400 units	First aid antibiotic
Neomycin sulfate USP 3.5 mg	First aid antibiotic
Polymyxin B sulfate USP 5,000 units	First aid antibiotic

**Uses**

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- condition persists or gets worse
- you need to use longer than 1 week
- rash or other allergic reaction develops

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- clean the affected area and dry thoroughly
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

**Other information**

- store at 20° to 25°C (68° to 77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredient**

white petrolatum

**Questions?**

Call **1-866-923-4914**

Distributed by:

**Taro Pharmaceuticals U.S.A., Inc.**

Hawthorne, NY 10532

**PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton**

**Triple Antibiotic  
Ointment**

**Original Strength**

*Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP*

**First Aid Antibiotic Ointment**

**NET WT 1 oz (28.4 g)**

NDC 51672-2016-2

Compare to the active ingredients in Neosporin®\*

# Triple Antibiotic Ointment



Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

First Aid Antibiotic Ointment

LPK-1924-6  
0814-6  
M289



Helps Prevent Infection in Minor Cuts, Scrapes, and Burns.

# Triple Antibiotic Ointment

Original Strength

Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

First Aid Antibiotic Ointment

NET WT 1 oz (28.4 g)

Triple Antibiotic Ointment  
Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

TS1



Distributed by:  
Taro Pharmaceuticals U.S.A., Inc.  
Hawthorne, NY 10532

TARO is a registered trademark of Taro Pharmaceuticals U.S.A., Inc.  
Made in Canada



3 5 1672 20162 3

NO COPY ON THIS FLAP  
FOR LOT # AND EXPIRY  
DATE PRINT

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin®

<b>Drug Facts</b>	<b>Drug Facts (continued)</b>
<b>Active ingredients (in each gram) Purpose</b> Bacitracin zinc USP 400 units.....First aid antibiotic Neomycin sulfate USP 3.5 mg.....First aid antibiotic Polymyxin B sulfate USP 5,000 units.....First aid antibiotic	<b>Directions</b> • clean the affected area and dry thoroughly • apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • may be covered with a sterile bandage
<b>Warnings</b> For external use only. <b>Do not use</b> • in the eyes • over large areas of the body • if you are allergic to any of the ingredients <b>Ask a doctor before use if you have</b> • deep or puncture wounds • animal bites • serious burns <b>Stop use and ask a doctor if</b> • condition persists or gets worse • you need to use longer than 1 week • rash or other allergic reaction develops	<b>Other information</b> • store at 20° to 25°C (68° to 77°F) • see section or tube crimp for lot number and expiration date <b>Inactive ingredient</b> White petrolatum
<b>Uses</b> First aid to help prevent infection in minor: • cuts • scrapes • burns	<b>Questions?</b> Call 1-866-823-4914

Triple Antibiotic Ointment  
Original Strength  
Bacitracin Zinc USP • Neomycin Sulfate USP • Polymyxin B Sulfate USP

## TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, and polymyxin b sulfate ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51672-2016
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Bacitracin Zinc</b> (UNII: 89Y4M234ES) (Bacitracin - UNII:58H6RWO52I)	Bacitracin	400 [iU] in 1 g
<b>Neomycin Sulfate</b> (UNII: 057Y626693) (Neomycin - UNII:I16QD7X297)	Neomycin	3.5 mg in 1 g
<b>Polymyxin B Sulfate</b> (UNII: 19371312D4) (Polymyxin B - UNII:J2VZ07J96K)	Polymyxin B	5000 [iU] in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>petrolatum</b> (UNII: 4T6H12BN9U)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:51672-2016-1	1 in 1 CARTON	12/14/1995	
1		14.2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:51672-2016-2	1 in 1 CARTON	12/14/1995	
2		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC MONOGRAPH FINAL	part333B	12/14/1995	

**Labeler** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(51672-2016)

Revised: 1/2020

Taro Pharmaceuticals U.S.A., Inc.