

STOOL SOFTENER- docusate sodium capsule
BJWC (Berkley & Jensen / BJ's)

Bjs Docusate Sodium Soft Gelatin Capsules 100 mg Dual Color

Drug Facts

Active ingredient (in each softgel)

Docusate sodium USP 100 mg

Purpose

Stool softener

Uses:

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions: take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over

adults and children 12 years and over
children 2 to under 12 years of age
children under 2 years

take 1-3 softgels daily
take 1 softgel daily
ask a doctor

Other information

- each capsule contains: **sodium 6 mg**
- keep tightly closed.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

Take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

Other information

- each capsule contains: **sodium 6 mg**
- keep tightly closed.
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).

Inactive ingredients

D&C red no. 33, FD&C blue no. 1, FD&C red no. 40, FD&C yellow no. 6, ferrous ferrioxide, gelatin, glycerin, polyethylene glycol 400, propylene glycol, purified water, shellac, sorbitol solution, titanium dioxide

Questions or comments?

Call 1-877-290-4008

STOP PEELING

Adhesive Area

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SHELLAC (UNII: 46N107B71O)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

Product Characteristics

Color	red (Pinkish red light beige translucent)	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	102
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68391-730-40	400 in 1 BOTTLE; Type 0: Not a Combination Product	08/20/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/20/2025	

Labeler - BJWC (Berkley & Jensen / BJ's) (159082692)

Registrant - TIME CAP LABORATORIES, INC. (037052099)

Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(68391-730)