

**TRIPLE ANTIBIOTIC- bacitracin, neomycin, polymyxin b, pramoxine hydrochloride ointment**  
**Publix Super Markets Inc**

-----  
**Publix Super Markets, Inc. Triple Antibiotic Ointment Drug Facts**

**Active ingredients (in each gram)**

Bacitracin zinc 500 units

Neomycin sulfate equivalent to 3.5 mg of neomycin base

Polymyxin B 10,000 units as polymyxin B sulfate

Pramoxine HCl 10 mg

**Purpose**

First aid antibiotic

External analgesic

**Uses**

first aid to help prevent infection and for temporary relief of pain or discomfort in minor:

- cuts
- scrapes
- burns

**Warnings**

**For external use only.**

**Do not use**

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor if**

- you need to use longer than 1 week

- condition persists or gets worse
- symptoms persist for more than 1 week, or clear up and occur again within a few days
- rash or other allergic reaction develops

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 2 years of age or older:
- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage
- children under 2 years of age: ask a doctor

**Other information**

- store at 68-77°F (20-25°C)

**Inactive ingredient**

white petrolatum

**Principal Display Panel**

Maximum Strength

Triple Antibiotic Ointment

BACITRACIN ZINC / NEOMYCIN SULFATE / POLYMYXIN B SULFATE / PRAMOXINE HCl

- First aid antibiotic
- Pain relieving ointment

Compare to active ingredients of Neosporin® + Pain Relief

NET WT 1 OZ (28 g)

NDC 56062-679-64

# Maximum Strength Triple Antibiotic Ointment

BACITRACIN ZINC / NEOMYCIN SULFATE /  
POLYMYXIN B SULFATE / PRAMOXINE HCl

- First aid antibiotic
- Pain relieving ointment

Compare to active ingredients of Neosporin® + Pain Relief\*



NET WT 1 OZ (28 g)

Helps prevent infection in minor cuts, scrapes & burns.

NDC 56062-679-64

# Maximum Strength Triple Antibiotic Ointment

BACITRACIN ZINC / NEOMYCIN SULFATE /  
POLYMYXIN B SULFATE / PRAMOXINE HCl

- First aid antibiotic
- Pain relieving ointment

Compare to active ingredients of Neosporin® + Pain Relief\*



NET WT 1 OZ (28 g)



Perrigo Part number: 67964 63 C1



\*This product is not affiliated with, manufactured by or produced by the makers of Neosporin®.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC.,  
3300 PUBLIX CORPORATE PARKWAY, LAKELAND, FL 33811  
1-888-267-3037 publix.com

PUBLIX GUARANTEES COMPLETE SATISFACTION OR YOUR MONEY BACK.

SCAN HERE FOR MORE INFORMATION

PAPER  
RECYCLED FIBER  
PRINTED IN THE U.S.A.

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each gram)</b></p> <p>Bacitracin zinc 500 units Neomycin sulfate equivalent to 3.5 mg of neomycin base. Polymyxin B 10,000 units as polymyxin B sulfate. Pramoxine HCl 10 mg.</p> <p><b>First aid antibiotic</b></p> <p><b>First aid antibiotic</b></p> <p><b>External analgesic</b></p> <p><b>Uses</b> First aid to help prevent infection and for temporary relief of pain or discomfort in minor: ■ cuts ■ scrapes ■ burns</p> <p><b>Warnings</b></p> <p><b>For external use only.</b></p> <p><b>Do not use</b></p> <p>■ if you are allergic to any of the ingredients</p> <p>■ in the eyes</p> <p>■ over large areas of the body</p> <p>■ Ask a doctor before use if you have</p> <p>■ deep or puncture wounds</p> <p>■ animal bites</p> <p>■ serious burns</p>	<p><b>Drug Facts</b> (continued)</p> <p>Stop use and ask a doctor if</p> <p>■ you need to use longer than 1 week</p> <p>■ condition persists or gets worse</p> <p>■ symptoms persist for more than 1 week, or clear up and occur again within a few days</p> <p>■ rash or other allergic reaction develops</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)</p> <p><b>Directions</b></p> <p>■ adults and children 2 years of age or older:</p> <p>■ clean the affected area</p> <p>■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily</p> <p>■ may be covered with a sterile bandage</p> <p>■ children under 2 years of age: ask a doctor</p> <p><b>Other information</b></p> <p>■ store at 68–77°F (20–25°C)</p> <p><b>Inactive ingredient</b> white petrolatum</p>
---	--

## TRIPLE ANTIBIOTIC

bacitracin, neomycin, polymyxin b, pramoxine hydrochloride ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:56062-679
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 [USP'U] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	10000 [USP'U] in 1 g
<b>PRAMOXINE HYDROCHLORIDE</b> (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	

Product Characteristics			
<b>Color</b>	YELLOW (Translucent)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:56062-679-64	1 in 1 CARTON	11/22/2024	
1		28 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	11/22/2024	

**Labeler** - Publix Super Markets Inc (006922009)

Revised: 11/2024

Publix Super Markets Inc