KLEERSIGHT - chlorhexidine gluconate concentrate Bradley Fixtures Corporation

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Bradley KleerSight Ultra Concentrate

WARNING: DO NOT USE IF SEAL IS BROKEN OR MISSING. USE ONLY AS DIRECTED AND BEFORE EXP. DATE. DO NOT USE FULL STRENGTH IN THE EYE. DO NOT FREEZE.

DIRECTIONS:

- 1. Clean portable self-contained station.
- 2. Rinse with portable water.
- 3. Partially fill station with portable water.
- 4. Add entire contents of bottle.
- 5. Fill tank completely with portable water.
- 6. Date station's inspection tag.
- 7. Change solution every 120 days or less as required.

TESTING:

Follow manufacturer's instructions for testing the portable self-contained station.

REPRESENTATIVE PACKAGING

Bradley KleerSight $^{
m TM}$ ULTRA CONCENTRATE EYE WASH STATION PRESERVATIVE

WARNING: DO NOT USE IF SEAL IS BROKEN OR MISSING. USE ONLY AS DIRECTED AND BEFORE EXP. DATE. DO NOT USE FULL STRENGTH IN THE EYE. DO NOT FREEZE.

Material Safety Data Sheets (MSDS) may be found under 'Product Information' on our website at www.bradleycorp.com.

Preserves from 6 to 20 gal. (23-75 L) of portable water.

DIRECTIONS:

- 1. Clean portable self-contained station.
- 2. Rinse with portable water.
- 3. Partially fill station with portable water.
- 4. Add entire contents of bottle.
- 5. Fill tank completely with portable water.
- 6. Date station's inspection tag.
- 7. Change solution every 120 days minimum.

TESTING:

Follow manufacturer's instructions for testing the portable self-contained station.

BOTTLE CONTENTS:

Chlorhexidine Gluconate 1% w/v

Propylene Glycol

Manufactured for Bradley Fixtures Corporation

W142 N9101 Fountain Blvd. P.O. Box 309 Menomonee Falls, Wisconsin 53052-0309

NDC NO 65786

8 Fl. Oz. (236 mL)

Made in USA

MODEL NO S19-865



KleerSight™ **ULTRA CONCENTRATE** EYEWASH STATION PRESERVATIVE

WARNING

DO NOT USE IF SEAL IS BROKEN OR MISSING. USE ONLY AS DIRECTED AND BEFORE EXP. DATE. DO NOT USE FULL STRENGTH IN THE EYE. DO NOT FREEZE.

Material Safety Data Sheets (MSDS) may be found under "Product Information" on our web site at www.bradley.comp.com.

Preserves from 6 to 20 gal. (23-75 L) of potable water

DIRECTIONS:

- Clean portable self-contained station.
- Rinse with potable water.
- Partially fill station with potable water.
- Add entire contents of bottle.
- Fill tank completely with potable water.
- Date station's inspection tag.
- Change solution every 120 days minimum.

TESTING:

Follow manufacturer's instructions for testing the portable self-contained station.

BOTTLE CONTENTS:

Chlorhexidine Gluconate 1% w/v Propylene Glycol

> Manufactured for Bradley Fixtures Corporation W142 N9101 Fountain Styd., P.O. Box 309 Menomonee Falls, Wisconsin 53052-0309 MDC NO 65786

8 Fl.Oz. (236 ml.)

Bradley

KleerSight™

ULTRA CONCENTRE AGENT DE CONSERVATION POUR RÉCIPIENT DE RINCAGE OCULAIRE

ATTENTION .

NE PAS UTILISER SI LA BANGE DU CAPUCHON EST MANQUANTE OU BRISÉE. N'UTILISER QUE SELON LE MODE D'EMPLOI ET AVANT LA DATE D'EXPIRATION. NE PAS UTILISER LE PRODUIT NON DILUÉ DANS L'OERL NE LAISSEZ PAS GELER.

Fiches signalétique figurent sous la rubrique Informations techniques » sur notre site. Internet à vivivi bradlevcorp.com.

Pour traiter de 23 à 75 litres (6 à 20 gallons) d,eau petable

MODO D'EMPLOI:

- Nettoyer le récipient
- Le rincer à l'eau potable
- Le remplir partiellement d'eau potable
- Ajouter le contenu du flacon
- 5. Remplir entièrement le récipient d'eau potable
- Inscrire la date sur l'étiquette d'inspection du
- Changer la solution au moins tous les 120 jours

ESSAIS:

Suivre les indications du fabricant pour faire les essais du récipient intégré portable.

COMPOSITION:

Gluconate de clorhexidine 1% p/v Propytèneqtycol

Fabriqué pour Bradley Fixtures Corporation W142 N9101 Fountain Blvd., P.O. Box 309 Menomonee Falls, Wisconsin 53052-0309 Fabriqué au USA NDC nº 65786

8 FI.Oz. (236 ml.)

Bracker

KleerSight™

ULTRA CONCENTRADO CONSERVANTE PARA ESTACIÓN DE LAVADO OCULAR

AVERTENCIA

NO LO UTILICE SI EL PRECINTO ESTÁ ROTO O NO EXISTE. UTILÍCELO SÓLO COMO SE INDICA Y ANTES DE LA FECHA DE VENCIMIENTO. NO LO UTILICE SIN DILUIR EN EL OJO. NO PERMITA QUE SE CONCELE.

Hojas de datos sobre seguridad de materiales se pueden encontrar en "información del producto" o en ruestro siño Web, www.bradleycorp.com.

Conserva entre 23 y 75 litros (6 à 20 gal) de agua potable

INSTRUCCIONES:

- Limpie el centro autónomo portátil
- Enjuague con agua potable
- Llene parcialmente el centro con agua potable
- Aareque el contenido completo de la botella.
- Liene completamente el tanque con agua potable.
- 6. Coloque la fecha en la etiqueta de control del
- 7. Cambie la solución cada 120 días, como mínimo

PRUEBA:

Siga las instrucciones del fabricante para probar el centro autónomo portátil.

CONTENIDO DE LA BOTELLA:

Gluconato de clorhexidina 1% p/v Propilenglicol

Fabricado para Bradley Fixtures Corporation W142 N9101 Fountain Blvd., P.O. Box 309 Menomonee Falls, Wisconsin 53052-0309 NDC NO 65786 Hecho en USA

8 FI.Oz. (236 mL)



KLEERSIGHT

chlorhexidine gluconate concentrate

Prod	net I	nform	nation
PIOU			IAIIOII

Product Type HUMAN OTC DRUG Item Code (Source) NDC:65786-1717

Route of Administration IRRIGATION

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

Chlorhexidine Gluconate (UNII: MOR84MUD8E) (Chlorhexidine - UNII:R4KO0DY52L) Chlorhexidine Gluconate 2.36 mL in 236 mL

Packaging

# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:65786-1717-2	236 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/11/2010	

Revised: 3/2010 Bradley Fixtures Corporation