

**PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine hcl tablet, coated**

**McKesson (Health Mart)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each geltab)**

**Acetaminophen 500 mg**

Diphenhydramine HCl 25 mg

**Purposes**

**Pain reliever**

Nighttime sleep-aid

**Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

**Stop use and ask a doctor if**

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-22201222) right away: Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see overdose warning)**
- adults and children 12 years and over: take 2 gels at bedtime. Do not take more than 2 gels of this product in 24 hours.
- children under 12 years: do not use

**Other information**

- store at room temperature 20°-25°C (68°-77°F)
- avoid high humidity and excessive heat

**Inactive ingredients**

corn starch, croscarmellose sodium\*, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, sodium starch glycolate\*, stearic acid, titanium dioxide

\*contains one or more of these ingredients

**Questions or comments?**

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**Principal Display Panel**

Compare to the active ingredients in Extra Strength TYLENOL PM®†

EXTRA STRENGTH

**Pain Reliever PM**

**ACETAMINOPHEN 500 mg,**

**Diphenhydramine HCl 25 mg**

Pain reliever/Nighttime sleep-aid

Non-habit forming • For ages 12 years and over

GELTABS

†This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by McKesson

6555 State Highway 161 Irving, TX 75039

[www.healthmart.com](http://www.healthmart.com)

**Product Label**

Exp. Date:

Lot No.:

PLD-G30T  
FC004871



**MEKESON**  
Distributed by McKesson  
6555 State Highway 161 Irving, TX 75039  
Money Back Guarantee  
healthmart.com

### Drug Facts

#### Active ingredients (in each geltab)

Acetaminophen 500 mg ..... Pain reliever  
Diphenhydramine HCl 25 mg ..... Nighttime sleep-aid

**Uses** Temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness.

#### Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg of acetaminophen in 24 hours  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

#### Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist  
■ with any other product containing diphenhydramine, even one used on skin  
■ in children under 12 years of age  
■ if you have ever had an allergic reaction to this product or any of its ingredients

### Drug Facts (continued)

#### Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

#### Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

#### When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

#### Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.
  - new symptoms occur
  - redness or swelling is present
  - pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### Drug Facts (continued)

#### Directions

- do not take more than directed (see Overdose warning)
- adults and children 12 years and over: take 2 gels at bedtime. Do not take more than 2 gels of this product in 24 hours.
- children under 12 years: do not use

#### Other information

- store between 20-25°C (68-77°F)
- avoid high humidity and excessive heat

#### Inactive ingredients

corn starch, croscarmellose sodium\*, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, sodium starch glycolate\*, stearic acid, titanium dioxide

\*contains one or more of these ingredients

#### Questions or comments?

Call 1-877-753-3835 Monday-Friday 9AM-5PM EST

This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**



Health Mart.

NDC 62011-0256-1

Compare to the active ingredients in Extra Strength Tylenol® PM†

**EXTRA STRENGTH**

# Pain Reliever PM

Acetaminophen 500 mg  
Diphenhydramine HCl 25 mg

Pain reliever, Nighttime sleep-aid

Non habit-forming • For ages 12 years and over

50 Geltabs

ACTUAL SIZE

## HEALTH MART Pain Reliever PM

**PAIN RELIEVER PM EXTRA STRENGTH**

acetaminophen, diphenhydramine hcl tablet, coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62011-0256
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

**Inactive Ingredients**

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	

**Product Characteristics**

<b>Color</b>	WHITE, BLUE	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	13mm
<b>Flavor</b>		<b>Imprint Code</b>	BP50
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:62011-0256-1	1 in 1 BOX	07/31/2015	
1		50 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	07/31/2015	

**Labeler** - McKesson (Health Mart) (177667227)

Revised: 6/2019

McKesson (Health Mart)